<u>Help</u>

sandipan_dey >

Next >

<u>Calendar</u> **Discussion** <u>Notes</u> <u>Course</u> <u>Progress</u> <u>Dates</u>

★ Course/ Unit 1: Functions of two vari... / Lecture 2: Linear approximations and tangent ...



You are taking "Exam (Timed, No Correctness Feedback)" as a timed exam. Show more

End My Exam

Previous

44:48:30






☐ Bookmark this page

Lecture due Aug 4, 2021 20:30 IST Completed



Explore

Illustration of a plane



0:00 / 0:00 ▶ 2.0x X CC " Start of transcript. Skip to the end.

PROFESSOR: And I'm going to try to illustrate it for you.

So I brought a plane with me today that we'll use sometimes.

So what does this look like?

Here we have height 0, so I'll put the cardboard

flush to the blackboard.

And over here we have height 1, and over there we

have height 2.

Video

Download video file

Transcripts

Download SubRip (.srt) file Download Text (.txt) file

Let's explore why it makes sense for an equation of the type z=ax+by+c to be a plane. To do this, we will look at the level curves, and think about what this means in terms of the geometry of the function graphed in 3 dimensions.

1 variable y = ax + bline

2 variables z = ax + by + cplane

Why is z = ax + by + c the equation for a plane?

Set z to different heights and look at the level curves!

- Set z=c, get the line 0=ax+by
- Set z = 1 + c, get the line 1 = ax + by
- Set z = -1 + c, get the line -1 = ax + by

We see that the level curves of this function are parallel lines that are **equally spaced**. Thus this must be a plane.

Observations


2/2 points (graded)

2/2 points (graded)

The following images of level curves depict a level curve of heights -1, -0.5, 0, 0.5, \square Calculator



(Choose all that apply, each column is graded separately.)



Solution:


A level curve for a plane z=ax+by+c of height h satisfies the equation

$$h-c=ax+by,$$

which is the equation for a line with slope -a/b. Thus in particular, the level curves must all be lines, and they must all be lines of the same slope. This eliminates the options whose level curves are not lines, or are lines that do not have the same slope.

Note that horizontal lines are possible (set a=0 in the equation for the plane); vertical lines are possible (set b=0).

The y-intercept is given by (h-c)/b. Therefore if you look at level curves at height 0, 1, and 2, the y-intercepts are -c/b, -c/b+1/b, and -c/b+2/b. Thus the y-intercepts must also be equidistant. This eliminates all of the choices where the level curves have equidistant heights, but the level curves do not have equidistant y-intercepts.



© All Rights Reserved



<u>About</u>

<u>Affiliates</u>

edX for Business

Open edX

Careers

<u>News</u>

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

Trademark Policy

■ Calculator



Connect

<u>Blog</u>

Contact Us

Help Center

Media Kit

Donate















© 2021 edX Inc. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>