



UTAustinX: UT.7.20x Foundations of Data Analysis - Part 2



Bookmarks

- ▶ Important Pre-Course Survey
- ▶ Contact Us
- ▶ How To Navigate the Course
- ▶ Discussion Board
- ▶ Office Hours
- ▶ Week 0: Introduction to Data (Optional Review)
- ▶ Week 1: Sampling
- ▶ Week 2: Hypothesis

Week 5: Hypothesis Testing (More Than Two Group Means) > Problem Set > Question 4

Bookmark

Question 4

Below is the source table for a study on sleep aids, comparing the effectiveness of three (3) different treatments. Note that some of the elements of the table are missing.

	SS	df	MS	F
Between Treatments	782.00			
Within Treatments		34		
Total	2,147.00			

(1/1 point)

4a. What is SS_{Within} ?


Testing (One Group Means)

- ▶ Week 3: Hypothesis Testing (Two Group Means)


- ▶ Week 4: Hypothesis Testing (Categorical Data)

- ▼ Week 5: Hypothesis Testing (More Than Two Group Means)

Readings


Reading Check due May 03, 2016 at 17:00 UTC 

Lecture Videos

Comprehension Check due May 03, 2016 at 17:00 UTC 

R Tutorial Videos

Pre-Lab

Pre-Lab due May 03, 2016 at 17:00 UTC 

Lab



Answer: 1365

You have used 1 of 1 submissions

(1/1 point)

4b. What is **df_{Total}** ?




Answer: 36


You have used 1 of 1 submissions

(1/1 point)

4c. What is **MS_{Within}** ? (Round to 2 decimal places.)

Lab due May 03, 2016 at 17:00 UTC 

Problem Set

Problem Set due May 03, 2016 at 17:00 UTC 

40.15



Answer: 40.15

40.15

You have used 1 of 1 submissions

(1/1 point)

4d. What is the **F statistic**? (Round to 2 decimal places, and use your rounded answer from 4c.)

9.74



Answer: 9.74

9.74

You have used 1 of 1 submissions

(1/1 point)

4e. Using an F-critical of 3.28, what is the appropriate conclusion of the test?

☒ At least one of the sleep aids performs better than the others. 

- ☐ The three sleep aids perform equally well.

You have used 1 of 1 submissions

(1/1 point)

4f. You decide to perform a post-hoc analysis on these group means using a Bonferroni correction. How many group mean comparisons will you do?

3



Answer: 3

3

You have used 1 of 1 submissions

(1/1 point)

4g. What should be the new significance level for your post-hoc tests, assuming an original $\alpha=0.05$? (Round to 3 decimal places.)



Answer: 0.017

You have used 1 of 1 submissions

4h. Here are the results from your post-hoc analysis. These are the p-values from the actual t-tests. They are not adjusted, so be sure to compare them to the significance level you calculated above.

	T-Statistic	P-Value
Group 1 - Group 2	1.90	0.137
Group 1 - Group 3	3.79	0.004
Group 2 - Group 3	3.44	0.028

(1/1 point)

What do you conclude?

- ☐ The Sleep Aid 1 group and Sleep Aid 2 group were significantly different from Sleep Aid 3 group, but not from each other.
- ☐ The Sleep Aid 1 group and Sleep Aid 2 group were significantly different from one another.
- ☒ The Sleep Aid 1 was significantly different from the Sleep Aid 3 group. ✓

You have used 1 of 1 submissions

© All Rights Reserved



© edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

POWERED BY
OPENedX



