



MITx: 6.041x Introduction to Probability - The Science of Uncertainty



Bookmarks

- ▶ Unit 0: Overview
- ▶ Entrance Survey
- ▼ **Unit 1: Probability models and axioms**

Lec. 1: Probability models and axioms

Exercises 1 due Feb 10, 2016 at 23:59 UTC

Mathematical background: Sets; sequences, limits, and series; (un)countable sets.

Solved problems
Problem Set 1

Problem Set 1 due Feb 10, 2016 at 23:59 UTC

- ▶ Unit 2: Conditioning

Unit 1: Probability models and axioms > Problem Set 1 > Problem 5 Vertical: Probabilities on a continuous sample space

Bookmark

Problem 5: Probabilities on a continuous sample space

(6/6 points)

Alice and Bob each choose at random a real number between zero and one. We assume that the pair of numbers is chosen according to the uniform probability law on the unit square, so that the probability of an event is equal to its area.

We define the following events:

 $A = \{\text{The magnitude of the difference of the two numbers is greater than } 1/3\}$
 $B = \{\text{At least one of the numbers is greater than } 1/4\}$
 $C = \{\text{The sum of the two numbers is } 1\}$
 $D = \{\text{Alice's number is greater than } 1/4\}$

Find the following probabilities:

1.

 $P(A) =$

0.4444444



Answer: 0.44444

and independence

- ▶ Unit 3: Counting
- ▶ Unit 4: Discrete random variables
- ▶ Exam 1
- ▶ Unit 5: Continuous random variables
- ▶ Unit 6: Further topics on random variables
- ▶ Unit 7: Bayesian inference
- ▶ Exam 2
- ▶ Unit 8: Limit theorems and classical statistics
- ▶ Unit 9: Bernoulli and Poisson processes

2.

$$\mathbf{P}(B) = \boxed{0.9375} \quad \checkmark \quad \text{Answer: } 0.9375$$

3.

$$\mathbf{P}(A \cap B) = \boxed{0.4444444} \quad \checkmark \quad \text{Answer: } 0.44444$$

4.

$$\mathbf{P}(C) = \boxed{0} \quad \checkmark \quad \text{Answer: } 0$$

5.

$$\mathbf{P}(D) = \boxed{0.75} \quad \checkmark \quad \text{Answer: } 0.75$$


6.

$$\mathbf{P}(A \cap D) = \boxed{0.3090278} \quad \checkmark \quad \text{Answer: } 0.30903$$

Answer:

1. We have the following figure, where the axes represent Alice and Bob's choices, and the shaded areas (the two triangles) represent points where Alice's and Bob's choices differ by more than $1/3$.

- ▶ Unit 10: Markov chains
- ▶ Exit Survey
- ▶ Final Exam




Under the uniform probability law, the probability of the event is its area. Using the formula for the area of a triangle, we find

$$\mathbf{P(A)} = 2 \cdot \frac{(2/3)^2}{2} = \boxed{4/9}.$$

2.

The set of points for which at least one of the numbers is greater than $1/4$ is the shaded region in the following figure:



Its probability is:


$$\begin{aligned}\mathbf{P}(B) &= 1 - \mathbf{P}(\text{both numbers are less than or equal to } 1/4) \\ &= 1 - \text{Area of unshaded square} \\ &= 1 - 1/4 \cdot 1/4\end{aligned}$$

$$\begin{aligned} &= 1 - 1/16 \\ &= \boxed{15/16}. \end{aligned}$$

3. Event A is a subset of event B , so that $A \cap B = A$. Thus,


$$\mathbf{P}(A \cap B) = \mathbf{P}(A) = \boxed{4/9}.$$

4. The set of points where the sum of the two numbers is 1 is the diagonal of slope -1 shown in the next figure.




Since it is a line segment, it has zero area and $\mathbf{P}(C) = \boxed{0}$.

5. Event \mathbf{D} is the shaded region in the figure below.



Thus, $\mathbf{P}(D) = \text{area of shaded region} = 1 \cdot (3/4) = \boxed{3/4}$.

6. By intersecting the shaded areas associated with events \mathbf{A} and \mathbf{D} , we obtain the shaded region shown below.



Then,

$$\begin{aligned}
 \mathbf{P}(A \cap D) &= \text{area of shaded region} \\
 &= 2/3 \cdot 2/3 \cdot 1/2 + 5/12 \cdot 5/12 \cdot 1/2 \\
 &= 2/9 + 25/288 \\
 &= \boxed{89/288}.
 \end{aligned}$$

You have used 2 of 2 submissions

DISCUSSION

Click "Show Discussion" below to see discussions on this problem.

© All Rights Reserved



© edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

POWERED BY
OPENedX

