

<u>Help</u> Ţ

sandipan_dey ~

Next >

laff routines **Discussion** <u>Syllabus</u> <u>Outline</u> <u>Community</u> <u>Course</u> **Progress** <u>Dates</u>

★ Course / Week 4: Matrix-Vector to Matrix-Matrix Multiplication / 4.2 Preparation

(

4.2.1 Partitioned Matrix-vector Multiplication

☐ Bookmark this page


Previous

■ Calculator

Consider

Week 4 due Oct 24, 2023 19:42 IST

4.2.1 Partitioned Matrix-Vector Multiplication



U/

/1\

⊞ Calculator

and partition these into submatrices (regions) as follows:

$$\left(egin{array}{c|c|c} A_{00} & \mathbf{a}_{01} & A_{02} \ \hline \mathbf{a}_{10}^T & lpha_{11} & \mathbf{a}_{12}^T \ \hline A_{20} & \mathbf{a}_{21} & A_{22} \end{array}
ight) \;\; ext{and} \;\; \left(egin{array}{c} x_0 \ \hline \chi_1 \ \hline x_2 \end{array}
ight),$$

where $A_{00}\in\mathbb{R}^{3x3},\,x_0\in\mathbb{R}^3,\,lpha_{11}$ is a scalar, and χ_1 is a scalar. Show with lines how A and x are partitioned:

$$egin{bmatrix} lefootnows & egin{bmatrix} -1 & 2 & 4 & 1 & 0 \ 1 & 0 & -1 & -2 & 1 \ 2 & -1 & 3 & 1 & 2 \ \hline 1 & 2 & 3 & 4 & 3 \ \hline -1 & -2 & 0 & 1 & 2 \ \end{pmatrix}, \qquad egin{bmatrix} 1 \ 2 \ 3 \ \hline 4 \ \hline 5 \ \end{pmatrix}$$

Not enough information



Explanation

Answer:

$$\begin{pmatrix} -1 & 2 & 4 & 1 & 0 \\ 1 & 0 & -1 & -2 & 1 \\ 2 & -1 & 3 & 1 & 2 \end{pmatrix} \qquad \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}.$$
\text{Previous}
Next \(\rightarrow



edX

About

Affiliates

edX for Business

<u>Open edX</u>

Careers

News

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

<u>Trademark Policy</u>

<u>Sitemap</u>

Cookie Policy

Your Privacy Choices

Connect

<u>Idea Hub</u>

Contact Us

Help Center

<u>Security</u>

Media Kit















© 2023 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>