

EdX and its Members use cookies and other tracking technologies for performance, analytics, and marketing purposes. By using this website, you accept this use. Learn more about these technologies in the [Privacy Policy](#).



[Course](#) > [Unit 3:...](#) > [6 Deco...](#) > 16. Wo...

16. Worked example

Worked example: matrix exponential

Matrix Exponentials | MIT 18.03SC Differential Equations, Fall 2011

1 comment



0:00 / 11:55



2.0x



Review

0 points possible (ungraded)

Which of the following matrices could be an exponential matrix of the form e^{At} ?

(Choose all that apply.)



$$\begin{pmatrix} \cos(t) & \sin(t) \\ -\sin(t) & \cos(t) \end{pmatrix} \quad \checkmark$$

☐
$$\begin{pmatrix} e^t & e^{2t} \\ -2e^t & -2e^{2t} \end{pmatrix}$$

☐
$$\begin{pmatrix} e^{-3t} & e^t & te^t \\ 2e^{-3t} & 0 & 0 \\ 0 & e^t & e^t \end{pmatrix}$$

☐
$$\begin{pmatrix} e^{-3t} & e^t & e^t \\ 0 & e^t & 0 \\ 0 & 0 & e^t \end{pmatrix}$$

☐
$$\begin{pmatrix} e^{it} & e^{-it} \\ -ie^{it} & ie^{-it} \end{pmatrix}$$



Solution:

We need to check that $\mathbf{X}(0) = \mathbf{I}$. We identified $\mathbf{X}(0)$ in a previous concept check:

- $\begin{pmatrix} \cos(t) & \sin(t) \\ -\sin(t) & \cos(t) \end{pmatrix} \Big|_{t=0} = I$
- $\begin{pmatrix} e^t & e^{2t} \\ -2e^t & -2e^{2t} \end{pmatrix} \Big|_{t=0} = \begin{pmatrix} 1 & 1 \\ -2 & -2 \end{pmatrix}$
- $\begin{pmatrix} e^{-3t} & e^t & te^t \\ 2e^{-3t} & 0 & 0 \\ 0 & e^t & e^t \end{pmatrix} \Big|_{t=0} = \begin{pmatrix} 1 & 1 & 0 \\ 2 & 0 & 0 \\ 0 & 1 & 1 \end{pmatrix}$
- $\begin{pmatrix} e^{-3t} & e^t & e^t \\ 0 & e^t & 0 \\ 0 & 0 & e^t \end{pmatrix} \Big|_{t=0} = \begin{pmatrix} 1 & 1 & 1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$
- $\begin{pmatrix} e^{it} & e^{-it} \\ -ie^{it} & ie^{-it} \end{pmatrix} \Big|_{t=0} = \begin{pmatrix} 1 & 1 \\ -i & i \end{pmatrix}$

The only potential exponential matrix is the first one.

Submit

 Answers are displayed within the problem

16. Worked example



Hide Discussion

Topic: Unit 3: Solving systems of first order ODEs using matrix methods
/ 16. Worked example

Add a Post

Show all posts ▼

by recent activity ▼

-  [Final project\[STAFF\]](#) 3
[Since there's just a week left before the final project I started making some calculations about the likelih...](#)
-  [Why ungraded on Review question \(under 16. Worked example\)?](#) 2
[Just curious.](#)

Learn About Verified Certificates

© All Rights Reserved