



[Final project: Applications to Course](#) > [nonlinear differential equations](#) > [Project 1: Review of nonlinear populations models](#) > 5. Finding critical points of the hare and lynx system

# 5. Finding critical points of the hare and lynx system

## Modeling the hare and lynx system

MIT180312016-V027600

▶ 0:00 / 5:57

▶ Speed 2.0x 🔊 🗑️ 📺 “

Video  
[Download video file](#)

Transcripts  
[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

### Find the critical points

2 points possible (graded, results hidden)  
One critical point of the Hare–Lynx system

$$\begin{aligned}\dot{H} &= aH - HL \\ \dot{L} &= L - HL\end{aligned}$$

is  $H = 0, L = 0$ . Find the other critical point.

$H =$ 

1

1

$L =$ 

a

a

[FORMULA INPUT HELP](#)

Submit

You have used 1 of 5 attempts

### 5. Finding critical points of the hare and lynx system

[Hide Discussion](#)

**Topic:** Final project: Applications to nonlinear differential equations / 5. Finding critical points of the hare and lynx system

[Add a Post](#)

Show all posts ▼

by recent activity ▼

There are no posts in this topic yet.

✕

