

[Course](#)

[Progress](#)

[Dates](#)

[Discussion](#)

[Syllabus](#)

[Outline](#)

[laff routines](#)

[Community](#)

 [Course](#) / [Exam 2](#) / [E2.2 Sample Exam 2](#)



< Previous













Next >


E2.2.5 Sample Exam Answers and Videos Questions 7-8

 Bookmark this page


7. (a) Invert $A = \begin{pmatrix} 2 & 2 & -6 \\ -4 & -5 & 14 \\ 4 & 3 & -9 \end{pmatrix}$.

PDF of Answer


Question 7 : Video



Video

 [Download video file](#)

Transcripts

 [Download SubRip \(.srt\) file](#)

 [Download Text \(.txt\) file](#)

8. Let A and B both be $n \times n$ matrices and both be invertible. $C = AB$ is invertible

Always/Sometimes/Never

Justify (prove) your answer.


ANSWER:

 Calculator

Question 8: Video



Transcripts

 [Download Text \(.txt\) file](#)

Discussion

Topic: Exam 2 / 2.2 Sample Exam Questions 7 and 8

Add a Post

by recent activity ▼

Next >

© All Rights Reserved



edX

About


Affiliates

edX for Business

Open edX

Careers

News

 Calculator

Legal

- [Terms of Service & Honor Code](#)
- [Privacy Policy](#)
- [Accessibility Policy](#)
- [Trademark Policy](#)
- [Sitemap](#)
- [Cookie Policy](#)
- [Your Privacy Choices](#)

Connect

- [Idea Hub](#)
- [Contact Us](#)
- [Help Center](#)
- [Security](#)
- [Media Kit](#)



© 2023 edX LLC. All rights reserved.
深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)