



Course > Week 1 > What a... > Proble...

Problem (5-6)

🔖 Bookmark this page

Problem 5

1.0/1.0 point (graded)

Euler became a famous mathematician after solving the Basel problem because many mathematicians at that time failed to solve it. Euler's solution of the Basel problem says the sum of the inverses of the squares divided by the square of π is a rational number.

What is it?

☐ 1

☐ $\frac{2}{3}$

☐ $\frac{1}{4}$

☒ $\frac{1}{6}$ ✓

Submit

You have used 1 of 2 attempts

Problem 6

1.0/1.0 point (graded)

Euler calculated the special values of $\zeta(s)$ when s is a positive even integer, and proved the ratio $\zeta(2N)/\pi^{2N}$ is a rational number. Choose the correct statement.

- ☐ When Euler solved the Basel problem, he was 17 years old, and **17** is a prime number.
- ☐ Euler also proved $\zeta(N)/\pi^N$ is a rational number for any positive integer N . For example, he proved $\zeta(3) = \pi^3/27$.
- ☐ Euler proved formulae like $\zeta(4) = \pi^4/90$ and $\zeta(6) = \pi^6/945$. These results suggest the numerator of $\zeta(2N)/\pi^{2N}$ is 1.
- ☒ Kummer discovered the rational number $\zeta(2N)/\pi^{2N}$ has a deep number theoretic meaning. Using his theory, Kummer proved Fermat's Last Theorem in many cases. Kummer's theory was further generalized by Iwasawa in the middle of the 20th century. ✓

You have used 1 of 2 attempts

© All Rights Reserved



English ▼

© 2012–2017 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open edX logos are registered trademarks or trademarks of edX Inc. | 粵ICP备17044299号-2

