

EdX and its Members use cookies and other tracking technologies for performance, analytics, and marketing purposes. By using this website, you accept this use. Learn more about these technologies in the [Privacy Policy](#).



[Lecture 11: Fisher Information,](#)
[Asymptotic Normality of MLE;](#)

[Course](#) > [Unit 3 Methods of Estimation](#) > [Method of Moments](#)

> 11. MLE versus Method of Moments


Audit Access Expires Dec 24, 2019

You lose all access to this course, including your progress, on Dec 24, 2019.

Upgrade by Nov 4, 2019 to get unlimited access to the course as long as it exists on the site. [Upgrade now](#)

11. MLE versus Method of Moments

MLE versus Method of Moments



▶ 5:22 / 5:22

▶ 1.50x 🔊 🗑️ 📄 🗨️

Video

[Download video file](#)

Transcripts

[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

MLE vs. Method of Moments

1/1 point (graded)

Which of the following are advantages of using the MLE over the method of moments estimator? (Choose all that apply.)

Remark: All of the choices below are true statements; your task is to figure out which of these choices are indeed advantages.

☒ In general, the MLE provides a more accurate estimator than the method of moments estimator.

☐ If the likelihood has several local maxima, then we may not be able to compute the MLE efficiently

☒ The method of moments requires you to find d so that the first d moments uniquely determine the distribution of interest. To compute the MLE, this step is not necessary.



Solution:

We examine the choices in order.

- As stated in the slides, if we compare the quadratic risks of the method of moments estimator and the MLE, then the MLE has better performance in general. Hence "In general, the MLE provides a more accurate estimator than the method of moments estimator." is correct.
- Since the MLE is not always computationally tractable, this is a disadvantage. Optimizing the likelihood function can be very inefficient if the likelihood function is complicated and has several local maxima which require testing. Hence "If the likelihood has several local maxima, then we may not be able to compute the MLE efficiently" is an incorrect response.
- "The method of moments requires you to find d so that the first d moments uniquely determine the distribution of interest. To compute the MLE, this step is not necessary." is correct. The expression of the moments map ψ in terms of the parameter θ can be quite complicated, so it may be difficult to deduce how many moments (or *degrees of freedom*) are needed to uniquely recover the true distribution from moments. It is not necessary to make assumptions on or work with the moments map to use the MLE, so this is another advantage.

Submit

You have used 1 of 3 attempts

i Answers are displayed within the problem

Discussion

[Hide Discussion](#)

Topic: Unit 3 Methods of Estimation:Lecture 11: Fisher Information, Asymptotic Normality of MLE; Method of Moments / 11. MLE versus Method of Moments

[Add a Post](#)

Show all posts ▼

by recent activity ▼

[Karl Pearson crab paper](#)

Here is a link to [Pearson's paper on crabs][1] that is mentioned in the lecture. [1]: <https://royalsocietypublishing.org/doi/abs/10.1098/rsta.1894.0003>

1

[Learn About Verified Certificates](#)

© All Rights Reserved