



Bookmarks

▸ General Information

▸ Week 1

▼ Week 2

Lecture 2

Lecture questions due Sep 20, 2016 at 19:30 IST

**Recitation 2****Problem Set 2**

Homework due Sep 20, 2016 at 19:30 IST



Week 2 > Problem Set 2 > Problem 1



Bookmark

Part A


(1/1 point)


Consider the following linear program:


$$\begin{array}{ll}
 \max & x_1 + 2x_2 \\
 \text{s.t.} & \\
 & x_1 - x_2 \geq -4 \\
 & x_1 + x_2 \leq 8 \\
 & x_1 \leq 5 \\
 & x_2 \leq 6 \\
 & x_1, x_2 \geq 0
 \end{array}
 \left. \vphantom{\begin{array}{l} \max \\ \text{s.t.} \end{array}} \right\}$$


Which of the following graphs shows the feasible region of the LP? The feasible region is indicated by the yellow area.














You have used 1 of 2 submissions

Part B

(3/3 points)

Are any of the above constraints redundant? If so, indicate which one(s). (For large linear programs, eliminating redundant constraints can sometimes speed up the solution of the linear program. Redundant constraints play an even more important role in integer programming.)

☐ Constraint 1: $x_1 - x_2 \geq -4$

☐ Constraint 2: $x_1 + x_2 \leq 8$

☐ Constraint 3: $x_1 \leq 5$

☒ Constraint 4: $x_2 \leq 6$

☐ Constraint 5: $x_1, x_2 \geq 0$

☐ None of the above



Note: Make sure you select all of the correct options—there may be more than one!

You have used 1 of 3 submissions

Part C

(1/1 point)

Solve the LP using the graphical method. Input the value $x_1 \times x_2$, the product of the decision variables x_1, x_2 , at the optimal solution.



You have used 2 of 2 submissions

Part D

(1/1 point)

There is more than one optimal solution.

☐ True

☒ False

You have used 1 of 2 submissions

Part E

(1/1 point)

Suppose we add the constraint $3x_1 + 2x_2 \geq \alpha$ to the LP. For which value(s) of α is the constraint redundant?

- ☐ $\alpha \in [1.5, \infty)$
- ☐ $\alpha \in (-\infty, 1.5]$
- ☒ $\alpha \in (-\infty, 0]$ ✓
- ☐ $\alpha \in [0, \infty)$
- ☐ $\alpha = 0$

You have used 1 of 2 submissions

Part F

(1/1 point)

Given the same constraint in Part E, for which value(s) of α is the optimal solution found above no longer optimal?

- ☐ $\alpha \in (12, \infty)$
- ☒ $\alpha \in (18, \infty)$ ✓
- ☐ $\alpha \in (21, \infty)$

☐ $\alpha \in (26, \infty)$

☐ None of the above

You have used 2 of 2 submissions

Part G

(1/1 point)

Replace the objective function $x_1 + 2x_2$ with the objective function $x_1 + \beta x_2$. What is the range of values of β for which the point $(2, 6)$ is optimal?

☒ $[1, \infty)$ ✓

☐ $[-1, 1]$

☐ $[0, 2]$

☐ $(-\infty, 1]$

☐ None of the above

You have used 1 of 2 submissions

© All Rights Reserved



© 2016 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

POWERED BY
OPENedX®

