sign up log in tour help

Mathematics Stack Exchange is a question and answer site for people studying math at any level and professionals in related fields. It's 100% free, no registration required.

Here's how it works:

Anybody can ask a question

Anybody can answer

The best answers are voted up and rise to the top

Sign up

Expectation of Minimum of n i.i.d. uniform random variables.

 X_1, X_2, \ldots, X_n are n i.i.d. uniform random variables. Let $Y = \min(X_1, X_2, \ldots, X_n)$. Then, what's the expectation of Y (i.e., E(Y))?

I have conducted some simulations by Matlab, and the results show that E(Y) may equal to $\frac{1}{n+1}$. Can anyone give a rigorous proof or some hints? Thanks!

(probability-theory) (expectation)

asked May 8 '14 at 13:07



Have you found the density function for Y? – Alex G. May 8 '14 at 13:13

2 Answers

To calculate the expected value, we're going to need the density function for Y. To get that, we're going to need the distribution function for Y. Let's start there

By definition, $F(y) = P(Y \le y) = 1 - P(Y > y) = 1 - P(\min(X_1, ..., X_n) > y)$. Of course, $\min(X_1, \dots X_n) > y$ exactly when $X_i > y$ for all i. Since these variables are i.i.d., we have $F(y) = 1 - P(X_1 > y)P(X_2 > y) \dots P(X_n > y) = 1 - P(X_1 > y)^n$. Assuming the X_i are uniformly distributed on (a, b), this yields

$$F(y) = egin{cases} 1 - \left(rac{b-y}{b-a}
ight)^n &: y \in (a,b) \ 0 &: y < a \ 1 &: y > b \end{cases}$$

We take the derivative to get the density function.

$$f(y) = \begin{cases} \frac{n}{b-a} \left(\frac{b-y}{b-a}\right)^{n-1} & : y \in (a,b) \\ 0 & : \text{otherwise} \end{cases}$$

Now $E(Y)=\int_{-\infty}^{\infty}yf(y)dy$. The integral is straightforward; I'll leave the details to you. I calculate $E(Y)=\frac{b+na}{n+1}$.

answered May 8 '14 at 13:38



Alex G.

26

Thanks for your answer. You extend it to a more general setting, which is very helpful. - jet May 8 '14 at 13:42

Yes. Assuming a U(0, 1), note that

$$\Pr\Bigl(\min X_i \leq x\Bigr) = 1 - \Pr\Bigl(\min X_i \geq x\Bigr) = 1 - (1-x)^n.$$

So the density function is

$$f(x) = n(1-x)^{n-1}$$
.

Then

$$\int_0^1 x f(x) dx = n \int_0^1 x (1-x)^{n-1} dx = n \int_0^1 (1-t) t^{n-1} dt = rac{1}{n+1}.$$

answered May 8 '14 at 13:35

300	JPi		
000	3,487	3	17

1 Thanks for your answer, which is very helpful. – jet May 8 '14 at 13:43