<u>Help</u> 🗘

sandipan\_dey 🗸

<u>Course</u> <u>Progress</u> <u>Dates</u> <u>Discussion</u> <u>MO Index</u>

★ Course / 5 Exams / 5.2 Exam 2

()

Next >




☐ Bookmark this page

Previous

Exams due Sep 27, 2023 05:00 IST Completed

## Problem: Where will gradient descent converge?

3/3 points (graded)



Consider the function  $J\left(x
ight)$  in the range 0 < x < 10 in the plot above.

In the following questions, assume that a small step size is used such that the gradient descent algorithm is stable and converges without oscillation to some x.

Suppose that the initial condition for the gradient descent is  $x^0 = 2$ , what is the x location that the gradient descent converges to? Give your answer to a single digit of precision (i.e. enter an integer value).

1 ✓ Answer: 1

Suppose that the initial condition for the gradient descent is  $x^0=6$ , what is the x location that the gradient descent converges to? Give your answer to a single digit of precision (i.e. enter an integer value).

1 ✓ Answer: 1

Suppose that the initial condition for the gradient descent is  $x^0 = 8$ , what is the x location that the gradient descent converges to? Give your answer to a single digit of precision (i.e. enter an integer value).

7 ✓ Answer: 7

Submit

Answers are displayed within the problem

< Previous

Next >

© All Rights Reserved



## edX

<u>Affiliates</u>

edX for Business

Open edX

Careers

<u>News</u>

## Legal

Terms of Service & Honor Code

Privacy Policy

**Accessibility Policy** 

**Trademark Policy** 

<u>Sitemap</u>

Cookie Policy

**Your Privacy Choices** 

## **Connect**

Idea Hub

**Contact Us** 

Help Center

**Security** 

Media Kit















© 2023 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>