This page (https://learning.edx.org/course/course-v1:IMTx+NET04x+3T2018/block-v1:IMTx+NET04x+3T2018-type@sequential+block@72339263ecff451aa4d9af290f97c31b) is currently offline. However, because the site uses Cloudflare's Always Online™ technology you can continue to surf a snapshot of the site. We will keep checking in the background and, as soon as the site comes back, you will automatically be served the live version. Always Online™ is powered by Cloudflare | Hide this Alert

Previous Practice questions: Dijkstra's Algorithm Bookmark this page Practice questions: Dijkstra's algorithm Joints (ungraded) We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS.	_	
Practice questions: Dijkstra's Algorithm □ Bookmark this page Practice questions: Dijkstra's algorithm 3/3 points (ungraded) 1. When running Dijkstra's algorithm on a weighted graph from vertex u, what follow that the Dijktra's algorithm outputs are the shortest paths from vertex u to the access □ The input weighted graph is a tree. □ The input graph contains only nonnegative weights. □ The input graph is connected. ✓ 2. What following property best describes the functioning of Dijkstra's algorithm? □ We explore vertices by increasing the distance from u in the graph. □ We explore vertices by increasing the hops from u in the graph. □ We explore vertices as we would do for a BFS.	ving condition is sufficient t	to guarantee
Practice questions: Dijkstra's Algorithm □ Bookmark this page Practice questions: Dijkstra's algorithm 3/3 points (ungraded) 1. When running Dijkstra's algorithm on a weighted graph from vertex u, what follow that the Dijktra's algorithm outputs are the shortest paths from vertex u to the access □ The input weighted graph is a tree. □ The input graph contains only nonnegative weights. □ The input graph is connected. ✓ 2. What following property best describes the functioning of Dijkstra's algorithm? □ We explore vertices by increasing the distance from u in the graph. □ We explore vertices by increasing the hops from u in the graph. □ We explore vertices as we would do for a BFS.	ving condition is sufficient t	to guarantee
Practice questions: Dijkstra's algorithm 3/3 points (ungraded) 1. When running Dijkstra's algorithm on a weighted graph from vertex u , what follow that the Dijktra's algorithm outputs are the shortest paths from vertex u to the access. The input weighted graph is a tree. The input graph contains only nonnegative weights. The input graph is connected. We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS.	_	
Practice questions: Dijkstra's algorithm 3/3 points (ungraded) 1. When running Dijkstra's algorithm on a weighted graph from vertex u , what follow that the Dijktra's algorithm outputs are the shortest paths from vertex u to the access. The input weighted graph is a tree. The input graph contains only nonnegative weights. The input graph is connected. ** 2. What following property best describes the functioning of Dijkstra's algorithm? We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS.	_	
3/3 points (ungraded) 1. When running Dijkstra's algorithm on a weighted graph from vertex u , what follow that the Dijktra's algorithm outputs are the shortest paths from vertex u to the access. The input weighted graph is a tree. The input graph contains only nonnegative weights. The input graph is connected. ** 2. What following property best describes the functioning of Dijkstra's algorithm? We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS.	_	
 When running Dijkstra's algorithm on a weighted graph from vertex u, what follow that the Dijktra's algorithm outputs are the shortest paths from vertex u to the access. The input weighted graph is a tree. The input graph contains only nonnegative weights. The input graph is connected. What following property best describes the functioning of Dijkstra's algorithm? We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS. 	_	
that the Dijktra's algorithm outputs are the shortest paths from vertex u to the access. The input weighted graph is a tree. The input graph contains only nonnegative weights. The input graph is connected. ** 2. What following property best describes the functioning of Dijkstra's algorithm? We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS.	_	
 The input graph contains only nonnegative weights. The input graph is connected. What following property best describes the functioning of Dijkstra's algorithm? We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS. 		
 The input graph is connected. ✓ 2. What following property best describes the functioning of Dijkstra's algorithm? We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS. 		
 The input graph is connected. ✓ 2. What following property best describes the functioning of Dijkstra's algorithm? We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS. 		
 2. What following property best describes the functioning of Dijkstra's algorithm? We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS. 		
lacktriangle We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS.		
lacktriangle We explore vertices by increasing the distance from u in the graph. We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS.		
We explore vertices by increasing the hops from u in the graph. We explore vertices as we would do for a BFS.		
✓ We explore vertices as we would do for a BFS.✓		
✓		
✓		
7 The Dilletrale algorithms maniphains true data structures also also also also also also also als		
3. The Dijkstra's algorithm maintains two data structures along the process. What are	e they?	
The list of explored vertices and the list of explored edges.		
$lue{oldsymbol{\circ}}$ The list of explored vertices and an estimation of the distances from u to the ot	ther vertices of the graph.	
An estimation of the order of the graph and an estimation of the size of the gra	ıph.	
✓	·	
Submit		
Answers are displayed within the problem		
⟨ Previous		



edX

About

Affiliates

edX for Business

Open edX

Careers

<u>News</u>

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

Trademark Policy

<u>Sitemap</u>

Connect

<u>Blog</u>

Contact Us

Help Center

Media Kit

Donate















© 2020 edX Inc. All rights reserved. 深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>