



You are taking "[Exam \(Timed, No Correctness Feedback\)](#)," as a timed exam. [Show more](#)

End My Exam

25:58:25



< Previous



Next >

7. Comparison to the quadratic formula

Bookmark this page



Calculator




Hide Notes



Reflect

Another explanation

Start of transcript. Skip to the end.



PROFESSOR: OK so let's continue.
Oh, before we continue--
Let's see, I wanted to point out one small thing.
So here we have this magic quantity $4ac$ minus b squared.
You've probably seen that before in your life.
Yeah. it looks like the quadratic



Video

[Download video file](#)

Transcripts

[Download SubRip \(.srt\) file](#)
[Download Text \(.txt\) file](#)

You may recognize the expression $4ac - b^2$ or rather $b^2 - 4ac$ as something that arises in the quadratic formula. This connection exists and can be made explicit if we rewrite our function $w(x, y)$ in another way.

$$w(x, y) = ax^2 + bxy + cy^2 \tag{4.64}$$

$$= \underbrace{y^2}_{\geq 0} \underbrace{\left[a\left(\frac{x}{y}\right)^2 + b\left(\frac{x}{y}\right) + c \right]}_{(*)} \tag{4.65}$$

We can try to understand the behavior of this function by exploring the expression $(*)$ above.

- If $b^2 - 4ac > 0$, this is the case that this expression has two roots. In this case, that means that this equation $(*)$ takes both positive and negative values. Thus $w(x, y)$ also takes both positive and negative values, which means that the critical point must be a saddle point.
- If $b^2 - 4ac < 0$, this equation $(*)$ has no roots, which means the equation $(*)$ is everywhere nonpositive, or everywhere nonnegative. Thus $w(x, y) \geq 0$ or $w(x, y) \leq 0$ (with equality occurring at the critical point $w(0, 0) = 0$). If $w(x, y) \geq 0$, then the critical point is a minimum. If $w(x, y) \leq 0$, then the critical point is a maximum.

7. Comparison to the quadratic formula

Hide Discussion

Topic: Unit 3: Optimization / 7. Comparison to the quadratic formula



Add a Post

Show all posts ▾by recent activity ▾

[Degenerate function](#)
Could anyone tell me degenerate case in detail? What actually the term degenerate means here?

Calculator

Hide Notes

<input checked="" type="checkbox"/> Why?	7
<input checked="" type="checkbox"/> What if a=0? If we are to stick to this framework, what if $b^2-4ac<0$ **AND $a=0$ **, then the parabola turns into a straight line of slope b , with one x /...	3
 Third degenerate case?	2
 [STAFF] Typ in Eq (4.65)	2

[< Previous](#)

[Next >](#)



edX

- [About](#)
- [Affiliates](#)
- [edX for Business](#)
- [Open edX](#)
- [Careers](#)
- [News](#)

Legal

- [Terms of Service & Honor Code](#)
- [Privacy Policy](#)
- [Accessibility Policy](#)
- [Trademark Policy](#)
- [Sitemap](#)

Connect

- [Blog](#)
- [Contact Us](#)
- [Help Center](#)
- [Media Kit](#)
- [Donate](#)





© 2021 edX Inc. All rights reserved.
深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)