



< Previous



Next >

In-Video Quiz

Bookmark this page

Q3

1/1 point (ungraded)

Consider tables $R(A,B)$ and $S(B,C)$ and a query $Q = \text{select } A,C \text{ from } R,S \text{ where } R.B=S.B \text{ and } A < 10 \text{ and } C > 20$. Which of the following materialized views can NOT be used to help evaluate Q ?

V1 = select A,C from R,S where $R.B=S.B$ V2 = select A,C from R,S where $A < 10$ and $C > 20$ V3 = select $A,R.B,S.B,C$ from R,S where $A < 10$ and $C > 20$ V4 = select $*$ from R where $A < 10$ 

Explanation

Q can be evaluated on $V1$ or $V3$ by applying selection conditions. Q can be evaluated by joining $V4$ with S . $V2$ does not have enough information to enforce $R.B=S.B$.

Submit

You have used 1 of 4 attempts



Answers are displayed within the problem

< Previous

Next >

**edX**[About](#)[Affiliates](#)[edX for Business](#)[Open edX](#)

Hide Notes

Legal

[Terms of Service & Honor Code](#)
[Privacy Policy](#)
[Accessibility Policy](#)
[Trademark Policy](#)
[Sitemap](#)

Connect

[Blog](#)
[Contact Us](#)
[Help Center](#)
[Media Kit](#)

