<u>Notes</u>

<u>Course</u>

<u>Dates</u>

<u>Help</u>

sandipan_dey ~

Next >

★ Course/ Unit 1: Functions of two vari... / Lecture 3: Visualizing surfaces in three dime...

Discussion

()

You are taking "Exam (Timed, No Correctness Feedback)" as a timed exam. Show more

<u>Calendar</u>

End My Exam

Previous

<u>Progress</u>

44:36:28






☐ Bookmark this page



Review

The first video appears in the first lecture. It is here again as a review.

First example



0:00 / 0:00 2.0x X CC Start of transcript. Skip to the end.

PROFESSOR: So the first thing we can do

is try to draw the graph of f.

So maybe I should say f, which is a function of two variables.

So the first answer will be we can try to look at its graph.

And the idea is the same as with one variable, namely,

we look at all the possible values of

Video

Download video file


Transcripts

Download SubRip (.srt) file <u>Download Text (.txt) file</u>

We've seen this example before in lecture 1. We want to understand the graph of a function $z=f\left(x,y
ight)$ as a three dimensional surface. We are examining the specific example $\pmb{z}=-\pmb{y}$. This surface is the plane shown below.

► A plane 🌋






Given the function f(x,y)=-y, the first thing that we notice about this function is that there is no dependence on $m{x}$. So we might look at what happens in the $m{yz}$ -plane. In the image below, we see the graph z=-y in blue, and the yz-plane in orange. The part of our graph that lies on the yz-plane is the line z=-yhighlighted in blue where the two planes meet.

► A plane sliced by the yz-plane






Of course, our function z=-y is completely independent of x, so if we look at what happens in other planes that are parallel to the yz-plane, we get line parallel to the line in the yz-plane.

▶ A plane sliced by several planes parallel to the yz-plane






If we want to understand this surface better, we can look at what happens in the xy-plane and the xz-plane. In both cases we get the line that is the $m{x}$ -axis as shown below highlighted in light blue.

lacktriangle The xy and xz slices lacktriangle





Let's see how we can apply a similar process of looking at what happens to a surface $z=f\left(x,y\right)$ in different planes in order to determine its shape!

3. Review: Trying to draw a function of two variables

Hide Discussion

Topic: Unit 1: Functions of two variables / 3. Review: Trying to draw a function of two variables

Add a Post


Show all posts	~	by recent activity
There are no po	osts in this topic yet.	
	Previous	Next >

© All Rights Reserved



edX

About
Affiliates
edX for Business
Open edX





Careers

<u>News</u>

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

Trademark Policy

<u>Sitemap</u>

Connect

Blog

Contact Us

Help Center

Media Kit

Donate















© 2021 edX Inc. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>