



You are taking "[Exam \(Timed, No Correctness Feedback\)](#)," as a timed exam. [Show more](#)

End My Exam

43:54:45

< Previous

✓

✓

✓

✓

Next >

2. Gradients and dot products

Bookmark this page

Recitation due Aug 18, 2021 20:30 IST Completed



Review

5.

1.0/1 point (graded)
Suppose that \vec{v} and \vec{w} are parallel, and $|\vec{v}| = 3$ and $|\vec{w}| = 5$. Find $\vec{v} \cdot \vec{w}$.

15

✓ Answer: 15

Submit

You have used 1 of 15 attempts

Answers are displayed within the problem

6.

1/1 point (graded)
Suppose that $f(1, 1) = 2$ and $|\nabla f(1, 1)| = 3$. Suppose that the vector $\langle \Delta x, \Delta y \rangle$ is parallel to $\nabla f(1, 1)$ and has length .01. What is the most reasonable estimate for $f(1 + \Delta x, 1 + \Delta y)$?

2.03

✓ Answer: 2.03

Submit

You have used 1 of 15 attempts

Answers are displayed within the problem

2. Gradients and dot products

Hide Discussion

Topic: Unit 2: Geometry of Derivatives / 2. Gradients and dot products

Add a Post

Show all posts	by recent activity
[Staff] Vector Notation	7
Thought process for Q6 I got the right answer but i am not sure that I used the right thought process. Here is what I've done: 1 - i considered that the vector ...	3
Q.5 two possible answers Both are accepted by the grader. Enter either one of them. Community TA	5
[Staff] But is it, really? About Question 6... Is "the most reasonable estimate" the one that has a 50/50 chance of being right? Or the one that's definitely wr...	5

< Previous

Next >

Calculator

Hide Notes



edX

- [About](#)
- [Affiliates](#)
- [edX for Business](#)
- [Open edX](#)
- [Careers](#)
- [News](#)

Legal

- [Terms of Service & Honor Code](#)
- [Privacy Policy](#)
- [Accessibility Policy](#)
- [Trademark Policy](#)
- [Sitemap](#)

Connect

- [Blog](#)
- [Contact Us](#)
- [Help Center](#)
- [Media Kit](#)
- [Donate](#)



© 2021 edX Inc. All rights reserved.
深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)