

Microsoft: DAT203.3x Applied Machine Learning

Help



Bookmarks

- Introduction
- Module 1: Time Series and Forecasting
- Module 2: Spatial Data Analysis

Lesson 1: Introduction to Spatial Data

Lesson 2: Working with Spatial Data

Lesson 3: Spatial Data in Context

Lab: Spatial Data Analysis

Module 3: Text Analytics Module 2: Spatial Data Analysis > Lab: Spatial Data Analysis > Lab Verification

Lab Verification

 \square Bookmark this page

Zinc Concentration

1/1 point (graded)
In the lab, you created and plotted zinc concentration.


Which of the following statements is true about the zinc concentration compared to copper concentention?

- The fit of semivariance of zinc verses the square root of distance is significantly better than that of copper
- The fit of semivariance of zinc verses the square root of distance is significantly worse than that of copper
- The fit of semivariance of zinc verses the square root of distance is similar to than that of copper
- The fit of semivariance of zinc verses the square root of distance cannot be compared to that
 of copper using the plots created in the lab

- Module 4: Image Analysis
- Final Exam and Survey

Explanation

The plots created for zinc are extremely similar to those created for copper, as shown here:



Submit

You have used 1 of 2 attempts


✓ Correct (1/1 point)


Zinc Concentration- Kriging


1/1 point (graded)

You plotted a kriged concentration of zinc.

Which of the following plots shows the kriged zinc concentration?







© All Rights Reserved



© 2016 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

















