


## QUICK QUESTION 5 (1/1 point)

In Video 3, we built a logistic regression model and found that the following variables were significant (or almost significant) for predicting ten year risk of CHD: male, age, number of cigarettes per day, whether or not the patient previously had a stroke, whether or not the patient is currently hypertensive, total cholesterol level, systolic blood pressure, and blood glucose level. Which **one** of the following variables would be the most dramatically affected by a behavioral intervention? HINT: Think about how much control the patient has over each of the variables.

- ☐ Male
- ☐ Age
- ☒ Number of Cigarettes per day 
- ☐ Previously had a Stroke
- ☐ Hypertensive
- ☐ Total Cholesterol Level
- ☐ Systolic Blood Pressure
- ☐ Blood Glucose Level

### EXPLANATION

The number of cigarettes smoked per day would be the most dramatically affected by a behavioral intervention. This is a variable that the patient has the ability to control the most.

Check

Save

Hide Answer

You have used 1 of 3 submissions



About (https://www.edx.org/about-us) Jobs (https://www.edx.org/jobs)  
Press (https://www.edx.org/press) FAQ (https://www.edx.org/student-faq)  
Contact (https://www.edx.org/contact)



EdX is a non-profit created by founding partners Harvard and MIT whose mission is to bring the best of higher education to students of all ages anywhere in the world, wherever there is Internet access. EdX's free online MOOCs are interactive and subjects include computer science, public health, and artificial intelligence.



(http://www.meetup.com/edX-Global-Community/)



(http://www.facebook.com/EdxOnline)



(https://twitter.com/edXOnline)



(https://plus.google.com/108235383044095082)



(http://youtube.com/user/edxonline)

© 2014 edX, some rights reserved.

Terms of Service and Honor Code -  
Privacy Policy (https://www.edx.org/edx-privacy-policy)