
sandipan_dey 🗸

Next >

<u>Course</u> <u>Progress</u> <u>Dates</u> <u>Discussion</u> <u>MO Index</u>



()



☐ Bookmark this page

< Previous


Exams due Sep 27, 2023 05:00 IST Completed Consider the function

$$J(x,y) = \sin(2\pi x) + \cos(2\pi y) \tag{5.28}$$

with partial derivatives given by:

$$rac{\partial J}{\partial x} = 2\pi \cos{(2\pi x)} \qquad rac{\partial J}{\partial y} = -2\pi \sin{(2\pi y)}$$

A contour plot of this function in the unit square $\left[0,1\right]^2$ is given here:



Problem: Interpreting the gradient

1.0/1.0 point (graded)


Consider ∇J (0.6,0.2), the gradient of J at the point (x,y)=(0.6,0.2). We describe the positive unit y direction as "Up", the negative unit y direction as "Down", the positive unit y direction as "Right", and the negative unit y direction "Left".


In which direction is the gradient of $oldsymbol{J}$ oriented at the given point?

Up and to the Right		

() U	lp	and	to	the	Left
\smile	1-				

O Down and to the Right





© All Rights Reserved



edX

About

Affiliates

edX for Business

<u>Open edX</u>

<u>Careers</u>

News

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

Trademark Policy

<u>Sitemap</u>

Cookie Policy

Your Privacy Choices

Connect

<u>Idea Hub</u>

Contact Us

Help Center

Security

Media Kit















© 2023 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>