

## UTAustinX: UT.7.20x Foundations of Data Analysis - Part 2



▶ Important Pre-Course Survey

- Contact Us
- How To Navigate the Course
- Discussion Board
- Office Hours
- Week 0: Introduction to Data (Optional Review)
- ▶ Week 1: Sampling
- Week 2: **Hypothesis** Testing (One **Group Means**)

## Readings

Reading Check due May 03, 2016 at 17:00 UTC

#### **Lecture Videos**

Comprehension Check due May 03, 2016 at 17:00 UTC

### **R Tutorial Videos**

#### Pre-Lab

Pre-Lab due May 03, 2016 at 17:00 UTC

Lab

Week 2: Hypothesis Testing (One Group Means) > Lecture Videos > Alpha Levels, Critical Values, and P-Values

■ Bookmark

Alpha Levels, Critical Values, and P-Values...Oh, My



0:00 / 8:04 66

.srt

SPEAKER: MICHAEL J. MAHOMETA, Ph.D.

Critical values, p-values, alpha level, hypothesis tests -

that's a lot of vocabulary.

But lucky for us, it's vocabulary that's all related.

We have a Null and an

# Comprehension Check

Download transcript

1. A medical researcher compares a new treatment for poison ivy against a traditional ointment. He finds that the new treatment significantly reduces itching, with a p-value of 0.047.

Lab due May 03, 2016 at 17:00 UTC

### **Problem Set**

Problem Set due May 03, 2016 at 17:00 UT (1/1 point)

What does the p-value mean in this context?

- It is the likelihood of observing this reduction in itching if there really is no difference between the two treatments
- It is the chance that the new treatment is effective.
- It is our level of confidence in the difference between the two treatments.
- It is the proportion of new treatments that were found to be more effective than traditional ointments.
- 2. Aviation experts fear that pilots are being asked to fly longer than is recommended by national guidelines. Current FAA regulations for domestic flights generally limit pilots to eight hours of flight time during a 24-hour period. FAA administrators conduct an analysis using a large sample of flight records for domestic flights in the past year.

(1/1 point)

2a. What are the null and alternative hypotheses for this test?

- $Ho: \mu \leq 8 \ hours, \ and \ Ha: \mu > 8 \ hours$
- $Ho: \mu \leq 8 \ hours$ , and  $Ha: \mu < 8 \ hours$
- $\bullet$  Ho:  $\mu = 8 hours$ , and Ha:  $\mu \neq 8 hours$

•  $Ho: \mu \neq 8 \ hours$ , and  $Ha: \mu = 8 \ hours$ 

(1/1 point)

2b. If the FAA administrators want to be 95% confident in the result of their hypothesis test, what value of  $\alpha$  should they set?

- $\alpha = 0.001$
- $\alpha = 0.10$
- $\alpha = 0.025$
- $\circ$   $\alpha = 0.05$

(1/1 point)

2c. Identify the critical z-value(s) for this problem.

- z = 2.31
- z = -1.96
- $z = \pm 1.96$

(1/1 point)

2d. The average flight time for the pilots is found to be 8.12 hours. The standard deviation reported by the FAA is 0.72 hours, and there were 81 pilots in the sample. What is the z-statistic for this hypothesis test?

a Levers, Critical values, and P-valuesOri, My   Lecture videos   O 1.7.20x Courseware   edx
$\circ$ $z=0.15$
$\circ$ $z=1.10$
lacktriangledown z = 1.50
$\circ$ $z=-0.15$
(1/1 point)  2e. Is the z-statistic in the critical region?
O Yes
● No ✔

Cannot be determined

(1/1 point) 2f. What should be the conclusion of this test?

Reject the null hypothesis.

Fail to reject the null hypothesis.

© All Rights Reserved



© edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

















