EdX and its Members use cookies and other tracking technologies for performance, analytics, and marketing purposes. By using this website, you accept this use. Learn more about these technologies in the <u>Privacy Policy</u>.





Homework 1: Estimation,

Confidence Interval, Modes of

4. Estimation of an exponential

Course > Unit 2 Foundation of Inference > Convergence

> parameter

Audit Access Expires Dec 24, 2019

You lose all access to this course, including your progress, on Dec 24, 2019.

Upgrade by Nov 4, 2019 to get unlimited access to the course as long as it exists on the site. **Upgrade now**

4. Estimation of an exponential parameter

(a)

1/1 point (graded)

Let X_1, \ldots, X_n be i.i.d. $\text{Exp}(\lambda)$ random variables, where λ is unknown.

What is the distribution of $\min_i{(X_i)}$? Enter the pdf $f_{\min}{(x)}$ of $\min_i{(X_i)}$ in terms of x.

$$f_{\min}\left(x
ight)$$
 n*lambda*exp(-n*lamb\(n\cdot\lambda\cdot ext{exp}\left(-n\cdot\lambda\cdot x
ight)

STANDARD NOTATION

You have used 2 of 3 attempts

Submit

(b)

1/1 point (graded)

Use the previous question to give an **unbiased** estimator $\hat{\theta}$ for $1/\lambda$. (Enter min, with no subscripts, for the expression $\min_i{(X_i)}$.

$$\hat{ heta} = \boxed{ \begin{array}{c} heta^* min \end{array} }$$

STANDARD NOTATION

Submit

You have used 1 of 3 attempts

(c)

2/2 points (graded)

What is the variance and quadratic risk of the unbiased estimator $\hat{ heta}$ in the previous part?

Quadratic risk of
$$\hat{\theta}$$
: 1/lambda^2

STANDARD NOTATION

Submit

You have used 1 of 3 attempts

(d)

2/3 points (graded)

Compute
$$\mathbf{P}\left(rac{1}{\lambda} \geq rac{n \min_i X_i}{\ln{(5)}}
ight)$$
 .

$$\mathbf{P}\left(rac{1}{\lambda} \geq rac{n \min_i X_i}{\ln{(5)}}
ight) = egin{array}{c} 4/5 \end{array}$$

This computation allows us to compute a confidence interval. The interpretation is as follows:

Let lpha be a value such that $1-lpha=\mathbf{P}\left(rac{1}{\lambda}\leq rac{n\min_i\left(X_i
ight)}{\ln\left(5
ight)}
ight)$. (This value depends on the answer you just computed.)

Based on this setup, the corresponding, non-asymptotic, one-sided confidence interval at level 1-lpha for $1/\lambda$ is:

(Type min for $\min(X_i)$.)

(Note the confidence interval is finite.)

Note: The value of lpha is unusually large (lpha>0.5) in this problem. Please do not worry and proceed with the question as written.



STANDARD NOTATION

Submit

You have used 3 of 3 attempts

★ Partially correct (2/3 points)

Discussion

Hide Discussion

Topic: Unit 2 Foundation of Inference:Homework 1: Estimation, Confidence Interval, Modes of Convergence / 4. Estimation of an exponential parameter

Add a Post

♦ All Posts

Not sure what to do get the non-asymptotic interval in the last step

question posted 4 days ago by $\underline{\textbf{RitterSebastian}}$

Got all the other questions, but confused about what to with the last part of (d).

We are trying to get the interval that $P_{ heta}(|n*min_i(X_i) - rac{1}{\lambda}| > x) = lpha$ right?

(also, is the inequality $1-\alpha=\mathbf{P}\left(\frac{1}{\lambda}\leq \frac{n\min_i{(X_i)}}{\ln{(5)}}\right)$ reversed on purpose from the first part - Seems like a very low $1-\alpha$, no?)

Seeing as this is the non-asymptotic C.I I assume we can't use CLT here?

I think I have the lower bound given $1/\lambda$, as I'm guessing this is trivial?


This post is visible to everyone.

Cool7

4 days ago - marked as answer a day ago by **karenechu** (Staff)



- 1. We are trying to get interval $P\left(ext{lower bound} <= rac{1}{\lambda} <= ext{higher bound}
 ight) = 1 lpha$
- 2. Yes, 1-lpha is not a big number, e.g. <0.5
- 3. We can't use CLT here as we don't have many r.v. add together. Check question(a) as a hint.



a day ago		+
		•••
Sorry, we will add a note about $lpha$ being unusu	ually large. (We should have done so from the last term.)	
For the upper bound I got an expression like		•••
	(1 (1/r) 1) · (V)	
$P\left(rac{1}{\lambda}-\hat{ heta}\leq x ight)=P\left(rac{1}{\lambda}\leq\hat{ heta}+x ight)=1-lpha$, where	ere $x = (ln\left(1/5\right) - 1)$. $min_i(X_i)$	
but rejected by the grader and the quantity $ln\left(1/5\right)$	-1=-0.37866506544038814 is also negative (I think it should always be positive).	
The value of $lpha$ and the lower bound is accepted by th	e grader. Any hint where I am doing wrong? thanks in advance.	
posted about 9 hours ago by <u>sandipan dey</u>		
Add a same and		
Add a comment		
owing all responses		
owing all responses add a response:		
ndd a response:		
ndd a response:		

© All Rights Reserved