



Bookmarks

▸ General Information

▸ Week 1

▸ Week 2

▸ Week 3

▸ Week 4

▸ Week 5

▼ Week 6

**Lecture**

Lecture questions due Oct 18, 2016 at 19:30 IST

**Recitation****Problem Set 6**

Homework 6 due Oct 18, 2016 at 19:30 IST



Week 6 &gt; Lecture &gt; Two Applications Exercise

## Two Applications Exercise

🔖 Bookmark this page

### PART A

1/1 point (graded)

What is the Euclidean distance from the point (8, 2) to the point (5, 6)?

✓ Answer: 5

**The distance is 5.**The Euclidean distance is  $[(8 - 5)^2 + (2 - 6)^2]^{.5} = [9 + 16]^{.5} = 5$ .

You have used 1 of 3 attempts

✓ Correct (1/1 point)

### PART B

1/1 point (graded)

## ► Exit Survey

Suppose that the travel cost per mile increased from \$1 to \$3 and the number of daily truck deliveries doubled for each sales center, and no other data changed.

- ☐ The optimum solution may change.
- ☐ The optimum solution would stay the same, and the optimum solution value would be multiplied by 5.
- ☐ The optimum solution would stay the same, and the optimum solution value would be multiplied by  $\frac{3}{2}$ .
- ☒ The optimum solution would stay the same, and the optimum solution value would be multiplied by 6. ✓

**Solution**

The optimum solution would not change, and the optimum cost would be multiplied by 6. The only costs in the problem are transportation costs. If we increased the cost per mile from \$1 to \$3, the optimum costs would triple, but the optimum solution would not change. If we then doubled the number of trucks for each site, the costs would double and the solution would not change. With the two changes, the optimum cost would be multiplied by 6.

You have used 1 of 2 attempts

✓ Correct (1/1 point)



© 2016 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

