

By Jure Leskovec

STANFORD  
UNIVERSITY



## Social circles: Twitter

### Dataset information

This dataset consists of 'circles' (or 'lists') from Twitter. Twitter data was crawled from public sources. The dataset includes node features (profiles), circles, and ego networks.

Data is also available from [Facebook](#) and [Google+](#).

SNAP for C++  
SNAP for Python  
SNAP Datasets  
BIOSNAP Datasets  
What's new  
People  
Papers  
Projects  
Citing SNAP  
Links  
About  
Contact us

### Open positions

Open research positions in **SNAP** group are available at [undergraduate](#), [graduate](#) and [postdoctoral](#) levels.

### Dataset statistics

Nodes	81306
Edges	1768149
Nodes in largest WCC	81306 (1.000)
Edges in largest WCC	1768149 (1.000)
Nodes in largest SCC	68413 (0.841)
Edges in largest SCC	1685163 (0.953)
Average clustering coefficient	0.5653
Number of triangles	13082506
Fraction of closed triangles	0.06415
Diameter (longest shortest path)	7
90-percentile effective diameter	4.5

### Source (citation)

- J. McAuley and J. Leskovec. [Learning to Discover Social Circles in Ego Networks](#). NIPS, 2012.

### Files

File	Description
<a href="#">twitter.tar.gz</a>	Twitter data (973 networks)
<a href="#">twitter_combined.txt.gz</a>	Edges from all egonets combined
<a href="#">readme-Ego.txt</a>	Description of files