

<u>Unit 4 Unsupervised Learning (2</u>

Project 4: Collaborative Filtering via

7. Implementing EM for matrix

Course > weeks)

> Gaussian Mixtures

> completion

7. Implementing EM for matrix completion

We need to update our EM algorithm a bit to deal with the fact that the observations are no longer complete vectors. We use Bayes' rule to find an updated expression for the posterior probability $p\left(j|u\right)=P\left(y=j|x_{C_{v}}^{(u)}\right)$:

$$p\left(j\mid u
ight) = rac{p\left(u|j
ight)\cdot p\left(j
ight)}{p\left(u
ight)} = rac{p\left(u|j
ight)\cdot p\left(j
ight)}{\sum_{j=1}^{K}p\left(u|j
ight)\cdot p\left(j
ight)} = rac{\pi_{j}N\left(x_{C_{u}}^{(u)};\mu_{C_{u}}^{(j)},\sigma_{j}^{2}I_{C_{u} imes C_{u}}
ight)}{\sum_{j=1}^{K}\pi_{j}N\left(x_{C_{u}}^{(u)};\mu_{C_{u}}^{(j)},\sigma_{j}^{2}I_{C_{u} imes C_{u}}
ight)}$$

This is the soft assignment of cluster u to data point j.

To minimize numerical instability, you will be re-implementing the E-step in the log-domain, so you should calculate the values for the log of the posterior probability, $\ell(j,u) = \log(p(j|u))$ (though the actual output of your E-step should include the non-log posterior).

Let $f(u,i) = \log\left(\pi_i
ight) + \log\left(N\left(x_{C_u}^{(u)};\mu_{C_u}^{(i)},\sigma_i^2I_{C_u imes C_u}
ight)
ight)$. Then, in terms of f, the log posterior is:

$$\begin{split} \ell\left(j|u\right) & = \log\left(p\left(j\mid u\right)\right) = \log\left(\frac{\pi_{j}N\left(x_{C_{u}}^{(u)}; \mu_{C_{u}}^{(j)}, \sigma_{j}^{2}I_{C_{u}\times C_{u}}\right)}{\sum_{j=1}^{K}\pi_{j}N\left(x_{C_{u}}^{(u)}; \mu_{C_{u}}^{(j)}, \sigma_{j}^{2}I_{C_{u}\times C_{u}}\right)}\right) \\ & = \log\left(\pi_{j}N\left(x_{C_{u}}^{(u)}; \mu_{C_{u}}^{(j)}, \sigma_{j}^{2}I_{C_{u}\times C_{u}}\right)\right) - \log\left(\sum_{j=1}^{K}\pi_{j}N\left(x_{C_{u}}^{(u)}; \mu_{C_{u}}^{(j)}, \sigma_{j}^{2}I_{C_{u}\times C_{u}}\right)\right) \\ & = \log\left(\pi_{i}\right) + \log\left(N\left(x_{C_{u}}^{(u)}; \mu_{C_{u}}^{(i)}, \sigma_{i}^{2}I_{C_{u}\times C_{u}}\right)\right) - \log\left(\sum_{j=1}^{K}\exp\left(\log\left(\pi_{j}N\left(x_{C_{u}}^{(u)}; \mu_{C_{u}}^{(j)}, \sigma_{j}^{2}I_{C_{u}\times C_{u}}\right)\right)\right) \\ & = f\left(u, j\right) - \log\left(\sum_{j=1}^{K}\exp\left(f\left(u, j\right)\right)\right) \end{split}$$

Once we have evaluated p(j|u) in the E-step, we can proceed to the M-step. We wish to find the parameters π , μ , and σ that maximize $\ell(X;\theta)$, the expected complete log-likelihood:

$$\ell\left(X; heta
ight) = \sum_{u=1}^{n} \left[\sum_{j=1}^{K} p\left(j|u
ight) \logig(\pi_{j} N\left(x_{C_{u}}^{(u)}|\mu_{C_{u}}^{(j)}, \sigma_{j}^{2} I_{|C_{u}| imes|C_{u}|}
ight)ig)
ight],$$

To maximize $\ell(X; \theta)$, we keep p(j|u) (the soft-assignments) fixed, and maximize over the model parameters. Some of the parameters can be updated exactly as before with complete example vectors. For example,

$$\hat{\pi}_{j} = rac{\sum_{u=1}^{n} p\left(j|u
ight)}{n}$$

But we must be more careful in updating $\mu^{(j)}$ and σ^2_j . This is because the parameters appear differently in the likelihood depending on how incomplete the observation is. Notice that some coordinates of $\mu^{(j)}$ do not impact observation $x^{(u)}_{C_u}$ at all. But we can proceed to separately update each coordinate of $\mu^{(j)}$.

The update equation for $\mu_i^{(j)}$ (the i^{th} coordinate of $\mu^{(j)}$) is derived as follows:

Decomposing the multivariate spherical Gaussians into univariate spherical Gaussians as before,

$$egin{aligned} \ell\left(X; heta
ight) &= \sum_{u=1}^{n} \left[\sum_{j=1}^{K} p\left(j|u
ight) \log \left(\pi_{j} \prod_{i=1}^{D} \left(N\left(x_{i}^{(u)}|\mu_{i}^{(j)}, \sigma_{i,(j)}^{2}
ight)
ight)^{\delta(i,C_{u})}
ight)
ight] \ &= \sum_{u=1}^{n} \left[\sum_{j=1}^{K} p\left(j|u
ight) \log \left(\pi_{j} \prod_{i=1}^{D} \left(rac{1}{\sqrt{2\pi}\sigma_{i,(j)}} \exp\left(-rac{1}{2\sigma_{i,(j)}^{2}}\left(x_{i}^{(u)}-\mu_{i}^{(j)}
ight)^{2}
ight)
ight)^{\delta(i,C_{u})}
ight)
ight] \end{aligned}$$

where $\delta\left(i,C_{u}
ight)$ is an indicator function: 1 if $i\in C_{u}$ and zero otherwise.

Transforming the log of a product into a sum of logs and differentiating with respect to the lth movie coordinate for cluster j yields

We do **not** compute the mean update in the log domain; we use p(j|u) instead of $\ell(j,u)$. When you set $\mu_i^{(j)}$ and σ_j^2 in the implementation, it will be easier, and not lead to numerical underflow issues, to use p(j|u) instead of the logarithm $\ell(j,u)$.

Finally, the update equation for the variance is not too different from before:

$$\hat{\sigma}_{j}^{2} = rac{1}{\sum_{u=1}^{n} |C_{u}| p\left(j|u
ight)} \sum_{u=1}^{n} p\left(j|u
ight) \left\|x_{C_{u}}^{(u)} - \hat{\mu}_{C_{u}}^{(j)}
ight\|^{2}$$

Implementation guidelines:

- You may find LogSumExp useful. But remember that your M-step should return the new $P=\hat{\pi}$, not the log of $\hat{\pi}$.
- The following will not affect the update equation above, but will affect your implementation: since we are dealing with incomplete data, we might have a case where most of the points in cluster j are missing the i-th coordinate. If we are not careful, the value of this coordinate in the mean will be determined by a small number of points, which leads to erratic

results. Instead, we should only update the mean when $\sum_{u=1}^{n} p(j|u) \, \delta(i, C_u) \geq 1$. Since p(j|u) is a soft probability assignment, this corresponds to the case when at least one full point supports the mean.

- To also avoid the variances of clusters going to zero due to a small number of points being assigned to them, in the M-step you will need to implement a minimum variance for your clusters. We recommend a value of 0.25, though you are free to experiment with it if you wish. Note that this issue, as well as the thresholded mean update in the point above, are better dealt with through regularization; however, to keep things simple, we do not do regularization here.
- To debug your EM implementation, you may use the data files test_incomplete.txt and test_complete.txt. Compare your results to ours from test_solutions.txt.

Correction note: The file test_solutions.txt has been updated on Aug 8. Please make sure to use the version in the latest <u>netflix.tar.gz</u>.

Implementing E-step (2)

1.0/1.0 point (graded)

In em.py, fill in the estep function so that it works with partially observed vectors where missing values are indicated with zeros, and perform the computations in the log domain to help with numerical stability.

Available Functions: You have access to the NumPy python library as <code>np</code>, to the <code>GaussianMixture</code> class and to typing annotation <code>typing.Tuple</code> as <code>Tuple</code>. You also have access to <code>scipy.special.logsumexp</code> as <code>logsumexp</code>

Hint: For this function, you will want to use <code>log(mixture.p[j] + 1e-16)</code> instead of <code>log(mixture.p[j])</code> to avoid numerical underflow


```
1 def estep(X: np.ndarray, mixture: GaussianMixture) -> Tuple[np.ndarray, float]:
2    """E-step: Softly assigns each datapoint to a gaussian component
3
```

```
4
      Args:
 5
          X: (n, d) array holding the data, with incomplete entries (set to 0)
 6
          mixture: the current gaussian mixture
 7
 8
      Returns:
 9
          np.ndarray: (n, K) array holding the soft counts
              for all components for all examples
10
          float: log-likelihood of the assignment
11
12
      .....
13
14
      n, _ = X.shape
15
```

Press ESC then TAB or click outside of the code editor to exit

Correct

Test results



```
Input:
X: [[2. 4. 5. ... 4. 2. 4.]
[1. 3. 4. ... 3. 0. 3.]
[3. 5. 0. ... 3. 4. 0.]
[5. 3. 0. ... 3. 5. 4.]
[2. 3. 0. ... 5. 0. 0.]
[3. 0. 0. ... 3. 0. 3.]]
K: 2
-0.76254456 -0.36403364 -0.17147401 -0.87170501 0.38494424 0.13320291
 -0.95978491 0.65788006 -0.99060905 0.35563307 -0.45998405 0.47038804]
[ 0.92437709 -0.50249371  0.15231467  0.18408386  0.14450381 -0.55383673
  0.90549802 -0.10574924 0.69281734 0.39895855 -0.4051261 0.62759564
 -0.20698852 0.76220639 0.16254575 0.76347072 0.38506318 0.45050856
  -0.40343535 0.13992982 0.18174552 0.1486505 0.30640164 0.30420654]]
Var: [11.52196427 10.0528577 ]
P: [0.4857973 0.5142027]
Output:
post:[[0.0441317 0.9558683]
[0.26962778 0.73037222]
[0.29128341 0.70871659]
[0.13230341 0.86769659]
[0.18954646 0.81045354]
[0.13768804 0.86231196]
[0.22805534 0.77194466]
[0.22313851 0.77686149]
[0.11155063 0.88844937]
```

	1 3
[0.12800874	0.87199126]
[0.04440337	0.95559663]
[0.30379257	0.69620743]
[0.2527763	0.7472237]
[0.2818586	0.7181414]
[0.31792725	0.68207275]
[0.26956845	0.73043155]
[0.10092428	0.89907572]
[0.20168715	0.79831285]
[0.23715269	0.76284731]
[0.12151621	0.87848379]
[0.23212592	0.76787408]
[0.15141622	0.84858378]
[0.0433987	0.9566013]
[0.11017693	0.88982307]
[0.10948151	0.89051849]
[0.05572526	0.94427474]
[0.19283525	0.80716475]
[0.1603763	0.8396237]
[0.15684477	0.84315523]
[0.03902817	0.96097183]
[0.17248505	0.82751495]
[0.1852236	0.8147764]
[0.08303853	0.91696147]]
112347 1295	89

```
Input:
X: [[0.85794562 0.84725174]
 [0.6235637 0.38438171]
 [0.29753461 0.05671298]
 [0.27265629 0.47766512]
 [0.81216873 0.47997717]
 [0.3927848 0.83607876]
 [0.33739616 0.64817187]
 [0.36824154 0.95715516]
 [0.14035078 0.87008726]
 [0.47360805 0.80091075]
 [0.52047748 0.67887953]
 [0.72063265 0.58201979]
 [0.53737323 0.75861562]
 [0.10590761 0.47360042]
 [0.18633234 0.73691818]]
K: 6
Mu: [[0.6235637 0.38438171]
 [0.3927848 0.83607876]
 [0.81216873 0.47997717]
 [0.14035078 0.87008726]
 [0.36824154 0.95715516]
 [0.10590761 0.47360042]]
Var: [0.10038354 0.07227467 0.13240693 0.12411825 0.10497521 0.12220856]
P: [0.1680912  0.15835331  0.21384187  0.14223565  0.14295074  0.17452722]
Output:
post:[[0.17354324 0.19408461 0.38136556 0.0569083 0.16250611 0.03159219]
 [0.39379907 0.08689908 0.32081103 0.04067548 0.04920547 0.10860986]
 [0.35788286 0.01907566 0.18709725 0.04472511 0.01732312 0.37389601]
 [0.19268431 0.18091751 0.11938917 0.12743323 0.09677628 0.28279951]
 [0.36304946 0.07311615 0.43750366 0.02729566 0.04877955 0.05025552]
 [0.07858663 0.37039817 0.08705556 0.14917384 0.21407078 0.10071502]
 [0.13662023 0.29150288 0.10750309 0.13944117 0.14926196 0.17567066]
```

```
[0.04532867 0.37841271 0.06233585 0.17307275 0.2613835 0.07946652]
[0.03479877 0.30116079 0.03560306 0.24675099 0.22083886 0.16084754]
[0.1084787 0.35703165 0.12209296 0.12356811 0.19771701 0.09111156]
[0.18151437 0.29042408 0.1775779 0.09728296 0.14845737 0.10474333]
[0.30076285 0.15240546 0.34401968 0.04831719 0.08817504 0.06631978]
[0.14424702 0.32662602 0.16265301 0.10373169 0.17686354 0.08587872]
[0.12020157 0.14175102 0.06966009 0.17178204 0.09140514 0.40520014]
[0.06707408 0.29382796 0.05528713 0.20393925 0.17797873 0.20189285]]
LL:-5.592899
```

```
Input:
X: [[0.51048173 0.88065951 0.40148439 0.8244011 ]
 [0.24552216 0.01499308 0.22977642 0.3842103 ]
 [0.1381804  0.40847399  0.49885847  0.71721406]
 [0.78088514 0.72487674 0.66278747 0.87855436]
 [0.55499151 0.29798974 0.95371905 0.28823672]
 [0.71840591 0.33639791 0.11305392 0.31993637]
 [0.58349838 0.5956911 0.35595524 0.77428457]
 [0.72966102 0.86920654 0.01694379 0.62146977]
 [0.2994911 0.83032188 0.53017489 0.96366809]
 [0.84898977 0.28274182 0.79010911 0.39304625]
 [0.53370619 0.65802444 0.20953881 0.09547708]
 [0.1352663 0.03359603 0.2117697 0.86093549]
 [0.63900518 0.7882084 0.00980655 0.79854585]
 [0.6730584  0.64533222  0.51799599  0.56187788]
 [0.62717882 0.77827742 0.2782039 0.39993615]
 [0.86829312 0.48382955 0.52647043 0.02276892]
 [0.12109703 0.30775877 0.51761329 0.90921887]]
K: 4
Mu: [[0.24552216 0.01499308 0.22977642 0.3842103 ]
 [0.63900518 0.7882084 0.00980655 0.79854585]
 [0.51048173 0.88065951 0.40148439 0.8244011 ]
 [0.62717882 0.77827742 0.2782039 0.39993615]]
Var: [0.17209237 0.14078767 0.11686242 0.09997593]
P: [0.25991315 0.21765243 0.31606934 0.20636508]
Output:
post:[[0.01169278 0.16024756 0.63811528 0.18994439]
 [0.88432814 0.03496198 0.02691571 0.05379416]
 [0.30843384 0.10947319 0.43718381 0.14490916]
 [0.01533329 0.13203054 0.68540024 0.16723593]
 [0.50167939 0.03429033 0.19099417 0.27303611]
 [0.24754812 0.17044365 0.09806084 0.48394738]
 [0.04581753 0.19608358 0.49493737 0.26316152]
```

```
[0.01389757 0.32635446 0.29371687 0.3660311 ]
[0.0175261 0.1204496 0.77730389 0.08472041]
[0.30686162 0.07511324 0.22424605 0.39377909]
[0.10126591 0.09286732 0.10232582 0.70354095]
[0.79378977 0.09149548 0.09111202 0.02360274]
[0.01808066 0.38191577 0.37401387 0.2259897 ]
[0.04125689 0.11788912 0.40547639 0.4353776 ]
[0.02950736 0.13580527 0.25436274 0.58032463]
[0.1556004 0.05861932 0.07983431 0.70594597]
[0.37648253 0.116611 0.44347174 0.06343473]]
LL:-18.884699
```

```
Input:
X: [[0.48887885 0.02851583]
 [0.56854547 0.20662976]
 [0.16799477 0.51752097]
 [0.90532817 0.77648893]
 [0.84812979 0.45475271]
 [0.95399627 0.31685298]
 [0.61199078 0.72543565]
 [0.68219353 0.79633135]
 [0.57348016 0.55544709]
 [0.9063408 0.78498776]
 [0.16478768 0.32895619]
 [0.0685869 0.76794851]
 [0.0315623 0.45044255]
 [0.62397815 0.34637042]]
K: 5
Mu: [[-0.36903611 0.69340385]
[ 0.94802773 -0.55528937]
 [ 0.24359843 -0.34254733]
 [-0.39534046 -0.46794313]
 [ 0.45627733  0.56920239]]
Var: [0.5084764 0.71834986 0.47809836 0.9872575 0.08089256]
P: [0.21548848 0.24189557 0.18488005 0.19983825 0.15789764]
Output:
post:[[0.11929132 0.20563789 0.2818886 0.10780441 0.28537778]
 [0.09435119 0.13566503 0.1685093 0.06698857 0.53448591]
 [0.16825394 0.05378286 0.09638093 0.05728383 0.62429844]
 [0.11860797 0.13615801 0.09187167 0.05457336 0.59878901]
 [0.08115254 0.14290169 0.11798126 0.05224555 0.60571896]
 [0.08758618 0.26345714 0.19232296 0.07828389 0.37834983]
 [0.08790773 0.05316746 0.05445099 0.03148722 0.7729866 ]
 [0.101206  0.06429812  0.05826487  0.0357941  0.74043691]
 [0.07495833 0.05586079 0.06409943 0.03195975 0.7731217 ]
```

	[0.12074838	0.13699614	0.09191884	0.0551108	0.59522583]
	[0.1776895	0.08061632	0.1515925	0.07915696	0.51094472]
	[0.29143209	0.0485012	0.08607928	0.06990288	0.50408455]
	[0.25628917	0.06965576	0.14343757	0.09035866	0.44025884]
	[0.07864555	0.09791622	0.11146946	0.04708999	0.66487878]]
L	L:-22.109897	7			

```
Input:
X: [[0.85794562 0.84725174]
[0.6235637 0.38438171]
[0.29753461 0.05671298]
 Γ0.
            0.47766512]
 [0.
            0.
 [0.3927848 0.
 [0.
            0.64817187]
 [0.36824154 0.
[0.
            0.870087261
 [0.47360805 0.
 [0.
            0.
 [0.
            0.
[0.53737323 0.75861562]
[0.10590761 0.
「0.18633234 0.
K: 6
Mu: [[0.6235637 0.38438171]
[0.3927848 0.
 [0.
            0.
            0.87008726]
 Γ0.
[0.36824154 0.
[0.10590761 0.
Var: [0.16865269 0.14023295 0.1637321 0.3077471 0.13718238 0.14220473]
P: [0.1680912  0.15835331  0.21384187  0.14223565  0.14295074  0.17452722]
Output:
post:[[0.65087662 0.05857439 0.02234959 0.20258382 0.0460844 0.01953118]
[0.36462427 0.20175055 0.09281546 0.06127579 0.17543624 0.1040977 ]
 [0.10995174 0.22464491 0.20513252 0.02839796 0.21019956 0.22167331]
 [0.27996042 0.13156734 0.18479023 0.14012134 0.11793063 0.14563005]
[0.1680912 0.15835331 0.21384187 0.14223565 0.14295074 0.17452722]
[0.17188253 0.2079498 0.16224482 0.0981313 0.18938262 0.17040893]
 [0.33305679 0.09456056 0.14652199 0.23671559 0.08347925 0.10566582]
```

```
Input:
X: [[0.
               0.98702305 0.
 [0.03878139 0.49384448 0.7820454 ]
 [0.01583577 0.37313092 0.00937357]
 [0.12492591 0.31875794 0.97646793]
 [0.49284594 0.
 [0.
            0.67998295 0.086402831
 [0.
            0.04676585 0.
 [0.08601935 0.
                       0.308099231
 [0.
             0.
                       0.25312255]
 [0.60326212 0.28797558 0.
 Γ0.
             0.
                       0.
 [0.
            0.70350118 0.07305453]]
K: 3
Mu: [[0.12492591 0.31875794 0.97646793]
 [0.
            0.70350118 0.07305453]
 [0.
            0.98702305 0.
Var: [0.27882044 0.13985221 0.24665245]
P: [0.29092183 0.35849852 0.35057965]
Output:
post:[[0.14789921 0.43002153 0.42207925]
[0.53981166 0.30231237 0.15787596]
 [0.05743606 0.72977937 0.21278456]
 [0.84275709 0.08802095 0.06922196]
 [0.34142453 0.31776976 0.34080571]
 [0.05097739 0.6534509 0.29557172]
 [0.59922521 0.25472238 0.14605241]
 [0.12722164 0.55814027 0.31463809]
 [0.12762502 0.505386  0.36698898]
 [0.52358016 0.28518686 0.19123298]
 [0.29092183 0.35849852 0.35057965]
[0.04695597 0.650084 0.30296003]]
LL:-10.077751
```

est: output5			
utput:			

```
Input:
X: [[0.90648012 0.99816002 0.13768454]
 [0.92950531 0.19200986 0.28557129]
            0.61078813 0.06522915]
 [0.
 [0.87371365 0.99295672 0.9127793 ]
 [0.97548942 0.74477477 0.08488115]
 [0.56209216 0.08374213 0.38551777]
 [0.82880203 0.44056884 0.85701096]
 [0.23774516 0.85064934 0.10024266]
 [0.39181442 0.44763635 0.54246476]
 [0.45793145 0.83016375 0.93783038]
 [0.10680808 0.37806821 0.00726476]
 [0.54055095 0.36148986 0.83177797]
 [0.44364434 0.7694028 0.14101669]
 [0.01910687 0.69442013 0.73910354]
 [0.42275007 0.53663832 0.07744479]
            0.67327192 0.31881952]
 [0.28099472 0.4042464 0.92102663]
 [0.62297889 0.
                      0.476086911
 [0.28456284 0.
                               11
K: 8
Mu: [[-0.65524797 -0.46015273 0.88805118]
[ 0.45180258 -0.67291488 -0.66320719]
[ 0.56613571  0.5355574  0.02038533]
 [ 0.40847458 -0.18143184  0.49460525]
 [ 0.71248417  0.09990728  -0.34344878]
 [ 0.49106673  0.36453648  0.83323654]]
Var: [0.92359266 0.96794483 0.15097964 0.15727212 0.27362847 0.16667523
0.37377302 0.17117464]
P: [0.14322866 0.11083623 0.12776976 0.12487704 0.11344219 0.11399134
 0.13670066 0.12915412]
```

```
Output:
post:[[0.00666831 0.01178137 0.32853384 0.44578778 0.02084131 0.03716047
 0.09414212 0.05508481]
0.09456465 0.11478079]
[0.02593187 0.01668103 0.34897876 0.3478211 0.0422044 0.07512775
 0.09260147 0.05065364]
[0.02358267 0.01140786 0.07535356 0.09850656 0.0506973 0.10262185
 0.03913796 0.59869225]
[0.00500262 0.01090391 0.34566567 0.41076444 0.02751182 0.05282541
 0.09956921 0.04775692]
[0.01074047 0.00974002 0.188604 0.13680611 0.13050131 0.3078894
 0.05693837 0.15878032]
[0.01224751 0.00670559 0.0710857 0.06552253 0.086416 0.23162923
 0.02840374 0.4979897 1
[0.01144853 0.00982745 0.37098475 0.39358529 0.03129523 0.05968677
 0.06200599 0.061166 ]
[0.01120117 0.00600274 0.1884897 0.15616571 0.08016758 0.24135971
 0.03250545 0.28410793]
[0.02233992 0.00643649 0.06355403 0.06729627 0.05672008 0.13955033
 0.0199661 0.624136761
[0.01604028 0.01486238 0.35499665 0.28657905 0.07437744 0.11933538
 0.08488985 0.04891896]
[0.01336286 0.00545077 0.07078162 0.05801181 0.09436306 0.26714681
 0.02144305 0.469440021
[0.00690727 0.0071807 0.37232723 0.38659261 0.03043853 0.07169708
 0.05497603 0.06988054]
[0.04067112 0.00978019 0.10240651 0.092748 0.08902899 0.18490947
 0.02744078 0.45301494]
[0.0065779 0.00769183 0.38091867 0.34690468 0.04199197 0.09669648
 0.06108737 0.0581311 ]
[0.03341068 0.01404392 0.28903423 0.28988736 0.05307833 0.1173957
 0.06744025 0.13570953]
[0.0226616  0.00582798  0.04684079  0.03758072  0.09979668  0.24280535
```

0.01642418 0.52806268]
[0.02224088 0.02196408 0.16944373 0.1546288 0.14503447 0.24247282 0.05609933 0.1881159]
[0.0567504 0.06820591 0.16504415 0.15032444 0.12952371 0.15335748 0.10750367 0.16929024]]
LL:-30.251463

Test: output6

```
Input:
X: [[0.
             0.61510654 0.8403588 ]
[0.68617182 0.
                       0.
[0.
            0.
                       0.
 Γ0.
            0.04814391 0.
 [0.63464793 0.63786054 0.
 [0.
                       0.
 [0.
                       0.7351466 ]
            0.
 [0.
            0.85276462 0.
 [0.
            0.
                       0.
 [0.
                       0.
            0.
 Γ0.
                       0.048338321
            0.
 Γ0.
                       0.
            0.
 Γ0.
                       0.47222957]
 [0.
                       0.
 [0.
            0.21868712 0.69472512]
 [0.
                       0.67462913]
 [0.
                                 11
K: 5
Mu: [[0.
                0.
                           0.
 [0.
            0.
                       0.04833832]
 [0.
            0.21868712 0.69472512]
 [0.
                       0.
 [0.
                       0.
Var: [0.09501823 0.08922796 0.15708103 0.09501823 0.09501823]
P: [0.20556425 0.18647986 0.24404576 0.18856882 0.17534131]
Output:
post:[[0.00791577 0.00821619 0.96985477 0.00726132 0.00675196]
[0.16597779 0.13230075 0.40789119 0.15225525 0.14157502]
 [0.20556425 0.18647986 0.24404576 0.18856882 0.17534131]
[0.21940786 0.20523234 0.18694234 0.20126788 0.18714958]
[0.08641648 0.0633163 0.69728423 0.07927183 0.07371116]
 [0.20556425 0.18647986 0.24404576 0.18856882 0.17534131]
```

```
[0.05076835 0.05808408 0.80127244 0.04657097 0.04330416]
[0.0654045 0.04776382 0.77104618 0.05999705 0.05578845]
[0.20556425 0.18647986 0.24404576 0.18856882 0.17534131]
[0.20556425 0.18647986 0.24404576 0.18856882 0.17534131]
[0.25219068 0.23900459 0.0623519 0.23134032 0.21511252]
[0.20556425 0.18647986 0.24404576 0.18856882 0.17534131]
[0.15561224 0.17207864 0.39682897 0.14274669 0.13273346]
[0.20556425 0.18647986 0.24404576 0.18856882 0.17534131]
[0.0639483 0.07411652 0.7487276 0.05866124 0.05454634]
[0.07130635 0.08128429 0.72117582 0.06541096 0.06082258]
[0.20556425 0.18647986 0.24404576 0.18856882 0.17534131]]
LL:-13.030951
```

Hide output

Submit

You have used 6 of 20 attempts

Implementing M-step (2)

1/1 point (graded)

In em.py, fill in the mstep function so that it works with partially observed vectors where missing values are indicated with zeros, and perform the computations in the log domain to help with numerical stability.

Available Functions: You have access to the NumPy python library as <code>np</code>, to the <code>GaussianMixture</code> class and to typing annotation <code>typing.Tuple</code> as <code>Tuple</code>. You also have access to <code>scipy.misc.logsumexp</code> as <code>logsumexp</code>

Correction Note (Aug 8): The boilerplate code for this function was changed on August 8th. Make sure you have the latest version of <u>netflix.tar.gz</u>, or correct the file <u>em.py</u> as follows:

```
- def mstep(X: np.ndarray, post: np.ndarray,
      4 def mstep(X: np.ndarray, post: np.ndarray, mixture: GaussianMixture,
29
      29
                       min_variance: float = .25) -> GaussianMixture:
                 """M-step: Updates the gaussian mixture by maximizing the log-likelihood
30
      30
31
      31
                 of the weighted dataset
  盘
            @@ -34,6 +34,7 @@ def mstep(X: np.ndarray, post: np.ndarray,
34
      34
                     X: (n, d) array holding the data, with incomplete entries (set to 0)
      35
                     post: (n, K) array holding the soft counts
                         for all components for all examples
      37 +
                    mixture: the current gaussian mixture
37
      38
                     min_variance: the minimum variance for each gaussian
```

```
1 def mstep(X: np.ndarray, post: np.ndarray, mixture: GaussianMixture,
 2
            min variance: float = .25) -> GaussianMixture:
 3
      """M-step: Updates the gaussian mixture by maximizing the log-likelihood
 4
      of the weighted dataset
 5
 6
      Args:
 7
          X: (n, d) array holding the data, with incomplete entries (set to 0)
 8
          post: (n, K) array holding the soft counts
 9
              for all components for all examples
10
          min variance: the minimum variance for each gaussian
11
12
      Returns:
13
          GaussianMixture: the new gaussian mixture
14
      11 11 11
15
      n, d = X.shape
```

Press ESC then TAB or click outside of the code editor to exit

Correct

Test results

т.			<u>Hide ou</u>
T			
	Test: netflix		
	Output:		

```
Input:
X: [[2. 4. 5. ... 4. 2. 4.]
 [1. 3. 4. ... 3. 0. 3.]
 [3. 5. 0. ... 3. 4. 0.]
 [5. 3. 0. ... 3. 5. 4.]
 [2. 3. 0. ... 5. 0. 0.]
 [3. 0. 0. ... 3. 0. 3.]]
Mu: [[3.53162741 3.6748473 3.9759755 3.45370958 3.8008092 3.7733913
  3.85593062 3.89326771 3.91092966 3.9239507 4.03777538 3.83217966
  3.54926155 3.59040243 3.58355266 3.43232952 3.81496564 3.66189157
  3.60734369 3.85686273 3.82554477 3.96335373 3.64985243 3.89208143
  3.99971012 3.71984898 3.30438117 3.5298734 3.81919097 2.96419876
  3.70156056 3.88719678 3.62173912 3.86828322 3.95426438 3.88642264]
 [3.31054003 3.76038323 3.63550775 3.04156335 3.87735873 3.80912846
  3.73186432 4.01106405 3.85168698 3.44669611 3.9627543 3.8344115
  3.63389477 3.50817988 3.45981734 3.47578916 3.97785621 3.55067041
  3.80692371 3.99041455 3.89986666 4.12572231 3.40788236 3.72183376
  4.00029395 3.5064034 3.41221426 3.33566486 3.80191824 3.03462194
  3.82139677 4.09015403 3.59644227 3.88112641 4.04803705 4.02136671]]
K: 2
post:[[0.43418691 0.56581309]
 [0.52521691 0.47478309]
 [0.39610605 0.60389395]
 [0.32917129 0.67082871]
 [0.7153587 0.2846413 ]
 [0.59951013 0.40048987]
 [0.38030858 0.61969142]
 [0.44912526 0.55087474]
 [0.02370719 0.97629281]
 [0.47213411 0.52786589]
 [0.55047309 0.44952691]
 [0.37155893 0.62844107]
```

```
[0.13175585 0.86824415]
 [0.55722649 0.44277351]
 [0.25467687 0.74532313]
 [0.44520528 0.55479472]
 [0.02952397 0.97047603]
 [0.49803167 0.50196833]
 [0.58056498 0.41943502]
 [0.45133699 0.54866301]
 [0.92053184 0.07946816]
 [0.49855274 0.50144726]
 [0.62003262 0.37996738]
 [0.46445322 0.53554678]
 [0.56522377 0.43477623]
 [0.90641685 0.09358315]
 [0.56424771 0.43575229]
 [0.72055205 0.27944795]
 [0.65609528 0.34390472]
 [0.59020864 0.40979136]
 [0.82607833 0.17392167]
 [0.3477441 0.6522559 ]]
Output:
Mu: [[3.53162741 3.6748473 3.9759755 3.45370958 3.8008092 3.7733913
  3.85593062 3.89326771 3.91092966 3.9239507 4.03777538 3.83217966
  3.54926155 3.59040243 3.58355266 3.43232952 3.81496564 3.66189157
  3.60734369 3.85686273 3.82554477 3.96335373 3.64985243 3.89208143
  3.99971012 3.71984898 3.30438117 3.5298734 3.81919097 2.96419876
  3.70156056 3.88719678 3.62173912 3.86828322 3.95426438 3.88642264]
 [3.31054003 3.76038323 3.63550775 3.04156335 3.87735873 3.80912846
  3.73186432 4.01106405 3.85168698 3.44669611 3.9627543 3.8344115
  3.63389477 3.50817988 3.45981734 3.47578916 3.97785621 3.55067041
  3.80692371 3.99041455 3.89986666 4.12572231 3.40788236 3.72183376
  4.00029395 3.5064034 3.41221426 3.33566486 3.80191824 3.03462194
  3.82139677 4.09015403 3.59644227 3.88112641 4.04803705 4.02136671]]
```

[0.15599464 0.84400536]

Var: [0.96833845 0.98603321] P: [0.4857973 0.5142027]

Test: output0

```
Input:
X: [[0.85794562 0.84725174]
 [0.6235637 0.38438171]
 [0.29753461 0.05671298]
 [0.27265629 0.47766512]
 [0.81216873 0.47997717]
 [0.3927848 0.83607876]
 [0.33739616 0.64817187]
 [0.36824154 0.95715516]
 [0.14035078 0.87008726]
 [0.47360805 0.80091075]
 [0.52047748 0.67887953]
 [0.72063265 0.58201979]
 [0.53737323 0.75861562]
 [0.10590761 0.47360042]
 [0.18633234 0.73691818]]
K: 6
post:[[0.15765074 0.20544344 0.17314824 0.15652173 0.12169798 0.18553787]
 [0.22679645 0.36955206 0.02836173 0.03478709 0.00807236 0.33243031]
 [0.16670188 0.18637975 0.20964608 0.17120102 0.09886116 0.16721011]
 [0.04250305 0.22996176 0.05151538 0.33947585 0.18753121 0.14901275]
 [0.09799086 0.28677458 0.16895715 0.21054678 0.0069597 0.22877093]
 [0.16764519 0.16897033 0.25848053 0.18674186 0.09846462 0.11969746]
 [0.28655211 0.02473762 0.27387452 0.27546459 0.08641467 0.05295649]
 [0.11353057 0.13090863 0.20522811 0.15786368 0.35574052 0.03672849]
 [0.10510461 0.08116927 0.3286373 0.12745369 0.23464272 0.12299241]
 [0.09757735 0.06774952 0.40286261 0.08481828 0.1206645 0.22632773]
 [0.24899344 0.02944918 0.25413459 0.02914503 0.29614373 0.14213403]
 [0.35350682 0.21890411 0.26755234 0.01418274 0.10235276 0.04350123]
 [0.15555757 0.06236572 0.16703133 0.21760554 0.03369562 0.36374421]
 Output:
```

```
Mu: [[0.43216722 0.64675402]
[0.46139681 0.57129172]
[0.44658753 0.68978041]
[0.44913747 0.66937822]
[0.47080526 0.68008664]
[0.40532311 0.57364425]]
Var: [0.25 0.25 0.25 0.25 0.25]
P: [0.1680912 0.15835331 0.21384187 0.14223565 0.14295074 0.17452722]
```

```
Input:
X: [[9.41995544e-01 9.56255069e-01 7.79478257e-01 5.03139435e-01]
 [2.64580162e-02 1.85308100e-01 4.06890361e-01 5.03050977e-01]
 [9.27804780e-01 7.05796516e-01 4.68583265e-01 9.75763136e-01]
 [2.80704425e-01 5.03729309e-01 8.26921053e-01 1.26142597e-04]
 [6.02372886e-01 3.20045302e-01 7.19656132e-01 8.35817014e-01]
 [8.16461473e-01 4.15420687e-01 6.00908597e-01 3.28429598e-01]
 [7.10235389e-01 4.26127432e-01 9.35371239e-01 2.17460410e-01]
 [6.74172704e-01 2.71845904e-01 6.65797628e-01 7.21895428e-01]
 [2.48483665e-01 3.62987466e-01 7.08598791e-01 9.55245263e-01]
 [3.47168111e-01 3.97425130e-01 2.83222653e-01 2.70250083e-01]
 [8.84791303e-02 2.29879069e-01 4.77760087e-01 5.79624169e-01]
 [3.91641448e-01 8.15017742e-01 8.52424164e-01 9.26888118e-01]
 [6.69903699e-01 9.76212934e-01 5.98228984e-01 3.62710510e-01]
 [3.73392184e-01 4.91584032e-01 3.10999262e-01 4.66870006e-01]
 [6.10114673e-02 2.53910297e-01 8.43239609e-01 2.20800378e-01]
 [9.89021822e-01 9.61608139e-01 8.97271972e-01 3.98854569e-03]
 [5.82040701e-02 1.41426450e-01 1.17630815e-01 5.45998041e-01]
 [2.55139525e-01 8.58160291e-01 1.63086068e-01 1.84228206e-01]
 [9.23698918e-01 2.77283027e-01 2.70550499e-02 7.57837465e-02]]
K: 8
post:[[7.61584771e-02 9.38062734e-02 2.30466773e-01 2.33955480e-01
  1.90705614e-01 1.23097102e-01 6.47316609e-03 4.53371144e-02
 [8.52604446e-02 1.05410091e-01 1.94413669e-01 1.47893709e-01
  9.81876725e-02 2.04462938e-01 5.88192456e-02 1.05552230e-01
 [1.82268842e-01 2.78041839e-05 1.32774233e-01 7.05439611e-02
 1.58625650e-01 1.84229678e-01 1.79963355e-01 9.15664770e-02
 [1.44291319e-01 7.88631419e-02 1.70543077e-01 1.02322532e-01
  2.24603127e-01 5.22170087e-02 1.61883636e-01 6.52761573e-02
 [1.51056676e-01 1.63784188e-01 5.63761641e-02 8.23548744e-02
 1.60767436e-01 2.16726777e-01 7.87657670e-02 9.01681178e-02
 [9.03169637e-02 8.61801369e-02 2.82151386e-02 7.33062108e-02
  1.52353069e-01 1.84836540e-01 1.24890668e-01 2.59901273e-01
```

```
[1.62324933e-01 1.76504911e-01 1.27568032e-01 1.85897709e-01
  1.13919201e-01 6.90700260e-02 7.11041096e-02 9.36110782e-02
 [7.57156949e-02 1.13663893e-01 1.48538154e-02 6.18168494e-02
  2.05294612e-01 5.37559283e-02 2.40786663e-01 2.34112544e-01
 [3.11788806e-01 1.38596093e-03 2.02250578e-02 4.91436103e-02
  4.08749772e-02 1.89726285e-01 8.86572304e-02 2.98198073e-01]
 [6.02132575e-02 6.80191788e-02 3.41040295e-01 1.02376092e-01
  9.98903648e-03 2.79802333e-02 3.36417305e-02 3.56740176e-01
 [4.15692805e-02 1.96653516e-01 1.91899773e-01 2.46802889e-01
  2.92621256e-02 1.87876218e-02 1.76751940e-01 9.82728536e-02]
 [7.29905015e-02 2.15541393e-01 5.56108193e-02 6.98759719e-02
 1.09872660e-01 1.52622931e-01 2.18092069e-01 1.05393654e-01
 [1.13807040e-01 1.89666461e-01 8.73076926e-02 1.96536345e-01
  2.46770021e-01 1.22771577e-01 1.33724129e-02 2.97684501e-02
 [9.89428247e-02 1.68094540e-01 1.69279300e-01 1.64915422e-01
 4.90344976e-02 1.70635018e-01 1.46252026e-02 1.64473195e-01]
 [1.67296799e-01 2.11943870e-01 2.05211084e-01 9.01665301e-02
 1.33704231e-01 1.05970153e-01 7.26147627e-02 1.30925703e-02]
 [2.04143156e-01 1.02979189e-01 1.66124469e-01 1.18118927e-01
 2.65484343e-02 9.01406280e-02 2.00256568e-01 9.16886279e-02]
 [9.49521016e-02 1.55316671e-01 5.74239807e-02 1.24275569e-01
 1.36545523e-01 2.05210081e-01 9.22668487e-02 1.34009224e-01
 [1.54871297e-01 1.68170501e-01 1.77102675e-01 8.64950416e-02
 1.17146316e-01 5.68475255e-02 1.50090050e-01 8.92765945e-02
 [1.99846160e-01 7.27298164e-02 1.12491901e-01 5.84121644e-02
  1.65453202e-01 1.46231570e-01 4.93266312e-02 1.95508555e-01]
Output:
Mu: [[0.52264789 0.51128949 0.58244058 0.45483975]
 [0.43644772 0.5060929 0.58010718 0.43700242]
 [0.45848182 0.52309614 0.53739036 0.37087466]
 [0.48446415 0.52750496 0.57435985 0.43184724]
[0.54900488 0.52751691 0.58137732 0.45102904]
 [0.50313366 0.48267067 0.54377741 0.5316927 ]
 [0.50345368 0.51624612 0.60941299 0.49855754]
```

[0.49631555 0.43344867 0.5022292 0.48655729]] Var: [0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25]

P: [0.13093761 0.12467061 0.13362779 0.11922157 0.12471881 0.12501682

0.10696748 0.13483931]

Test: output2

```
Input:
X: [[0.5733608 0.777866 0.21832627 0.31598716]
 [0.40656884 0.12863997 0.17884917 0.01941066]
 [0.70299964 0.52397865 0.06475103 0.89897763]
 [0.64216815 0.75546345 0.48178057 0.33449363]
 [0.47952615 0.99086612 0.87006496 0.39647243]
 [0.42721727 0.61854707 0.31550533 0.63308097]
 [0.34278254 0.01438643 0.61013304 0.51270627]
 [0.67347221 0.45293618 0.14845276 0.14816382]
 [0.35472294 0.71806163 0.92797545 0.54017645]
 [0.79387491 0.47207855 0.1878827 0.17397495]
 [0.45809409 0.85284807 0.70113644 0.08137186]
 [0.9317442 0.66381735 0.22212494 0.62809731]
 [0.14536082 0.93028856 0.84614347 0.58897132]
 [0.51647322 0.69722323 0.22120176 0.99414949]
 [0.04618445 0.55543267 0.82867931 0.11106542]
 [0.12661646 0.99378599 0.52844925 0.36749583]
 [0.16162908 0.71730726 0.97117231 0.45500442]
 [0.35812339 0.04941717 0.31173839 0.21790621]
 [0.00942554 0.7588793 0.87220105 0.14626169]]
K: 9
post:[[0.04868641 0.12415421 0.11061081 0.11390858 0.12997212 0.11551315
  0.0763783 0.12665907 0.15411735]
 [0.08817827 0.22809675 0.04318663 0.14350484 0.12130935 0.05240019
  0.14502884 0.0907368 0.08755834]
 [0.02706332 0.18239863 0.09041306 0.15699109 0.16119508 0.22117883
  0.1252733 0.0156473 0.0198394 1
 [0.05366813 0.08610823 0.00945619 0.25127316 0.12469348 0.01670058
  0.13379883 0.29123408 0.0330673 ]
 [0.01781341 0.23711668 0.18788459 0.1194587 0.08171602 0.05535127
  0.03688928 0.07894611 0.18482394]
 [0.26339868 0.17744064 0.08967867 0.00853491 0.00598243 0.09217854
  0.03798972 0.17653218 0.14826423]
```

```
[0.0529766 0.15711225 0.07527218 0.14977765 0.00386846 0.23658784
  0.02734035 0.13459249 0.16247217]
 [0.09358886 0.10455276 0.0856146 0.17198708 0.05718472 0.01416195
  0.13972487 0.14749316 0.18569199]
 [0.19310088 0.04757709 0.03390468 0.07699783 0.03429588 0.18600031
  0.23325498 0.08254298 0.11232536]
 [0.05538141 0.10216456 0.0109098 0.19742967 0.09146251 0.20584765
  0.20112319 0.10947338 0.02620783]
 [0.21996064 0.09604093 0.04483528 0.22450716 0.03580668 0.05214392
  0.16649076 0.01492156 0.14529308]
 [0.00578983 0.1791824 0.19716392 0.09839051 0.11611846 0.14684752
  0.03191412 0.06222802 0.16236521]
 [0.10504031 0.13292785 0.03627746 0.05959326 0.15954509 0.12114194
  0.10072147 0.15550984 0.12924278]
 [0.04344782 0.04518892 0.10954993 0.09486911 0.14552519 0.00213849
  0.23045246 0.21242787 0.1164002 ]
 [0.10395639 0.14038924 0.14035021 0.07953989 0.06729972 0.08060089
  0.12696025 0.08302297 0.17788044]
 [0.01263325 0.18317212 0.21251416 0.12006728 0.07069142 0.0900843
  0.06433294 0.13489599 0.11160855]
 [0.22902852 0.1974601 0.01828543 0.0846496 0.09221425 0.06173937
  0.07395456 0.05262826 0.19003992]
 [0.00837798 0.0053719 0.14543174 0.23356472 0.15959738 0.03496203
  0.1683721 0.01123124 0.2330909 ]
 [0.06827071 0.06134422 0.17847073 0.03510192 0.18046278 0.13715933
  0.10779405 0.0554861 0.17591016]]
Output:
Mu: [[0.36850431 0.64999064 0.60332085 0.38273866]
 [0.43287571 0.63017412 0.5016101 0.40548497]
 [0.40629279 0.6491047 0.49660251 0.40693754]
 [0.48602017 0.56695479 0.44605726 0.35201311]
 [0.43087687 0.62531725 0.46839554 0.4144754 ]
 [0.44626388 0.58149028 0.50395507 0.44192488]
 [0.44146286 0.59526716 0.4796192 0.38808552]
```

[0.44865942 0.64478601 0.46985415 0.43571034] [0.38629877 0.60440098 0.54770631 0.3723846]]

Var: [0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25]

P: [0.08896639 0.13093682 0.09577948 0.12737616 0.09678637 0.10119674

0.11725234 0.10716892 0.1345368]

Test: output3

```
Input:
X: [[0.85794562 0.84725174]
 [0.6235637 0.38438171]
 [0.29753461 0.05671298]
 Γ0.
           0.47766512]
 [0.
           0.
 [0.3927848 0.
 [0.
           0.64817187]
 [0.36824154 0.
 Γ0.
           0.870087261
 [0.47360805 0.
 [0.
            0.
 [0.
           0.
 [0.53737323 0.75861562]
 [0.10590761 0.
 [0.18633234 0.
K: 6
post:[[0.15765074 0.20544344 0.17314824 0.15652173 0.12169798 0.18553787]
 [0.22679645 0.36955206 0.02836173 0.03478709 0.00807236 0.33243031]
 [0.16670188 0.18637975 0.20964608 0.17120102 0.09886116 0.16721011]
 [0.04250305 0.22996176 0.05151538 0.33947585 0.18753121 0.14901275]
 [0.09799086 0.28677458 0.16895715 0.21054678 0.0069597 0.22877093]
 [0.16764519 0.16897033 0.25848053 0.18674186 0.09846462 0.11969746]
 [0.28655211 0.02473762 0.27387452 0.27546459 0.08641467 0.05295649]
 [0.11353057 0.13090863 0.20522811 0.15786368 0.35574052 0.03672849]
 [0.10510461 0.08116927 0.3286373 0.12745369 0.23464272 0.12299241]
 [0.09757735 0.06774952 0.40286261 0.08481828 0.1206645 0.22632773]
 [0.24899344 0.02944918 0.25413459 0.02914503 0.29614373 0.14213403]
 [0.35350682 0.21890411 0.26755234 0.01418274 0.10235276 0.04350123]
 [0.15555757 0.06236572 0.16703133 0.21760554 0.03369562 0.36374421]
 Output:
```

```
Mu: [[0.41970858 0.57419602]
  [0.46514641 0.50509648]
  [0.45167656 0.64343368]
  [0.41703438 0.87008726]
  [0.36824154 0. ]
  [0.35384957 0.44162885]]
Var: [0.25 0.25 0.25 0.25 0.28690463 0.25 ]
P: [0.1680912 0.15835331 0.21384187 0.14223565 0.14295074 0.17452722]
```

Test: output4

Output:

```
Input:
X: [[0.41302022 0.80568642 0.97341576 0.
ſ0.
            0.21428313 0.
                                0.228284441
           0. 0.
 [0.
                                0.802993061
 [0.
           0. 0.06689605 0.32115162]
 [0.64175749 0.
                      0.26444098 0.489903351
           0.36123146 0.
 Γ0.
                                0.07620241]
 [0.78224446 0.
                      0. 0.96473494]
                     0.
 Γ0.
                                0.307501591
            0.
[0.38740023 0.10287016 0. 0.71796623]
[0.96279109 0.08311093 0. 0.88729796]
[0. 0.97495569 0. 0. ]
 [0.66535744 0.64184406 0.
                                0.
 [0.38493484 0.11285293 0.
                                0.297562221
 [0.80760164 0.33047493 0.0024602 0.77602101]
 [0.12086067 0.
                      0.15266383 0.33157782]
 Γ0.
            0. 0.
                                0.82081681]
 [0.28440147 0.0457341 0.
                                0.35984439]
 [0.48495255 0. 0.51449559 0.63105734]]
K: 7
post:[[0.35065711 0.04493986 0.00059463 0.13922617 0.3265943 0.04116011
 0.09682782]
 [0.20387035 0.20451042 0.10719777 0.045066 0.21122652 0.06916243
 0.158966521
 [0.105958  0.26959489  0.04778842  0.20113784  0.07021378  0.02839512
 0.27691195]
 [0.21887585 0.21079891 0.03900651 0.19300232 0.12226255 0.11634771
 0.09970615]
 [0.03597559 0.08483176 0.22673067 0.24554393 0.1933648 0.11047057
 0.10308268]
 [0.17044687 0.03556631 0.24655812 0.1153721 0.01359442 0.18721792
 0.23124426]
 [0.25331535 0.01443969 0.14552245 0.02140191 0.35422402 0.07631039
```

```
0.134786191
 [0.11145125 0.24862975 0.2020313 0.07136485 0.16351809 0.05597653
  0.147028231
 [0.05985935 0.22331274 0.17889739 0.07211828 0.18708517 0.09282607
  0.185901011
 [0.28162042 0.13738448 0.06248091 0.06315076 0.17143181 0.24516013
  0.03877148]
 [0.0577445 0.19838012 0.1371933 0.1307459 0.16500181 0.14713037
  0.163804011
 [0.13349193 0.34336347 0.15376867 0.00103006 0.0848264 0.00677737
  0.276742091
 [0.20484581 0.11547 0.19544345 0.03502777 0.19380606 0.03109788
  0.224309031
 [0.28404999 0.04970828 0.1312017 0.37884097 0.01746614 0.02819648
  0.11053644]
 [0.31118556 0.08349529 0.36732842 0.02473862 0.02931326 0.07109962
  0.112839231
 [0.17691962 0.12908237 0.22098529 0.04161721 0.18248234 0.13365374
  0.11525943]
 [0.08195526 0.04955203 0.36742564 0.20797379 0.03646487 0.17189624
  0.084732171
 [0.05360773 0.14997772 0.17002329 0.17540373 0.13312816 0.16276318
  0.15509618]]
Output:
Mu: [[ 0.55808479  0.37191182  0.35179687  0.5470557 ]
[ 0.54999135  0.40849803  0.91137329  0.53171147]
 [ 0.45207913  0.28516784 -0.85661235  0.47784552]
 [ 0.57743589  0.37269509  0.26653949  0.55269904]
 [ 0.57719668  0.4201962  0.2404478  0.59912946]
 [ 0.57359434  0.30767505 -0.54052991  0.53672485]
 [ 0.52087962  0.39508027 -0.0405426  0.51157935]]
Var: [0.25 0.25 0.25 0.25 0.25 0.25]
P: [0.17199059 0.14405767 0.16667655 0.12015346 0.14755581 0.09864677
 0.15091916]
```

Test: out	put5			

Output:

```
Input:
X: [[0.78689629 0.09400376 0.07744925 0.
 [0.84079045 0.4413037 0.34782583 0.14677624]
 [0.39705116 0.86795612 0.21630449 0.41440401]
 [0.24964489 0.73835282 0.93373003 0.00644357]
[0.64454426 0. 0.03164945 0.224879 ]
 [0.89041102 0.
                      0.62166799 0.99524137]
 [0.59496131 0.69751894 0.50125511 0.65798358]
 [0.52407928 0.24983097 0.0099372 0.99739169]
 [0.90895019 0.78479587 0.06117337 0.49803869]
 [0.31006729 0.17199605 0.83315662 0.82403888]
 [0.
            0.11495315 0.07054325 0.39648556]
 [0.38386803 0.36397939 0.80064718 0.02655044]
 [0.41323823 0.890323 0.47395928 0.95986581]
 [0.57531001 0.20879088 0.93477956 0.51629613]
 [0.57357962 0.63435392 0.37584822 0.14855098]
 [0.95561678 0.65705703 0.87472619 0.61143665]
 [0.24036884 0.53054995 0.52499823 0.82750204]
 [0.55069006 0.2189513 0.26781941 0.4605273 ]
 [0.07062603 0.25411614 0.88964287 0.
K: 6
post:[[0.12443987 0.16975377 0.33456555 0.03390002 0.30775791 0.02958288]
[0.07785043 0.21443926 0.12455146 0.17407861 0.15874749 0.25033276]
[0.07439055 0.22662227 0.15304639 0.12493978 0.20035378 0.22064723]
 [0.19210278 0.26850417 0.24710636 0.01728444 0.01270171 0.26230054]
 [0.22901328 0.21576447 0.1120658 0.20208684 0.17871678 0.06235283]
 [0.19281146 0.15746068 0.22536131 0.15869169 0.07408305 0.19159181]
 [0.12331965 0.25118093 0.05147742 0.21741487 0.18228175 0.17432536]
 [0.0201343 0.30411796 0.20236472 0.23585085 0.09271092 0.14482126]
 [0.09401818 0.10737709 0.17353382 0.06306259 0.4385446 0.12346371]
 [0.25587881 0.17792199 0.17459726 0.12092943 0.01309839 0.25757412]
 [0.12455063 0.090569 0.26253966 0.24401981 0.20543559 0.07288531]
```

```
[0.16763959 0.23244022 0.17283876 0.10839533 0.26456946 0.05411664]
 [0.12567134 0.00909786 0.3179707 0.09531057 0.31184361 0.14010592]
[0.22252515 0.16361006 0.17858399 0.1713604 0.20031749 0.0636029 ]
[0.32023799 0.06386017 0.15973307 0.05196554 0.35614523 0.04805799]
[0.11826704 0.09214597 0.01837655 0.41334099 0.15720801 0.20066144]
[0.16794876 0.21789147 0.0778413 0.15209377 0.18427645 0.19994825]
Output:
Mu: [[0.57293679 0.46585475 0.50484492 0.49661664]
[0.54386928 0.48689451 0.39809972 0.52512429]
[0.55103249 0.42216926 0.50565753 0.48830177]
[0.48602136 0.43618804 0.47219551 0.56157927]
[0.60087479 0.50349836 0.46165964 0.51307149]
[0.53585435 0.47629885 0.45077006 0.48650723]]
Var: [0.25 0.25 0.25 0.25 0.25]
P: [0.15604219 0.17065656 0.17992205 0.16074209 0.19271948 0.13991762]
```

Test: output6

Output:

```
Input:
X: [[0.
               0.5976806 ]
 [0.
             0.03417229]
 ſ0.
             0.
 Γ0.
             0.
 [0.
 [0.
 [0.
             0.
 [0.1837871 0.
 [0.
             0.
 [0.
 [0.89607341 0.36542401]
 「0.03380226 0.
 [0.
             0.
 [0.
 [0.20355604 0.
 [0.96932775 0.
 Γ0.
             0.
 [0.65053523 0.
K: 6
post:[[0.22890554 0.25668829 0.08569813 0.32316526 0.08706585 0.01847692]
 [0.14288769 0.00211009 0.27266944 0.19777315 0.27577711 0.10878251]
 [0.25987749 0.10538583 0.17916883 0.25871358 0.04919885 0.14765541]
 [0.07908285 0.15167075 0.21185722 0.17537447 0.27135468 0.11066003]
 [0.01278211 0.2011026 0.20299328 0.31028414 0.24008473 0.03275313]
 [0.07936955 0.06262639 0.37795541 0.09906593 0.001849 0.37913372]
 [0.16797105 0.23609457 0.06250913 0.21695686 0.0799127 0.23655569]
 [0.17056019 0.02024888 0.27329603 0.00206656 0.27838756 0.25544078]
 [0.03933287 0.21765246 0.0809767 0.27943472 0.31442761 0.06817565]
 [0.00975892 0.15618372 0.17478696 0.18535875 0.23178719 0.24212446]
 [0.26521739 0.23249264 0.24765606 0.10497894 0.09896903 0.05068595]
 [0.24034748 0.09194291 0.22718543 0.15257227 0.16827689 0.11967502]
 [0.35491349 0.10413661 0.07994663 0.14529151 0.22155359 0.09415816]
```

```
[0.21108932 0.05331763 0.20425903 0.17590148 0.10733065 0.24810189]
[0.10825589 0.19985029 0.16212442 0.14752162 0.22928306 0.15296473]
[0.1860168  0.0148476  0.2299486  0.39470553  0.08224313  0.09223834]
[0.00085679 0.17652878 0.32074619 0.05455891 0.30141801 0.14589133]
[0.13797226 0.18104714 0.31727677 0.01373004 0.16091519 0.1890586 ]]
Output:
Mu: [[0.51357264 0.
[0.20355604 0.
[0.50917929 0.
[0.
[0.36992289 0.
[0.03380226 0.
Var: [0.25
              0.25
                        0.25
                                  0.41416433 0.25
                                                     0.25
```

Hide output

Submit

You have used 5 of 20 attempts

✓ Correct (1/1 point)

Implementing run

1.0/1.0 point (graded)

In [em.py], fill in the [run] function so that it runs the EM algorithm. As before, the convergence criteria that you should use is that the improvement in the log-likelihood is less than or equal to 10^{-6} multiplied by the absolute value of the new log-likelihood.

Available Functions: You have access to the NumPy python library as <code>np</code>, to the <code>GaussianMixture</code> class and to typing annotation <code>typing.Tuple</code> as <code>Tuple</code>. You also have access to the <code>estep</code> and <code>mstep</code> functions you have just implemented

Correction note (Aug 8): Since the <code>mstep</code> function in previous problem has been defined differently since Aug 8, you will need to modify <code>run</code> function accordingly. Note that the grader will accept as correct a <code>run</code> function that works with either the earlier or current version of <code>mstep</code>.


```
keturns:
11
          GaussianMixture: the new gaussian mixture
          np.ndarray: (n, K) array holding the soft counts
12
              for all components for all examples
13
14
          float: log-likelihood of the current assignment
15
16
      prev log likelihood = None
      log likelihood = None
17
      while (prev log likelihood is None or log likelihood - prev log likelihood > 1e-6*np.abs(log likelihood)):
18
19
          prev log likelihood = log likelihood
          post, log likelihood = estep(X, mixture)
20
          mixture = mstep(X, post)
21
22
          #print(log_likelihood)
23
24
      return mixture, post, log likelihood
25
```

Press ESC then TAB or click outside of the code editor to exit


Correct

Test results

Hide output CORRECT Test: starting fixed Output: Cost = -521.0000Cost = -401.2500Cost = -356.3438Cost = -336.6973Cost = -327.4880Cost = -323.0272Cost = -320.8317Cost = -319.7425Cost = -319.2000Cost = -318.9293Cost = -318.7941Cost = -318.7265Cost = -318.6928Cost = -318.6759Cost = -318.6674Cost = -318.6632Cost = -318.6611Cost = -318.6601Cost = -318.6595Cost = -318.6593Test: starting random



Thanks!



Add a comment romfirst + about 2 hours ago For those of you who don't want to wait for the fix, I found a way to circumvent the problem. The issue is that the grader says the input for the mixture is actually the updated values, i.e. the output of the M-step. As such, we simply have to update the values of the initial mixture to pass. However, namedtuples are not mutable, which means we cannot do mixture.mu = new mu, this will raise an error. But numpy arrays are mutable, which means we can update the values of each of the arrays contained in the mixture. To do that, I simply did the following: mixture.mu[:] = new mu[:] mixture.var[:] = new_var[:] mixture.p[:] = new_p[:] This is ugly and a bad practice, but it works for the sake of that specific question.

Add a comment

Showing all responses

Add a response:

© All Rights Reserved