

MITx: 6.008.1x Computational Probability and Inference

Heli

Bookmarks

- **▶** Introduction
- ▼ Part 1: Probability and Inference

Week 1: Introduction to Probability

due Sep 22, 2016 02:30 IST

Week 1: Probability Spaces and Events

due Sep 22, 2016 02:30 IST

Week 1: Random Variables
due Sep 22, 2016 02:30 IST

Week 2: Jointly Distributed Random Variables

due Sep 29, 2016 02:30 IST

Week 2: Conditioning on Events

due Sep 29, 2016 02:30 IST

Week 2: Homework 1
due Sep 29, 2016 02:30 IST

Part 1: Probability and Inference > Week 2: Homework 1 > Homework Problem: Alice Hunts Dragons

Homework Problem: Alice Hunts Dragons

 \square Bookmark this page

Homework Problem: Alice Hunts Dragons

10.0 points possible (graded)

When she is not calculating marginal distributions, Alice spends her time hunting dragons. For every dragon she encounters, Alice measures its fire power \boldsymbol{X} (measured on a scale from $\boldsymbol{1}$ to $\boldsymbol{4}$) and its roar volume Y (measured on a scale from $\boldsymbol{1}$ to $\boldsymbol{3}$). She notices that the proportion of dragons with certain fire power and roar volume in the population behaves as the following function:

$$f(x,y) = egin{cases} x^2 + y^2 & ext{if } x \in \{1,2,4\} ext{ and } y \in \{1,3\} \ 0 & ext{otherwise}. \end{cases}$$

In other words, the joint probability table $p_{X,Y}$ is of the form

$$p_{X,Y}(x,y) = cf(x,y) \qquad ext{for } x \in \{1,2,3,4\}, y \in \{1,2,3\},$$

for some constant c > 0 that you will determine.

• (a) Determine the constant c, which ensures that $p_{X,Y}$ is a valid probability distribution. (Please be precise with at least 3 decimal places, unless of course the answer doesn't need that many decimal places. You could also put a fraction.)

| Week 3: Inference with Bayes' Theorem for Random Variables due Oct 6, 2016 02:30 IST | Answer: 1/72 |
|---|--|
| Week 3: Independence Structure due Oct 6, 2016 02:30 IST | • (b) Determine $\mathbb{P}(Y < X)$. (Note that $\{Y < X\}$ is an event. Think about what outcomes are in it.) (Please be precise with at least 3 decimal places, unless of course the answer doesn't need that many decimal places. You could also put a fraction.) |
| Week 3: Homework 2 due Oct 6, 2016 02:30 IST Notation Summary Up Through Week 3 | Answer: 47/72 |
| Weeks 3 and 4: Mini-project on Movie Recommendations due Oct 21, 2016 02:30 IST | • (c) Determine $\mathbb{P}(X < Y)$. (Please be precise with at least 3 decimal places, unless of course the answer doesn't need that many decimal places. You could also put a fraction.) |
| Week 4: Decisions and Expectations due Oct 13, 2016 02:30 IST | Answer: 23/72 |
| Week 4: Measuring Randomness due Oct 13, 2016 02:30 IST | • (d) Determine $\mathbb{P}(Y=X)$. (Please be precise with at least 3 decimal places, unless of course the answer doesn't need that many decimal places. You could also put a fraction.) |
| Week 4: Towards Infinity in Modeling Uncertainty due Oct 13, 2016 02:30 IST | Answer: 2/72 |
| Week 4: Homework 3 due Oct 13, 2016 02:30 IST | • (e) Determine $\mathbb{P}(Y=3)$. (Please be precise with at least 3 decimal places, unless of course the answer doesn't need that many decimal places. You could also put a fraction.) |
| Part 2: Inference in Graphical Models | Answer: 48/72 |

- Part 3: LearningProbabilistic Models
- ▶ Final Project

| • | $ullet$ (f) Find the probability tables for p_X and p_Y . Express your answers as Python dictionaries. (Yo | |
|---|---|--|
| | answer should be the Python dictionary itself, and <i>not</i> the dictionary assigned to a variable, so | |
| | please do not include, for instance, "prob_table =" before specifying your answer. You can use | |
| | fractions. If you use decimals instead, please be accurate and use at least 5 decimal places.) | |

| $ ho_X$ probability table (the dictionary keys should be the Python integers 1, 2, 3, 4): | | |
|---|---|--|
| | Answer: {1: 12/72, 2: 18/72, 3: 0, 4: 42/72} | |
| p_Y probability table (the dictionary keys should be the Python integers 1, 2, 3): | | |
| | Answer: {1: 24/72, 2: 0, 3: 48/72} | |

Solution:

(a) Determine the constant c, which ensures that $p_{X,Y}$ is a valid probability distribution.

Solution: From the definition of f it follows that there are six coordinate pairs (x,y) with nonzero probabilities of occurring. These are (1,1),(1,3),(2,1),(2,3),(4,1) and (4,3). The probability of a pair is proportional to the sum of the squares of the coordinates of the pair, x^2+y^2 . Therefore there is a constant c such that the PMF $p_{X,Y}(x,y)$:

$$p_{X,Y}(x,y) = \left\{egin{array}{ll} c(x^2+y^2) & ext{if } x \in \{1,2,4\} ext{ and } y \in \{1,3\} \ 0 & ext{otherwise.} \end{array}
ight.$$

Because the probability of the entire sample space must equal 1, we have (1+1)c+(1+9)c+(4+1)c+(4+9)c+(16+1)c+(16+9)c=1 which implies that $c=\frac{1}{72}$ and therefore:

$$p_{X,Y}(x,y) = egin{cases} rac{1}{72}(x^2+y^2) & ext{if } x \in \{1,2,4\} ext{ and } y \in \{1,3\} \ 0 & ext{otherwise}. \end{cases}$$

(b) Determine $\mathbb{P}(Y < X)$.

Solution: There are three sample points for which y < x:

$$P(Y < X) = P((2,1)) + P((4,1)) + P((4,3)) = \frac{5}{72} + \frac{17}{72} + \frac{25}{72} = \frac{47}{72}$$

(c) Determine $\mathbb{P}(X < Y)$.

Solution: There are two sample points for which y > x:

$$P(X>Y)=P((1,3))+P((2,3))=rac{10}{72}+rac{13}{72}=rac{23}{72}$$

(d) Determine $\mathbb{P}(Y=X)$.

Solution: There is only one sample point for which y=x: $P(Y=X)=P((1,1))=rac{2}{72}$

(e) Determine $\mathbb{P}(Y=3)$.

Solution: There are three sample points for which y=3.

$$P(Y=3) = P((1,3)) + P((2,3)) + P((4,3)) = \frac{10}{72} + \frac{13}{72} + \frac{25}{72} = \frac{48}{72}$$

(f) Find the marginal PMF $p_X(x)$ and $p_Y(y)$

Solution: In general for two discrete random variables X and Y for which a joint PMF is defined, we have:

$$p_X(x) = \sum_y p_{X,Y}(x,y) \;\; p_Y(y) = \sum_x p_{X,Y}(x,y)$$

In this problem, the ranges of X and Y are quite restricted so we can determine the marginal PMF by enumeration: $p_X(2)=P((2,1))+P((2,3))=rac{18}{72}$

Performing the required computations:

$$p_X(x) = egin{cases} 12/72 & ext{if } x = 1 \ 18/72 & ext{if } x = 2 \ 42/72 & ext{if } x = 4 \ 0 & ext{otherwise}. \end{cases}$$

And

$$p_Y(y) = \left\{egin{array}{ll} 24/72 & ext{if } y=1 \ 48/72 & ext{if } y=3 \ 0 & ext{otherwise.} \end{array}
ight.$$

Submit

You have used 0 of 5 attempts

Discussion

Topic: Homework 1 / Homework Problem: Alice Hunts Dragons

Hide Discussion

Add a Post

One event dependent on multiple non interdependent events

discussion posted 2 months ago by bhaskarv2758282

Hi, Another thing that came to my mind is what is the conditional probability when one event is dependent on multiple non interdependent events...

This post is visible to everyone.

+ Expand discussion

Multiple dependent events

discussion posted 2 months ago by bhaskarv2758282

Hi, What happens when there are multiple dependencies . For ex :- event A is dependent on event B, event B is dependent on event C and so on....

This post is visible to everyone.

A word of caution

discussion posted 2 months ago by wamreyaz

Take the following precautions:

- 1. The sets are exactly as printed $x = \{1, 2, 4\}$ and $y = \{1, 3\}$.
- 2. We have to find the *probability distribution*...

This post is visible to everyone.

+ Expand discussion

Not graded?

discussion posted 2 months ago by RostTB

I have submitted correctly the answers but the homework wasn't graded. Any reason for that ?

This post is visible to everyone.

no solution? / solve with code or not?

question posted 2 months ago by WiHHi_Z3_PuX

I got full points but I'm not quite sure if got there "the right way".

I wrote code for every step and my results are not fractions (not 1/3,...

This post is visible to everyone.

+ Expand discussion

Extension of deadline

discussion posted 2 months ago by bhaskarv2758282

A request !! can you please give me an extension of the deadline . I am extremely busy with my work commitments !!! please consider !!

Currently...

This post is visible to everyone.

Probability of me scoring any points on this problem = $|\emptyset|$

discussion posted 2 months ago by **dnlm**

May be denser than I ever knew or imagined, could not get a single one of these questions correct in 5 attempts.

Looking forward to the answers....

This post is visible to everyone.

+ Expand discussion

Part (b) and (c)

discussion posted 2 months ago by naqqash

Just to understand it right, I want to ask.

When I say (X>Y) I will take the values where Y = 1,2 and 3 I will add all those values and then...

This post is visible to everyone.

Understood probability in my dreams:|

discussion posted 2 months ago by sayantanTalukder

Wasted 4 out of 5 submissions, 0 out of 10 points in all, went to take a nap convinced that I am way thicker than I think I am and probability...

This post is visible to everyone.

+ Expand discussion

Determine P(X<Y) and P(Y<X) ?!

question posted 2 months ago by NabilBg

Hi,

On the HW dragun i got all corrects except 'b' and 'c' which couldn't know why is wrong, i need more detail?! it can be solve by using integration,...

This post is visible to everyone.

did you really intend $X = \{1,2,4\}$ AND $Y = \{1,3\}$

question posted 2 months ago by aryehweiss

did you really mean $x = \{1,2,4\}$ and $y = \{1,3\}$, so that when x = 3 or y = 2 the prob is zero?

that would explain why I am getting everything...

This post is visible to everyone.

+ Expand discussion

did we have to do normalization

question posted 2 months ago by dipeshpaliwal

i have made joint prob. table of x and y according to f(x,y) like for (1,1) its $1^2 + 1^2$ than did i have normalize the values? **strong text**...

This post is visible to everyone.

Grade error

discussion posted 2 months ago by paulvanlorenzo

Be careful, In my first attempt I had the normalization constant wrong and the grader say it was fine! ;) If you have the normalization constant...

This post is visible to everyone.

+ Expand discussion

Wrong line of thinking in B?

discussion posted 2 months ago by Traumfabrik

Hello, please tell me where i am going wrong.

X can go from 1-4 and y from 1-3. that makes a total of 12 combinations. 6 of them have a y smaller...

This post is visible to everyone.

Grader error?

discussion posted 2 months ago by rajatthomas

There is something wrong. I got the normalization constant correct. So, I assume I made the probability table correctly. Numbers in (b) (c) and...

This post is visible to everyone.

+ Expand discussion

Parts b, c, d

question posted 2 months ago by samirbajaj

For the probabilities P(X < Y), P(X = Y), and P(Y < X), I tried computing them as ratios of events, but the answers were rejected.

I tried including...

This post is visible to everyone.

Just one piece of advice

discussion posted 2 months ago by khurram5

Translate 'x in {1,2,4} and y in {1, 3}' literally. Don't interpret it any different.

Once you do this it's a just matter of coding in python...

This post is visible to everyone.

+ Expand discussion

Can someone explain part a to me?

discussion posted 2 months ago by DG84

so as I understand it, the question comes from the definition of the pmf. That the sum has to add to 1 but how do you add them together? (1^2...

This post is visible to everyone.

A correct formulation

discussion posted 2 months ago by Vytautas_Dumbliauskas

The formulation of the task is tricky but definitely correct. The only misunderstanding is that (a) part accepts a wrong answer which can create...

This post is visible to everyone.

+ Expand discussion

"Error" upon submitting answers to problem

question posted 2 months ago by dtb25

When I attempt to submit my answers to this problem, I get the following error notification: http://puu.sh/rgCb3/618c47925d.png

My submission...

This post is visible to everyone.

+ Expand discussion

1

© All Rights Reserved



© 2016 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.















