

EdX and its Members use cookies and other tracking technologies for performance, analytics, and marketing purposes. By using this website, you accept this use. Learn more about these technologies in the [Privacy Policy](#).



[Course](#) > [Unit 3 Methods of Estimation](#) > [Likelihood Estimation](#) > [Lecture 9: Introduction to Maximum Likelihood Estimation](#) > [3. Likelihood of an Exponential Distribution](#)

Currently enrolled in **Audit Track** (expires December 25, 2019) [Upgrade \(\\$300\)](#)

3. Likelihood of an Exponential Distribution

Likelihood of an Exponential Distribution

Exercise

$X_1, \dots, X_n \sim \text{Unif}[0, b]$ for some $b > 0$.

a) What is E ?

b) What is Θ ?

c) Find the likelihood of the model.

7:05 / 7:05

1.50x

🔊 🔍 📄 🗣️

Video

[Download video file](#)

Transcripts

[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

Product of Indicators

1/1 point (graded)

Rewrite the product $\mathbf{1}(x_1 \leq 5) \mathbf{1}(x_2 \leq 5)$ as a single indicator function. That is, find $f(x_1, x_2)$ in the following equation:

$$\mathbf{1}(x_1 \leq 5) \mathbf{1}(x_2 \leq 5) = \mathbf{1}(f(x_1, x_2) \leq 5).$$

(Choose all that apply.)

☐ $f(x_1, x_2) = x_1 x_2$

☐ $f(x_1, x_2) = \frac{x_1 + x_2}{2}$

☐ $f(x_1, x_2) = \text{sign}(x_1) \text{sign}(x_2)$

☒ $f(x_1, x_2) = \max(x_1, x_2)$

☐ $f(x_1, x_2) = \min(x_1, x_2)$



Solution:

We need to find $f(x_1, x_2)$ such that

$$f(x_1, x_2) \leq 5 \iff x_1 \leq 5 \text{ and } x_2 \leq 5$$

We go through the choices in order. We leave it to you to find counter examples:

1. $x_1, x_2 \leq 5$ does not imply $x_1 x_2 \leq 5$;

2. $\frac{x_1 + x_2}{2} \leq 5$ does not imply $x_1, x_2 \leq 5$;

3. $\text{sign}(x_1) \text{sign}(x_2) \leq 5$ for all x_1, x_2 , and in particular does not imply $x_1, x_2 \leq 5$;

4. $\max(x_1, x_2) \leq 5$ if and only if both $x_1, x_2 \leq 5$, so this is a valid choice for $f(x_1, x_2)$;

5. $\min(x_1, x_2) \leq 5$ implies one of x_1, x_2 to be at most 5 but not necessarily both.

Submit

You have used 2 of 2 attempts

i Answers are displayed within the problem

Discussion

Hide Discussion

Topic: Unit 3 Methods of Estimation:Lecture 9: Introduction to Maximum Likelihood Estimation / 3. Likelihood of an Exponential Distribution

Add a Post

◀ All Posts

Not fully following the indicator discussion near end of lecture

discussion posted 5 days ago by [derekgriffing](#)

Is Professor R. saying it should or not should be included? It's in the printed notes, and I would think the answer is it should be included because the exponential PDF yields 0 when $x < 0$, which would make a product involving this PDF equal zero.

This post is visible to everyone.

Add a Response

1 response

Erocha (Community TA)

4 days ago

If you observe a x that is smaller than zero, it means that the random variable was *not* produced by an exponential distribution (since the probability of a negative number is zero, as you said). This means that your model is not well specified if you use an exponential distribution. The Professor said that here we are only considering well specified models. Of course, if you use an indicator and observe a negative number the likelihood is zero, so you can't get a less likely result. However, this also means that no matter what you do with your parameter λ the likelihood will always be zero, so there is no point in trying to optimize its value. So, you better look for a different model.

Makes sense. Thanks.

posted 4 days ago by [derekgriffing](#)

Add a comment

Showing all responses

Add a response:

Preview

Submit

Audit Access Expires Dec 24, 2019

You lose all access to this course, including your progress, on Dec 24, 2019.

Upgrade by Nov 4, 2019 to get unlimited access to the course as long as it exists on the site. [Upgrade now](#)

[Learn About Verified Certificates](#)

© All Rights Reserved