

# The Kitchen Research Group

Chemical Engineering at Carnegie Mellon University

[Blog](#)
[Archives](#)
[Publications](#)
[Group](#)
[Research](#)
[Categories](#)
[About us](#)
[Subscribe](#)


## Symbolic math in python

Posted March 01, 2013 at 07:07 PM | categories: [symbolic](#), [math](#) | tags: | [View Comments](#)

Updated March 03, 2013 at 12:21 PM

[Matlab post](#) Python has capability to do symbolic math through the sympy package.

### 1 Solve the quadratic equation

```
from sympy import solve, symbols, pprint
```

```
a,b,c,x = symbols('a,b,c,x')
```

```
f = a*x**2 + b*x + c
```

```
solution = solve(f, x)
```

```
print solution
```

```
pprint(solution)
```

```
>>> >>> >>> >>> >>> >>> [(-b + (-4*a*c + b**2)**(1/2))/(2*a), -(b + (-4*a*c + b**2)**(1/2))/(2*a)]
```

$$\frac{-b + \sqrt{-4ac + b^2}}{2a}, \frac{-(b + \sqrt{-4ac + b^2})}{2a}$$

The solution you should recognize in the form of  $\frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$  although python does not print it this nicely!

### 2 differentiation

you might find this helpful!

```
from sympy import diff
```

```
print diff(f, x)
```

```
print diff(f, x, 2)
```

```
print diff(f, a)
```

```
>>> 2*a*x + b
2*a
>>> x**2
```

### Twitter

#### Tweets by [@johnkitchin](#)

John Kitchin Retweeted



**Nistara Randhawa**  
[@nistara\\_r](#)

Replying to [@MilesMcBain](#)

If you're using [#emacs](#), try org-ref by [@johnkitchin](#) in org-mode. It's absolutely amazing for citations & references to figures, tables and sections within emacs. [github.com/jkitchin/org-r...](#)

[jkitchin/org-ref](#)

org-mode modules f...  
[github.com](#)

17h

John Kitchin Retweeted



**Paul J. Dauenhauer**  
[@pauldauenhauer](#)

Goodhart's Law: Are Academic Metrics Being Gamed?

Me: Yes [thegradient.pub/over-optimizat...](#)

[Embed](#)

[View on Twitter](#)

### Links

[Anaconda Python](#)

[Pycse](#)

[DFT-book](#)

### Latest Posts

### 3 integration

```
from sympy import integrate
```

```
print integrate(f, x)          # indefinite integral
print integrate(f, (x, 0, 1))  # definite integral from x=0..1
```

```
>>> a*x**3/3 + b*x**2/2 + c*x
a/3 + b/2 + c
```

### 4 Analytically solve a simple ODE

```
from sympy import Function, Symbol, dsolve
```

```
f = Function('f')
```

```
x = Symbol('x')
```

```
fprime = f(x).diff(x) - f(x) # f' = f(x)
```

```
y = dsolve(fprime, f(x))
```

```
print y
```

```
print y.subs(x,4)
```

```
print [y.subs(x, X) for X in [0, 0.5, 1]] # multiple values
```

```
>>> >>> >>> >>> >>> f(x) == exp(C1 + x)
f(4) == exp(C1 + 4)
[f(0) == exp(C1), f(0.5) == exp(C1 + 0.5), f(1) == exp(C1 + 1)]
```

It is not clear you can solve the initial value problem to get C1.

The symbolic math in sympy is pretty good. It is not up to the capability of Maple or Mathematica, (but neither is Matlab) but it continues to be developed, and could be helpful in some situations.

Copyright (C) 2013 by John Kitchin. See the [License](#) for information about copying.

[org-mode source](#)

[Tweet](#)

[blog comments powered by Disqus](#)

[An improvement for figures in  
ipython + scimax](#)

[Using results from one code block in  
another org-mode](#)

[2018 in a nutshell for the Kitchin  
Research Group](#)

[Line integrals in Python with  
autograd](#)

[Using autograd for error propagation](#)

#### Latest GitHub Repos

@jkitchin on GitHub.

[f18-06623 \(Jupyter Notebook\)](#)

Fall 2018 - Mathematical  
Modeling of Chemical  
Engineering Processes

[aenet \(Fortran\)](#)

Atomic interaction  
potentials based on  
artificial neural networks

[ghub \(Emacs Lisp\)](#)

Minuscule client library for  
the Github API

[jmax \(Emacs Lisp\)](#)

Johns customizations to  
maximize emacs

[example-project](#)

An example project

[emacs-win \(Emacs Lisp\)](#)

An emacs distribution for  
use with jmax

[autograd \(Python\)](#)

Efficiently computes  
derivatives of numpy code.

[emacs-modules \(C\)](#)

Dynamic modules for  
emacs

[htp \(Python\)](#)

high-throughput tools for  
python - ssh and rsync

[amp-tutorial \(TeX\)](#)

null

[emacs-ffi \(C\)](#)

FFI for Emacs

[f16-06625 \(TeX\)](#)

Chemical and Reactive  
Systems for Fall 2016

[aiche-2016 \(HTML\)](#)

Expanding Molecular  
Simulation Use by  
Data/Code Sharing in  
Scientific Publishing

[dft-book \(Python\)](#)

A book on modeling  
materials using VASP, ase  
and vasp

[gitolite](#) (*Perl*)

Hosting git repositories --  
Gitolite allows you to setup  
git hosting on a central  
server, with very fine-  
grained access control and  
many (many!) more  
powerful features.

[criticmarkup-emacs](#) (*Emacs  
Lisp*)

Emacs minor mode for  
handling CriticMarkup.

[jasp](#) (*Python*)

python enhancements of  
ase.calculators.vasp

[hyve](#) (*Hy*)

My Hy code

[hy](#) (*Python*)

A dialect of Lisp that's  
embedded in Python

[lispy](#) (*Emacs Lisp*)  
vi-like Paredit

[ACS-2016-data-sharing](#) (*HTML*)

My talk at the Spring ACS  
2016 meeting

[jedi](#) (*Python*)

Awesome autocompletion  
and static analysis library  
for python.

[f15-06625](#) (*Emacs Lisp*)

06-625 Chemical and  
Reactive Systems

[hy-mode](#) (*Emacs Lisp*)

Hy mode for Emacs

[elpa](#)

ELPA repository for my  
emacs packages

[box-course](#) (*Python*)

Python wrappers for the  
box.com v2 API

[blogofile\\_blog](#) (*Python*)

A Blogofile blog plugin

[blogofile](#) (*Python*)

A static website compiler  
and blog engine written in  
Python.

[dft-course](#) (*Emacs Lisp*)

Course repository for 06-  
640 - Molecular simulation

[RSS Comments](#) [RSS Feed](#).

Copyright 2019 John Kitchin  
Powered by Blogofile