sandipan_dey 🗸

<u>Course</u> <u>Progress</u> <u>Dates</u> <u>Discussion</u> <u>MO Index</u>

★ Course / 3 Finger Exercises (FE) / 3.3 Finger Exercises 2 (FE2)

< Previo	us 🕜 🗸			Next >	
3.3.6 F system		ise: Equilibriu	m conditions	for a linear	
☐ Bookmar					

Finger Exercises 2 due Aug 10, 2023 05:00 IST Completed

Problem: Determine equilibrium conditions

3.0/3.0 points (graded)

MO2.8

Discussions

All posts sorted by recent activity

© All Rights Reserved

Consider an Initial Value Problem governed by the following linear system



$$rac{\mathrm{d} \underline{u}}{\mathrm{d} t} = A \underline{u} + \underline{b}$$

(3.19)

About

Affiliates

edX for Business

Open edX

$$\frac{\text{ers}}{S} A =$$

$$egin{array}{c} ext{Careers} \ ext{News} & A = egin{bmatrix} -6 & 1 & 0 \ 1 & -6 & 1 \ 0 & 1 & -6 \end{bmatrix}, & \underline{b} = egin{bmatrix} 4 \ 8 \ 16 \end{bmatrix}$$

(3.20)

the following is the equilibrium condition for this Initial Value Templem? Service & Honor Code

Privacy Policy

Accessibility Policy

$$\frac{\text{Tradematk Policy}}{\underbrace{u_A = \begin{bmatrix} -8 \\ -16 \end{bmatrix}}, \quad \underline{u}_B = \begin{bmatrix} -1 \\ -2 \\ -3 \end{bmatrix}, \quad \underline{u}_C = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}, \quad \underline{u}_D = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}, \quad \underline{u}_E = \begin{bmatrix} 4 \\ 8 \\ 16 \end{bmatrix}$$
(3.21)

Cookie Policy

Your Privacy Choices



Idea Hub

Contact Us

Help Center

Security

<mark>Ме́дја Кі</mark>













© 2023 jedX LLC. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>

Answers are displayed within the problem

SOI LITION. The solution will be available shortly after the due date in

Previous

Next >

