




[Course](#) > [Unit 7 Generalized Linear Models](#) > [Lecture 22: GLM: Link Functions and the Canonical Link Function](#)

2. Recap of Generalized Linear  
Model Definitions and the Link  
> Function

## 2. Recap of Generalized Linear Model Definitions and the Link Function

### Recap: Generalized Linear Model and Link Function





## Video

[Download video file](#)

## Transcripts

[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

---

## Link Function?

1/1 point (graded)

Which one of the following are **valid** link functions? Recall that a link function  $g$  is required to be **monotone increasing** and **differentiable**. (Choose all that apply.)

**Note:** The link function, in general, can be monotone increasing or monotone decreasing. In this class, we have chosen as convention to require it be monotone increasing.

☒  $g(\mu) = \mu, \mu \in \mathbb{R}$

☒  $g(\mu) = -\frac{1}{\mu}, \mu > 0$

☐  $g(\mu) = \mu^2, \mu \in \mathbb{R}$

☒  $\ln\left(\frac{\mu^3}{1-\mu^3}\right), 0 < \mu < 1$

☒  $-\ln\left[-\ln\left(\frac{\mu}{n}\right)\right], 0 < \mu < n \text{ and } n > 0 \text{ known}$



Submit

You have used 1 of 2 attempts

## Concept Check: Linear Model and Generalized Linear Model

0 points possible (ungraded)

Which one of the following data modeling scenarios require one to **strictly use a generalized linear model over a Gaussian linear model**? (Choose all that apply.)

**Note:** While it is true that one can use a Gaussian linear model to fit any data (without paying attention to whether it is appropriate or not), in this problem we should use a GLM when it is more appropriate under a given scenario.

☒ We observe data  $Y_i \in \{0, 1, \dots, n_i\}$  as a function of  $X_i$ 's that take on integers  $n_i > 0$  and we wish to model the proportions  $Y_i/n_i$ .

☒ We observe  $Y_i \in \mathbb{R}$  that we know are non-linearly related to the explanatory variables  $X_i$ .

☒ The dependent variable  $Y > 0$  has a discrete distribution whose expectation we wish to relate to the explanatory variable  $\mathbf{X}$ .



### Solution:

All of the scenarios require us to use generalized linear models. We examine the scenarios in order:

- The first choice requires us to model proportions that lie between 0 and 1. A generalized linear model is clearly a better fit when compared to a linear model.
- The second choice suggests that we should apply a generalized linear model because we know the ground truth that the dependent variable is non-linearly related to the explanatory variables.
- In the third choice, the dependent variable  $Y$  has a discrete distribution and it is stated that  $Y > 0$ . If we are to fit the data using a model, a generalized linear model is better than a linear model because of multiple reasons. For one, the restriction  $Y > 0$  can be satisfied if we try to explain  $Y$  for an unobserved data sample  $\mathbf{X}$  via the regression function  $\mu(\mathbf{X})$  and the link function  $g(\cdot)$ :  $\mu(\mathbf{X}) = g^{-1}(\mathbf{X}^T \boldsymbol{\beta})$ . Secondly, a Gaussian linear model assumes that  $Y|\mathbf{X} = \mathbf{x}$  is normally distributed with some mean, which is clearly not the case here because  $Y > 0$  and  $Y$  is discrete.

Submit


You have used 2 of 2 attempts

---

**i** Answers are displayed within the problem

---

## Examples of Link Functions: Log, Logit, Probit



## Video

[Download video file](#)

## Transcripts

[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

## Discussion

**Topic:** Unit 7 Generalized Linear Models:Lecture 22: GLM: Link Functions and the Canonical Link Function / 2.  
Recap of Generalized Linear Model Definitions and the Link Function

Hide Discussion

Add a Post

Show all posts ▼

by recent activity ▼

💬 [This reminded me of TensorFlow Documentation](#)  
[Now I can learn about Logit more formally.](#)

1

© All Rights Reserved