

**Discussion** 

Course

**Progress** 

<u>Syllabus</u>

<u>Help</u> sandipan\_dey ▼

★ Course / Part 2: Graph Traversal, Routing, Queuing Structures / Quiz 2 Previous Next > Quiz 2 □ Bookmark this page

## Quiz 2

4/4	noints	(graded)
4/4	politics	(graueu

1. Imagine a graph where $u$ and $v$ are vertices,	, and there is no path	for which $\boldsymbol{u}$ and $\boldsymbol{v}$	are extremities.	If we run a DFS from $\it u$
which of the following propositions are true?				

lacksquare At the end of the DFS, $v$ has not been explored.
The DFS is not well defined and cannot be processed.
$\bigcirc$ The resulting tree is made exclusively of shortest paths from $u$ to the accessible vertices of the graph.
<b>✓</b>
2. Imagine we run a DFS (respectively a BFS) from any vertex $u$ of a complete graph of order $n$ . How many vertices are neighbors of $u$ in the resulting tree?
$\bigcirc$ $n-1$ (respectively $1$ ).
$igcup n\left( n-1 ight) /2$ in both cases.
igorup 1 (respectively $n-1$ ).
<b>✓</b>
3. Imagine a graph with vertices $(v_1,v_2,v_3,v_4)$ , in which $\{v_1,v_2\}$ , $\{v_1,v_3\}$ , and $\{v_1,v_4\}$ are edges. Which of the following are correct (two correct answers)?
$\checkmark$ To traverse this graph using a DFS from $v_1$ , we use a LIFO. $v_2$ , $v_3$ , and $v_4$ (in this order) are added to the LIFO, and none of them have been previously visited. As a consequence, the next vertex to be visited is $v_4$ .
To traverse this graph using a BFS from $v_1$ , we use a FIFO. $v_2$ , $v_3$ , and $v_4$ (in this order) are added to the FIFO, and none of them have been previously visited. As a consequence, the next vertex to be visited is $v_2$ .
To traverse this graph using a DFS from $v_1$ , we use a LIFO. $v_2$ , $v_3$ , and $v_4$ (in this order) are added to the LIFO, and none of them have been previously visited. As a consequence, the next vertex to be visited is $v_1$ .
✓
4. Imagine a graph with vertices $(v_1,v_2,v_3,v_4,v_5)$ . A graph traversal algorithm from $v_1$ has produced the following routing table (second row): $(undefined,v_3,v_1,v_2,v_1)$ . What is the corresponding path between $v_1$ and $v_4$ ?
$igcup \{v_1,v_2\}, \{v_2,v_3\}, \{v_3,v_4\}$
$igcup \{v_1,v_3\}, \{v_3,v_5\}, \{v_4,v_5\}$
$igcup \{v_1,v_2\}, \{v_2,v_4\}$
$igorup \{v_1,v_3\}, \{v_2,v_3\}, \{v_2,v_4\}$
✓

• Answers are displayed within the problem

Submit

Previous

Next >

© All Rights Reserved



## edX

**About** 

<u>Affiliates</u>

edX for Business

Open edX

**Careers** 

<u>News</u>

## Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

**Trademark Policy** 

<u>Sitemap</u>

## Connect

<u>Blog</u>

Contact Us

Help Center

Media Kit

**Donate** 









0





© 2020 edX Inc. All rights reserved. 深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>