



[Final project: Applications to](#)  
[Course](#) > [nonlinear differential equations](#) > [Project 2: Solving nonlinear](#)  
[populations models using MATLAB](#) > 3. Critical points of 3x3 system

### 3. Critical points of 3x3 system

#### Computation of critical points

MIT180312016-V027500

▶ 8:40 / 8:40

▶ Speed 2.0x 🔊 HD 🗒️ 📄

Video  
[Download video file](#)

Transcripts  
[Download SubRip \(.srt\) file](#)

[Download Text \(.txt\) file](#)

Our system modeling three species competing for the same resources

$$\begin{aligned}\dot{x} &= x - x^2 - axy - bxz = x(1 - x - ay - bz) \\ \dot{y} &= y - y^2 - bxy - ayz = y(1 - y - bx - az) \\ \dot{z} &= z - z^2 - axz - byz = z(1 - z - ax - by)\end{aligned}$$

has  $2^3 = 8$  critical points. Seven of these critical points are

Equation(s) satisfied	Critical point(s)
$x = y = z = 0$	$\begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$
$y = z = 0, \quad x = 1$	$\begin{pmatrix} 1 \\ 0 \\ 0 \end{pmatrix}$
$x = z = 0, \quad y = 1$	$\begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix}$
$x = y = 0, \quad z = 1$	$\begin{pmatrix} 0 \\ 0 \\ 1 \end{pmatrix}$
$z = 0, \quad \begin{cases} 1 - x - ay = 0 \\ 1 - y - bx = 0 \end{cases}, \quad ab \neq 1$	$\frac{1}{1-ab} \begin{pmatrix} 1-a \\ 1-b \\ 0 \end{pmatrix}$
$y = 0, \quad \begin{cases} 1 - x - bz = 0 \\ 1 - z - ax = 0 \end{cases}, \quad ab \neq 1$	$\frac{1}{1-ab} \begin{pmatrix} 1-b \\ 0 \\ 1-a \end{pmatrix}$
$z = 0, \quad \begin{cases} 1 - y - az = 0 \\ 1 - z - by = 0 \end{cases}, \quad ab \neq 1$	$\frac{1}{1-ab} \begin{pmatrix} 0 \\ 1-a \\ 1-b \end{pmatrix}$

$x, y, z \neq 0$	(Find as an exercise.)
------------------	------------------------

Identify the critical point

3 points possible (graded, results hidden)  
Identify the last critical point at which all populations are positive and  $b > a > 0$ .

(This can be done by hand or using MATLAB or other software. If using MATLAB, you may find it helpful to use symbolic math toolbox. For example, to create positive, real number symbols  $a$  and  $b$  using the MATLAB commands  $a = \text{sym('a','positive')};$  and  $b = \text{sym('b','positive')};$  . See more information in the two MATLAB videos below.)

$x =$ 

1/(a + b + 1)

$\frac{1}{a+b+1}$

$y =$ 

1/(a + b + 1)

$\frac{1}{a+b+1}$

$z =$ 

1/(a + b + 1)

$\frac{1}{a+b+1}$

FORMULA INPUT HELP


Submit


You have used 1 of 10 attempts


 Answer submitted.


Getting started with symbolic variables in MATLAB


Getting Started with Symbolic Variables MIT Differential Equations




 3:14 / 3:14

 Speed 2.0x




 HD





Working with symbolic expressions and functions in MATLAB

Working with Symbolic Expressions and Functions MIT Differential Equations




 3:48 / 3:48

 Speed 2.0x



HD



3. Critical points of 3x3 system

Hide Discussion

**Topic:** Final project: Applications to nonlinear differential equations / 3. Critical points of 3x3 system

Add a Post

Show all posts ▼by recent activity ▼

There are no posts in this topic yet.

