<u>Help</u>

sandipan_dey >

Next >

<u>Calendar</u> **Discussion** <u>Notes</u> <u>Course</u> <u>Progress</u> <u>Dates</u>

★ Course/ Unit 1: Functions of two vari... / Lecture 3: Visualizing surfaces in three dime...



You are taking "Exam (Timed, No Correctness Feedback)" as a timed exam. Show more

End My Exam

Previous

44:33:22





☐ Bookmark this page

Lecture due Aug 4, 2021 20:30 IST Completed



Synthesize

Geometry of partial derivatives revisited, part 1

1/1 point (graded)

Recall that when we take a partial $m{y}$ derivative, at a point $(m{a}, m{b})$ we fix the $m{x}$ -coordinate at $m{a}$, and differentiate with respect to the y variable.


Which of the following best describes fixing the x-coordinate at the value a?

	Intersecting the graph of the surface z	= f	f(x,y)) with the ${\it xy}$ -plai
\smile	miles of a mile graphs of mile can refer to	J	(, 0)	, s g p

		- 1		
()	Intersecting the graph of the sur	face $z=f(x)$	u) with the	xz-plane

			,		
()	Intersecting the graph of the surface $z=$	f ((x, y)	with the	112-plane
	intersecting the graph of the sarrace $z = 1$	Jι	ω , g_J	WICH CITE	g~ plane

Ontersecting the graph of the surface $z=f\left(x,y ight)$ with the plane $y=0$	with the plane $oldsymbol{y}=oldsymbol{i}$	(x,y) with	z = f(x, y)	Intersecting the graph of the surf
--	--	------------	-------------	------------------------------------





Solution:

Fixing the $m{x}$ -coordinate at $m{x}=m{a}$ is equivalent geometrically to intersecting the graph of the surface $z=f\left(x,y
ight)$ with the plane x=a, which is parallel to the yz-plane.

Submit

You have used 1 of 2 attempts

1 Answers are displayed within the problem


When we consider the partial y derivative of a function $z=f\left(x,y
ight)$ at a point (a,b), we can approximate it by the slope of the secant line

$$f_y\left(a,b
ight)pproxrac{f\left(a,b+\Delta y
ight)-f\left(a,b
ight)}{\Delta y}=rac{\Delta z}{\Delta y}$$

That is, it is well approximated by the slope of the the secant line of the single variable function $z=f\left(a,y
ight)$.

► The partial y derviative 谍






Similarly the partial x derivative of a function $z=f\left(x,y
ight)$ at a point (a,b) is well approximated by the slope of the secant line of the function f(x,b).

$$f_{x}\left(a,b
ight)pproxrac{f\left(a+\Delta x,b
ight)-f\left(a,b
ight)}{\Delta x}=rac{\Delta z}{\Delta x}$$

► The partial x derivative 👚





Geometry of partial derivatives revisited, part 2

2.0/2 points (graded)

Suppose we want to find the derivative in a direction that is not Δx or Δy .

If the graph of $z=x^3-2xy^2+xy+1/x$ is intersected with the plane given by $2\left(x-1
ight)+\left(y-3
ight)=0$, what is the slope of the resulting curve at the point (x,y)=(1,3)?

First find the equation of the curve that is obtained by intersecting the graph function with the plane. Enter the equation for this curve as a function of \boldsymbol{x} only.

$$z = \begin{bmatrix} -7*x^3+38*x^2-45*x+1/x \end{bmatrix}$$
 \checkmark Answer: $-7*x^3+38*x^2-45*x+1/x$

Next find the derivative at x = 1.

✓ Answer: 9 9

? INPUT HELP

Solution:

First we use the equation of the plane to find an equation for y in terms of x:

$$2(x-1) + (y-3) = 0 (2.45)$$

$$2x - 2 + y - 3 = 0 (2.46)$$

$$y = -2x + 5 \tag{2.47}$$

Next we plug this formula for y into the equation for our function to find a formula restricted to the plane.

$$z = x^3 - 2x(-2x+5)^2 + x(-2x+5) + 1/x$$
 (2.48)

$$= x^3 - 2x(4x^2 - 20x + 25) - 2x^2 + 5x + 1/x$$
 (2.49)

$$= x^3 - 8x^3 + 40x^2 - 50x - 2x^2 + 5x + 1/x$$
 (2.50)

$$= -7x^3 + 38x^2 - 45x + 1/x (2.51)$$

To find the derivative, which is the slope at the point $m{x}=m{1}$, we differentiate this formula with respect to $m{x}$ and then plug in x=1.

$$z'(x) = -21x^2 + 76x - 45 - 1/x^2 (2.52)$$

$$z'(1) = -21 + 76 - 45 - 1 = 9 (2.53)$$

Submit

You have used 2 of 10 attempts

1 Answers are displayed within the problem


9. Slicing and partial derivatives

Hide Discussion

Topic: Unit 1: Functions of two variables / 9. Slicing and partial derivatives

Add a Post

show all posts \checkmark by recent activ	ity 🗸
Where is Part3? Most of the discussions here seem to be about Geometry of Partial Derivatives Revisited - part3, but its not here on this page. Is it r	4
Geometry of partial derivatives revisited, part 2 Lgot a question here if somebody could help The curve produced by the intersection of the plane and the function, how could it be i	3
[Peers] Hint/Help for Part 2: Thanks to dennisk50	1
Geometry of part revisited II What should we do if x was given as 0? I mean what modification need to be done if the value is outside function domain? And shall	2
[Staff] The answer to Part 3 can't be right.	19
Geometry of partial derivatives revisited, part 2 I've computed the partial derivatives and see the connection between the plane and the point, but haven't gotten myself any further	3
? Geometry of partial derivatives, part 3	7
Morale Trouble These last few problems have really made me feel like I'm not understanding these concepts. Wanted to share in case others are fee	8
Geometry of partial derivatives, part 3 Are you sure that the posted solution to the question is correct? Using slope = "rise/run," I get the same numerator as in the solution,	5
? STAFF: rendering weirdness This page has a lot of double printing on Firefox, but it looks fine on Chrome. It prints an expression and the	Hide



© All Rights Reserved



edX

About

Affiliates

edX for Business

Open edX

<u>Careers</u>

<u>News</u>

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

Trademark Policy

<u>Sitemap</u>

Connect

Blog

Contact Us

Help Center

Media Kit

<u>Donate</u>




















© 2021 eax inc. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>

■ Calculator