



< Previous



Next >

## 2. Bounce

 Bookmark this page

Problem Set B due Sep 15, 2021 20:30 IST




Practice

Setup

In [Recitation 5](#), you practiced finding an outgoing velocity vector of a particle that bounces off a wall. In this problem, you will generalize this calculation and express the answer using matrices.


The following image depicts the setup:



In the picture,  $\vec{v}$  is the velocity of the projectile before it hits the wall, and  $\vec{w}$  is the velocity of the projectile after it hits the wall. The vector  $\vec{n}$  is a normal vector to the wall. Assume  $|\vec{n}| = 1$ .

Physics tells us that the angle of incidence equals the angle of reflection – the two marked angles in the picture are equal. It also tells us that if there is no friction, then  $|\vec{v}| = |\vec{w}|$ . Given  $\vec{v}$  and  $\vec{n}$ , our goal is to find  $\vec{w}$ .

We will break this big problem into several steps. We begin by breaking  $\vec{v}$  into a piece parallel to  $\vec{n}$  and a piece perpendicular to  $\vec{n}$ , as in the following picture.



Find w from a and b

1/1 point (graded)

Find a formula for  $\vec{w}$  in terms of  $\vec{a}$  and  $\vec{b}$ . Write veca and vecb for  $\vec{a}$  and  $\vec{b}$ .

$\vec{w} =$   ✓ Answer: veca - vecb

Solution:

Bouncing off the wall reverses  $\vec{b}$  and leaves  $\vec{a}$  the same. Therefore,  $\vec{w} = \vec{a} - \vec{b}$ .

Calculator

Hide Notes

Submit

You have used 2 of 3 attempts

**i** Answers are displayed within the problem

Find length of  $\vec{b}$  from  $\vec{v}$  and  $\vec{n}$

1/1 point (graded)

What is the length of the vector  $\vec{b}$ ? Enter a formula in terms of  $\vec{v}$  and  $\vec{n}$ .

Write  for  $\vec{v}$  and  for  $\vec{n}$ . You may write a dot product such as  $\vec{u} \cdot \vec{w}$  using .

$|\vec{b}| =$

**✓ Answer:** vecv\*vecn

**Solution:**

By trigonometry we have  $|\vec{b}| = |\vec{v}| \cos \theta$ , where  $\theta$  is the angle between  $\vec{v}$  and  $\vec{b}$ . Since  $\vec{b}$  is parallel to  $\vec{n}$ , this  $\theta$  is also the angle between  $\vec{v}$  and  $\vec{n}$ . Since  $|\vec{n}| = 1$ , we have  $\cos \theta = \frac{\vec{v} \cdot \vec{n}}{|\vec{v}|}$ . Substituting this  $\cos \theta$  in to the above formula for  $|\vec{b}|$  we obtain  $|\vec{b}| = \vec{v} \cdot \vec{n}$ .

Submit

You have used 1 of 3 attempts

**i** Answers are displayed within the problem

Could not format HTML for problem. Contact course staff in the discussion forum for assistance.

Find  $\vec{a}$  from  $\vec{v}$  and  $\vec{n}$

1/1 point (graded)

Find a formula for  $\vec{a}$  from  $\vec{v}$  and  $\vec{n}$ .

Write  for  $\vec{v}$  and  for  $\vec{n}$ . You may also write a dot product between two vectors using . To write a scaled vector such as  $2\vec{v}$ , enter .

$\vec{a} =$

**✓ Answer:** vecv-(vecv\*vecn)\*vecn

**Solution:**

Since  $\vec{v} = \vec{a} + \vec{b}$ , we have  $\vec{a} = \vec{v} - \vec{b}$ . Substituting the value for  $\vec{b}$  found in the previous problem, we obtain  $\vec{a} = \vec{v} - (\vec{v} \cdot \vec{n}) \vec{n}$ .

Submit

You have used 1 of 3 attempts

**i** Answers are displayed within the problem

Find  $\vec{w}$  from  $\vec{v}$  and  $\vec{n}$

1/1 point (graded)

Find a formula for  $\vec{w}$  from  $\vec{v}$  and  $\vec{n}$ .

Write  for  $\vec{v}$  and  for  $\vec{n}$ . You may also write a dot product between two vectors using . To write a scaled vector such as  $2\vec{v}$ , enter .

 Calculator

 Hide Notes

$\vec{w} =$

vecv - 2\*(vecv\*vecn)\*vecn

✔ Answer: vecv-2\*(vecv\*vecn)\*vecn

Solution:

Since  $\vec{w} = \vec{a} - \vec{b}$ , and  $\vec{v} = \vec{a} + \vec{b}$ , we have  $\vec{w} = \vec{v} - 2\vec{b}$ . Substituting the value for  $\vec{b}$  found in the previous problem, we obtain  $\vec{w} = \vec{v} - 2(\vec{v} \cdot \vec{n}) \cdot \vec{n}$ .

Submit

You have used 1 of 3 attempts

Answers are displayed within the problem

Could not format HTML for problem. Contact course staff in the discussion forum for assistance.

2. Bounce

Hide Discussion

Topic: Unit 4: Matrices and Linearization / 2. Bounce

Add a Post

Show all posts	▼	by recent activity	▼
💬	[STAFF] HTML problems		1
	The third and last questions says "Could not format HTML for problem. Contact course staff in the discussion forum for assistance"....		▼
💬	Alternative method: Eigen vectors and Eigen values of M		1
👤	Community TA		▼

< Previous

Next >



edX

- About
- Affiliates
- edX for Business
- Open edX
- Careers
- News

Calculator

Hide Notes

[News](#)

## Legal

- [Terms of Service & Honor Code](#)
- [Privacy Policy](#)
- [Accessibility Policy](#)
- [Trademark Policy](#)
- [Sitemap](#)

## Connect

- [Blog](#)
- [Contact Us](#)
- [Help Center](#)
- [Media Kit](#)
- [Donate](#)



© 2021 edX Inc. All rights reserved.  
深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)