



Bookmarks

- ▶ [Module 1: The Basics of R and Introduction to the Course](#)
- ▶ [Entrance Survey](#)
- ▶ [Module 2: Fundamentals of Probability, Random Variables, Distributions, and Joint Distributions](#)
- ▶ [Module 3: Gathering and Collecting Data, Ethics, and Kernel Density Estimates](#)
- ▶ [Module 4: Joint, Marginal, and Conditional Distributions & Functions of Random Variable](#)

Module 10: Practical Issues in Running Regressions, and Omitted Variable Bias > Omitted Variable Bias > Regression Discontinuity Design - Quiz

## Regression Discontinuity Design - Quiz

🔖 Bookmark this page

### Question 1

1/1 point (graded)

A regression discontinuity approach is appropriate in cases where:

- ☐ a. One uses a locally linear regression
- ☐ b. The hypothesized functional form is non-linear
- ☒ c. The probability of a particular outcome being realized shifts discontinuously with a running variable ✓
- ☐ d. An outcome variable shifts discontinuously

### Explanation

This discontinuous shift in treatment across some running variable creates an opportunity to test the effect of the treatment on a given outcome variable.

- ▶ [Module 5: Moments of a Random Variable, Applications to Auctions, & Intro to Regression](#)
- ▶ [Module 6: Special Distributions, the Sample Mean, the Central Limit Theorem, and Estimation](#)
- ▶ [Module 7: Assessing and Deriving Estimators - Confidence Intervals, and Hypothesis Testing](#)
- ▶ [Module 8: Causality, Analyzing Randomized Experiments, & Nonparametric Regression](#)
- ▶ [Module 9: Single and Multivariate Linear Models](#)
- ▼ [Module 10: Practical Issues in Running](#)

**Submit**

You have used 1 of 2 attempts

✓ Correct (1/1 point)

## Question 2

1/1 point (graded)

What assumption underlies regression discontinuity designs?

- ☒ a. There is no other reason for a discontinuous jump in the outcome variable at the threshold other than that the treatment has changed. ✓
- ☐ b. The running variable has no effect on the outcome variable before or after the threshold.
- ☐ c. There are no variables that are correlated with both the running variable and the outcome variable.
- ☐ d. The running variable is not correlated with your outcome variable.

## Explanation

The running variable or other variables may have an effect on the outcome variable as long as the effect does not change discontinuously at the threshold. However, if there is a reason for the outcome variable to discontinuously jump at the threshold besides the treatment change, then this jump cannot

## Regressions, and Omitted Variable Bias

### Practical Issues in Running Regressions

due Dec 5, 2016 05:00 IST



### Omitted Variable Bias

due Dec 5, 2016 05:00 IST



### Module 10: Homework

due Nov 28, 2016 05:00 IST



be distinguished from the effect of the treatment change. In other words, all other variables that might be correlated with treatment, need to be the same on both sides of the jump.

Submit

You have used 1 of 2 attempts

✓ Correct (1/1 point)

### Discussion

Topic: Module 10 / Regression Discontinuity Design - Quiz

Show Discussion

© All Rights Reserved



© 2016 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

POWERED BY  
OPENedX

