



[5. Segmentation, From Intensities To](#)
[Course](#) > [Objects](#)

[5.3.4. Morphological Operations](#) > Practice Assessment

5.3.4. Morphological Operations - Practice Assessment

Morphological Operations

0 points possible (ungraded)

Which of the following statements are TRUE

☐ Morphological operators are a type of linear filters.

☒ Morphological operators are a type of non-linear filters. ✓

☐ The kernel size of a morphological operators is fixed.

☒ Kernels of different shapes result in different morphological operations. ✓

☒ Morphological operators are typically applied to binary images. ✓



Submit

i Answers are displayed within the problem

Morphological Operations - Sequences


0 points possible (ungraded)

Keyboard Help

PROBLEM

Place the correct operation on the "1" and "2" numbers to describe what was done.

Closing Opening Skeletonize



 Reset


FEEDBACK

 Good work! You have completed this drag and drop problem.

Counting Beads

0 points possible (ungraded)

Please, [download the beads images](#) and open the image "homogeneous_beads.tif"



To detect and count the individual beads, a suitable method is:

To detect and count the individual beads, a satisfying method is :

☐ Automatic thresholding using "Default"

☐ Set Threshold 209 to 255 > Apply > Analyse Particles

☒ Set Threshold 187 to 255 > Apply > Watershed > Analyse Particles ✓

☒ Macro 'DifferenceOfGaussian_withWatershed.ijm' , with sigma1 = 1 ([download the DifferenceOfGaussian_withWatershed.ijm](#)) ✓

☐ None of the mentioned above



Submit

i Answers are displayed within the problem

Learn About Verified Certificates

© All Rights Reserved