

< Previous



Next >

### Question 18

 Bookmark this page

Final Exam due Jan 21, 2025 04:09 IST   Completed

### Question 18

1.0/1.0 point (graded)

Suppose that we are using the Branch and Bound algorithm to solve the minimization problem  $P$ , with the objective function  $f(x_1, x_2)$ . In one of the iterations, we have calculated the global minimum of the relaxation of the subproblem  $P_k$  as  $l(P_k) = 50.3$ , in point  $(x_1, x_2) = (13, 7.8)$ . The current upper bound is  $f^* = 50$ . Based on this information, how will the current iteration end? Select the correct solution.

- ☐ Solution 1. The global minimum of  $P$  is found and the algorithm is stopped.
- ☐ Solution 2. Subproblem  $P_k$  is further branched on variable  $x_1$ .
- ☐ Solution 3. Subproblem  $P_k$  is further branched on variable  $x_2$ .
- ☒ Solution 4. Subproblem  $P_k$  is discarded from the Branch and Bound tree.



Submit

< Previous

Next >



edX

- [About](#)
- [Affiliates](#)
- [edX for Business](#)
- [Open edX](#)
- [Careers](#)
- [News](#)



 Show Notes

# Legal

[Terms of Service & Honor Code](#)

[Privacy Policy](#)

[Accessibility Policy](#)

[Trademark Policy](#)

[Sitemap](#)

[Cookie Policy](#)

[Your Privacy Choices](#)

---

# Connect

[Idea Hub](#)

[Contact Us](#)

[Help Center](#)

[Security](#)

[Media Kit](#)



© 2024 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)