

< Previous	 	 	 						Next >
------------	---	---	---	--	---	---	---	---	--------

1.3.4 Induced matrix norms

 Bookmark this page

Video




 [Download video file](#)

 [Download SubRip \(.srt\) file](#)

 [Download Text \(.txt\) file](#)

1.0/1.0 point (graded)



Read Unit 1.3.4 of the notes. [\[LINK\]](#)

☒ done



Submit

Hide Discussion

Topic: Week 01 / 01.3.4

Add a Post

Show all posts

by recent activity ▼

There are no posts in this topic yet.

	X
--	---

Homework 1.3.4.1.

1/1 point (graded)
Consider the vector p -norm $\|\cdot\|_p : \mathbb{C}^n \rightarrow \mathbb{R}$ and let us denote the induced matrix norm by $|||\cdot||| : \mathbb{C}^{m \times n} \rightarrow \mathbb{R}$ for this exercise: $|||A||| = \max_{x \neq 0} \frac{\|Ax\|_p}{\|x\|_p}$.

$|||y||| = \|y\|_p$ for $y \in \mathbb{C}^m$.

ALWAYS

✓ Answer: ALWAYS

For full solution see notes: [[LINK](#)]

Submit

< Previous

Next >



edX

- About
- Affiliates
- edX for Business
- Open edX
- Careers
- News

Legal

- Terms of Service & Honor Code
- Privacy Policy
- Accessibility Policy
- Trademark Policy
- Sitemap
- Cookie Policy
- Your Privacy Choices

Connect

- Idea Hub
- Contact Us
- Help Center
- Security
- Media Kit





© 2023 edX LLC. All rights reserved.
深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)