

Short Paper

Alice Anonymous^{a,1,*}, Bob Security^b, Cat Memes^{b,2}, Derek Zoolander^{a,2}

^a*Big Wig University, 1 main street, Gotham, 123456, State, United States*

^b*Department, A street 29, Manchester,, 2054 NX, The Netherlands*

Abstract

This is the abstract.

It consists of two paragraphs.

Keywords: keyword1, keyword2

Please make sure that your manuscript follows the guidelines in the Guide for Authors of the relevant journal. It is not necessary to typeset your manuscript in exactly the same way as an article, unless you are submitting to a camera-ready copy (CRC) journal.

For detailed instructions regarding the elsevier article class, see <https://www.elsevier.com/authors/policies-and-guidelines/latex-instructions>

1. Bibliography styles

Here are two sample references: ? (?; ?).

By default, natbib will be used with the authoryear style, set in classoption variable in YAML. You can sets extra options with natbiboptions variable in YAML header. Example

```
natbiboptions: longnamesfirst,angle,semicolon
```

blaaaaaaaaaaaa

There are various more specific bibliography styles available at https://support.stmdocs.in/wiki/index.php?title=Model-wise_bibliographic_style_files. To use one of these, add it in the header using, for example, biblio-style: model1-num-names.

1.1. Using CSL

If citation_package is set to default in elsevier_article(), then pandoc is used for citations instead of natbib. In this case, the cs1 option is used to format the references. Alternative cs1 files are available from <https://www.zotero.org/styles?q=elsevier>. These can be downloaded and stored locally, or the url can be used as in the example header.

*Corresponding author

Email addresses: alice@example.com (Alice Anonymous), bob@example.com (Bob Security), cat@example.com (Cat Memes), derek@example.com (Derek Zoolander)

¹This is the first author footnote.

²Another author footnote.




Figure 1: A meaningless scatterplot.

2. Equations

Here is an equation:

$$f_X(x) = \left(\frac{\alpha}{\beta}\right) \left(\frac{x}{\beta}\right)^{\alpha-1} e^{-\left(\frac{x}{\beta}\right)^\alpha}; \alpha, \beta, x > 0.$$

Here is another:

$$a^2 + b^2 = c^2. \tag{1}$$

Inline equations: $\sum_{i=2}^{\infty} \{\alpha_i^\beta\}$

3. Figures and tables

Figure 1 is generated using an R chunk.

4. Tables coming from R

Tables can also be generated using R chunks, as shown in Table 1 for example.

```
knitr::kable(head(mtcars)[,1:4],
  caption = "\\label{tab1}Caption centered above table"
)
```

Table 1: Caption centered above table

	mpg	cyl	disp	hp
Mazda RX4	21.0	6	160	110
Mazda RX4 Wag	21.0	6	160	110
Datsun 710	22.8	4	108	93

	mpg	cyl	disp	hp
Hornet 4 Drive	21.4	6	258	110
Hornet Sportabout	18.7	8	360	175
Valiant	18.1	6	225	105

References