MOSCHINO

DOKUMENTACIJA

PREDMET - WEB PROGRAMIRANJE PHP2
MODUL – WEB PROGRAMIRANJE

Sandra Mladenović 66/17

SADRŽAJ

1. Uvod

Korišćeni template - file:///C:/Users/User/Downloads/Moschino%20Free%20Website%20Template%20-%20Free-CSS.com/HTML-Moschino1.0.0/blog.html

1.1. Korišćeni programski jezici

HTML, CSS, JavaScript, jQuery, PHP, JSON, Laravel

1.2. Opis funkcionalnosti

- Logovanje I registracija uz validaciju podataka
- Dinamičko ispisivanje postova, slika, kategorija, komentara iz baze podataka
- Filtriranje podataka po kategorijama
- Prikaz najpopularnijih postova i onih koji su najskorije dodati
- Pretraga postova po naslovu i/ili opisu
- Kreiranje, editovanje i brisanje postova, mogućnost komentarisanja postova(provera da li je korisnik ulogovan)
- Prikaz ukupnih pregleda za svaki post
- Forma za kontakt koju korisnici mogu da koriste kako bi kontaktirali admina
- Admin panel(zaštićen middleware-om) gde admin može da izvrši CRUD operacije nad postovima, komentarima, kategorijama, korisnicima

2. Template

index

Post_Category

contact

Quick Contact

Email

example@example

Subject

Subject

Message

Message...

SEND MESSAGE

Find Us: (888) 252 389 3571

We're impartial and independent, and every day we create distinctive, world-class programmes and content which inform, educate and entertain millions of people in the UK and around the world.

Monday – Friday: 9am to 5pm
Saturday: 10am to 2pm
Sunday: Closed

Moschino

© Moschino - Free HTML Template by WowThemes.net
© Sandra Mladenovic 66/17
Documentation

Activate Windows
Go to Settings to activate Windows.

Login

Moschino

HOME   CATEGORIES   CONTACT   LOGIN

Sign in with your account

Username *

Password *

LOGIN   Sign up?

Moschino

© Moschino - Free HTML Template by WowThemes.net
© Sandra Mladenovic 66/17
Documentation

Activate Windows
Go to Settings to activate Windows.

Register

Moschino

HOME   CATEGORIES   CONTACT   LOGIN

Sign in with your account

Full Name *

Email *

Password *

REGISTER   Sign in?

User_posts

Sandra Mladenovic's Posts

✉ email mladenovicsandraa@gmail.com
📅 Joined March 2021

CREATE POST

MICROSOFT-LED TEAM RETRACTS QUANTUM 'BREAKTHROUGH'

👁 4 / March 09, 2021

A Microsoft-led team has withdrawn a controversial research paper into quantum computing, published in 2018. *read more*

Posted by Sandra Mladenovic

Forma za edit posta

Edit Post

Title

Microsoft-led team retracts quantum 'breakthrough'

Description

A Microsoft-led team has withdrawn a controversial research paper into quantum computing, published in 2018.

Content

<div><p>The research claimed to have found evidence of an elusive subatomic particle Microsoft suggested could help the development of more powerful computers.</p>
<p>But it now says mistakes were made.

The journal Nature has published a retraction. And the paper's authors have apologised for "insufficient scientific rigour". But the company has said it remains confident of its wider efforts on quantum computing.</p>
Leap forward
<p>The paper had been hailed as a breakthrough.

But some scientists remained sceptical.

Quantum computing has been seen as a potentially revolutionary leap forward, promising to complete some tasks much faster.

In classical computers, the unit of information, or "bit", can have a value of either one or nought.<p>
<p>Its equivalent in a quantum system - the quantum bit (qubit) - can be both at the same time, opening the door for multiple calculations to be performed simultaneously.

But scientists have struggled to build working devices with enough qubits to make them competitive with conventional types of computer.</p>
Incredibly exciting
<p>Many large technology companies, including IBM and Google, as well as smaller rivals such as D-Wave and IonQ are also working on the problem.</p>
<p>But Microsoft proposed a different route - trying to create qubits with the properties of Majorana particles, whose existence was first suggested in the 1930s by Italian physicist Ettore Majorana, which it said would make them less error prone.</p></div>

Categories

☐Travel ☑Tech ☐Science ☐Business ☐Future ☐Entertainment ☐Sport

Image

Choose File | No file chosen

UPDATE POST

Forma za delete posta

Delete Post

Are you sure you want to delete this post?

NO, GO BACK   YES, DELETE

Posts

THE CITY OF SUSTAINABLE SKYSCRAPERS IN HONG KONG

👁3 | March 09, 2021

Looking out over Hong Kong's iconic skyline from the viewing deck of its tallest skyscraper, the 118-storey International Commerce Centre (ICC), it's clear why Hong Kong is known as the world's most vertical city. In every direction you look, countless high-rise buildings are stacked side by side, clustered together, like a real-world version of the game Tetris

In fact, Hong Kong is home to more skyscrapers than anywhere else. While many are impressive feats of construction and have become iconic features of the skyline, the city's 42,000 buildings – including about 8,000 high-rises, of which more than 1,500 are skyscrapers exceeding 100m (328ft) in height – consume up to 90% of the city's electricity and contribute to 60% of the city's greenhouse gas emissions.

With limited land supply, building upwards is Hong Kong's only option. But in a world responding to the climate crisis, towering skyscrapers that use massive amounts of energy and materials to construct and operate may look increasingly out of place – particularly given that Hong Kong itself has set a target to be carbon neutral by 2050. The problem leaves many asking how sustainable skyscrapers can really be.

Making use of the latest smart technologies to be more energy efficient, the ICC is recognised in the top 3% of green buildings around the globe. Inside the 118-storey building, a network of sensors is installed, often wirelessly, across different facilities and equipment, including lighting, elevators, escalators and air-conditioning units. This network provides large quantities of data that enable real-time energy consumption monitoring. Informed by the data, the property management team is able to shut down certain facilities, including lights, lifts and escalators when they are not needed, in order to save energy.

"We use Internet of Things (IoT) technology to analyse big data collected through a mobile digital system for energy efficiency optimisation in the building," says Edward Tsui, managing director of Intelligent Technologies, which oversees the ICC's IoT data system. "We can see the energy performance across every zone in the building and optimise the system to perform better."

RECENT POSTS

> Climate change: 'Default effect' sees massive green energy switch
> Hundreds of sewage leaks detected thanks to AI
> Six Nations: Wales hammer Italy to set up Grand Slam finale against France
> The city of sustainable skyscrapers in Hong Kong
> How Kenya is harnessing the immense heat from the Earth

Search here

LIKE US ON FACEBOOK

LEAVE A REPLY

POST COMMENTS(0)

LEAVE A COMMENT

Type your comment

SUBMIT COMMENT

POPULAR POSTS

> How Kenya is harnessing the immense heat from the Earth
> Roger Federer never considered retirement despite 14-month absence
> Microsoft-led team retracts quantum 'breakthrough'
> PSG - Neymar is ruled out of Barca tie
> Climate change: 'Default effect' sees massive green energy switch

LEAVE A REPLY

POST COMMENTS(0)

Login To Comment

POST COMMENTS(1)

Sandra Mladenovic/March 2021

Awsame!

LEAVE A COMMENT

Type your comment

SUBMIT COMMENT

Admin index

Posts
Add, edit, delete post

ID	Post	Title	Published	Updated	Edit/Delete
1		EU seeks to supercharge computer chip production	09.03.2021.	09.03.2021.	
2		Zoom founder Eric Yuan transfers $6bn of his shares	09.03.2021.	09.03.2021.	

Activate Windows
Go to Settings to activate Windows.

← → C ⓘ localhost/Moschino/public/admin/posts

Maja Brajovic
majabrajovic@gmail.com

Dashboard
Posts
Users
Comments

Delete Post

Are you sure you want to delete this post?

YES, DELETE   NO, GO BACK

| 5 | | UK businesses caught buying five-star Google reviews | 09.03.2021. | 09.03.2021. | |

Dashboard
Posts
Users
Comments
Category
Back Home

Edit Post
Change post

Title
UK businesses caught buying five-star Google reviews

Description
Google is failing to do enough to combat fake reviews within its business listings, and must be held to account by a UK watchdog, according to Which?

Content

B I S ∂   ¶ " <> ☰ ☰   □ ⟳

The consumer group set up a fake company and bought bogus five-star reviews as part of an investigation.

In doing so, it was able to tie its sham "customers" to dozens of other highly-rated British firms, including a dentist and a stockbroker. Google says it has "significantly" invested in tech to tackle the issue.

But it and other review sites are in the sightlines of the Competition and Markets Authority, which began examining the sector last year. It has threatened enforcement action against platforms which have fallen short of their responsibilities.

How did they find them?

Which? conducted its research by essentially setting up a "sting" operation to catch unscrupulous operators in the act. It created a fake business listing which it called "five-star reviews", and searched online for companies advertising paid-for Google reviews. It then spent $150 (£108) on their services.

Which? told each company it wanted five-star reviews only, and between three and five of them a day - and the consumer group's researchers wrote the reviews themselves, "praising how good the made-up business and its fake owner Catherine are". The fake reviews appeared over the following week, a few at a time

Which? said it linked some 45 businesses scattered across the country to three suspicious "reviewers". That suggested they had each paid the same review seller to post their reviews, it said

Activate Windows
Go to Settings to activate Windows.

Forma za edit korisnika

Forma da dodavanje novog korisnika

Add New User
Create user

Full Name

Email

Password

CREATE USER

Klikom na Comments adminu će biti prikazani svi komentari. On ima mogućnost brisanja istih.

Comments
delete comments

ID	User	Post	Comment	Date	Delete
1	Maja Brajovic	PSG - Neymar is ruled out of Barca tie	Surprised!	14.03.2021.	✕
2	Sandra Mladenovic	Microsoft-led team retracts quantum 'breakthrough'	Awsame!	14.03.2021.	✕
3	Milica Micic	Climate change: 'Default effect' sees massive green energy switch	This is a widely known phenomenon in different spheres, such as in organ donation, where laws have changed in many countries so that the people have to opt out if they don't want to donate after death.	14.03.2021.	✕

Klikom na Category adminu će biti prikazane sve kategorije. On ima
mogućnost da edituje i briše postojeće kategorije, kao I da kreira
nove.

Forma za dodavanje nove kategorije

Forma za izmenu postojeće kategorije

Klikom na Back home vratiće se na Home stranicu bloga.

3. Baza

4.   Organizacija sajta po folderima

5. Kodovi

APP\HTTP\CONTROLLERS\AUTHCONTROLLER

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Http\Requests\LoginRequest;
use App\Http\Requests\RegisterRequest;
//use App\Http\Requests\ForgotPasswordRequest;
//use Illuminate\Notifications\Messages\MailMessage;
use App\Models\User;
use App\Models\Base;
use Reminder;
use Sentinel;

class AuthController extends FrontendController
{
    public function login(){
        return view("pages.login",$this->data);
    }

    public function doLogin(LoginRequest $request){
        try{
            $model=new User();
            $user=$model->getUserByEmailPassword($request-
>input('email'),$request->input('password'));
            if($user){
                $model->setActive($user->id_user);
                $request->session()->put("user",$user);
                $base=new Base();
                $base->logAction($user->id_user,"Log in");
                return redirect('/home');
            }else{
                session()->flash('alert-danger','User not found');
                return redirect('/login');
            }
        }catch(\Exception $e){
//          \Log::error("There was an error : " . $e->getMessage());
            session()->flash('alert-danger', 'Error while logging');
            return redirect('/login');
        }

    }

    public function logout(Request $request){
        try{
            $user=session()->get('user');
            $model=new User();
            $base=new Base();
```

```php
            $base->logAction($user->id_user,"Log out");
            $model->unsetActive($user->id_user);
            $request->session()->forget("user");
            $request->session()->flush();
            return \redirect("/login");
        }catch(\Exception $e){
            \Log::error("There was an error logginout: " . $e->getMessage());
            return \redirect('/login');
        }
    }

    public function register(){
        return view("pages.register",$this->data);
    }

    public function doRegister(RegisterRequest $request){
        /// dd($request->name);
        try{
            $model=new User();
            $reg=$model->insertNewUser($request);
            $base=new Base();
            $base->logAction($reg,"Registration");
            if($reg){
                $user=$model->getUserByEmailPassword($request-
>input("email"),$request->input("password"));
                if($user){
                    $request->session()->put('user',$user);
                    $base->logAction($user->id_user,"Log in");
                    return \redirect("/home");
                }
            }
        }catch(\Exception $e){
            \Log::error("There was an error : " . $e->getMessage());
            session()->flash('alert-danger', 'Error while registrating');
            return \redirect('/login');
        }

    }
}
```

APP\HTTP\CONTROLLERS\COMMENTCONTROLLER

```php
<?php


namespace App\Http\Controllers;


use App\Models\Base;
use App\Models\Comment;
use Illuminate\Http\Request;

class CommentsController extends FrontendController
{
    public function addComment(Request $request){
        $model=new Comment();
```

```php
        try{
                $model->addComment($request);
                $base=new Base();
                $base->logAction($request->id_user,"Comment Post");
                return response(null,201);
        }catch(\Exception $ex ){
                \Log::error($ex->getMessage());
                return response(null,500);

        }

    }

    public function getAllComments($id){
        $model=new Comment();
        $data=$model->getPostComments($id);
        return response($data);
    }
}
```

APP\HTTP\CONTROLLERS\CONTACTCONTROLLER

```php
<?php


namespace App\Http\Controllers;


use App\Http\Requests\ContactRequest;
use App\Models\Contact;

class ContactController extends FrontendController
{
    public function __construct()
    {
        parent::__construct();
    }

    public function index(){
        return view('pages.contact', $this->data);
    }

    public function send(ContactRequest $request){

        try{
                $model=new Contact();
                $model->sendMewssage($request);
                session()->flash('alert-success', 'Message sent successfully');
                return redirect(url('/contact'));
        }catch(\Exception $e){
                \Log::error("There was an error while sending a message: " . $e->getMessage());
                session()->flash('alert-danger',"Error while sending message");
                return redirect()->back();
        }
```

```
        }
}
```

APP\HTTP\CONTROLLERS\FRONTENDCONTROLLER

```php
<?php

namespace App\Http\Controllers;
use App\Models\Category;
use App\Models\Post;

class FrontendController extends Controller{

    protected $data = [];
    public function __construct(){
        $modelCat = new Category();
        $categories = $modelCat->getAllCategories();

        $modelPost = new Post();
        $recentPosts = $modelPost->getRecentPosts();

        $modelPopularPosts = new Post();
        $popularPosts = $modelPopularPosts->getPopularPosts();

        $this->data=[
            "categories"=>$categories,
            "recent_posts"=>$recentPosts,
            "popular_posts"=>$popularPosts
        ];
        return view('fixed.navigation');
    }

}
```

APP\HTTP\CONTROLLERS\HOMECONTROLLER

```php
<?php

namespace App\Http\Controllers;

class HomeController extends FrontendController
{
    public function __construct()
    {
        parent::__construct();
    }
    public function index(){
        return view('pages.home', $this->data);
    }
}
```

APP\HTTP\CONTROLLERS\MYPOSTSCONTROLLER

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Http\Requests\PostRequest;
use App\Http\Requests\UpdatePostRequest;
use App\Http\Controllers\Controller;
use App\Services\PostService;
use App\Models\Post;
use App\Models\Category;
use App\Models\Base;
use App\Models\User;
use Session;

class MyPostsController extends FrontendController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     *
     */



    public function index()
    {
        $idUser=session()->get('user')->id_user;
        $model=new Post();
        $allPosts=$model->getAllPostsOfOneUser(session()->get('user')-
>id_user);
        return view('pages.my_posts',["posts"=>$allPosts],$this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        $model=new Category();
        $categories=$model->getAllCategories();
        return view('pages.new_post',['categories'=>$categories],$this->data);


    }

    /**
     * Store a newly created resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return \Illuminate\Http\Response
     */
```

```php
    public function store(PostRequest $request)
    {
        try{
            \DB::beginTransaction();
            $postService = new PostService();
            $postService->insertPost($request);
            \DB::commit();
            session()->flash('alert-success', 'Post created successfully');
            return redirect(route('user_posts.create'));
        }catch(\Exception $e){
            \Log::error("There was an error : " . $e->getMessage());
            \DB::rollBack();
            session()->flash('alert-danger', 'Error while creatig a post
contact administartor');
            return redirect()->back();
        }



    }

    /**
     * Display the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        $model=new Post();
        $allPosts=$model->getAllPostsOfOneUser($id);
        $modelUser=new User();
        $user=$modelUser->getUserById($id);
        return
view('pages.my_posts',["posts"=>$allPosts,"user"=>$user,"id"=>$id],$this-
>data);
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $model=new Post();
        $post=$model->getOnePostAllDetails($id);
        $model=new Category();
        $categories=$model->getAllCategories();
        return
view('pages.new_post',['categories'=>$categories,"post"=>$post],$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
```

```php
     * @param  \Illuminate\Http\Request  $request
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function update(UpdatePostRequest $request, $id)
    {
        try{
            \DB::beginTransaction();
            $postService = new PostService();
            $postService->updatePost($request,$id);
            \DB::commit();
            session()->flash('alert-success', 'Post updated successfully');
            return redirect()->back();
        }catch(\Exception $e){
            \Log::error("There was an error while updating: " . $e->getMessage());
            \DB::rollBack();
            session()->flash('alert-danger', 'Error while updating a post
contact administartor');
            return redirect();
        }
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {

        try{
            $postService=new PostService();
            $postService->deletePost($id);
            session()->flash('alert-success', 'Post deleted');
            return redirect()->back();
        }catch(\Exception $ex){
//            \Log::error("There was an error while deliting a post: " . $ex->getMessage());
            session()->flash('alert-danger', 'Error while deleting a post,
contact administaror');
            return redirect()->back();
        }
    }
}
```

APP\HTTP\CONTROLLERS\POSTSCONTROLLER

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Models\Post;
use App\Models\Category;
use App\Models\Comment;

class PostsController extends FrontendController
{
    public function __construct()
    {
        parent::__construct();
    }


    public function getAllPostsWithPagination(Request $request){
        $model = new Post();
        $posts = $model->getAllPosts();
        if($request->ajax()){
            $view=view('partials.post',['posts'=>$posts]);
            return response()->json([
                "status"=>"ok",
                "posts"=>$view->render(),
            ]);
        }
//        dd($posts);
        return view("pages.home",["posts"=>$posts],$this->data);


    }


    public function getAllPostsFromOneCategory(Request $request,$id){
        $model=new Post();
        $all_posts_from_cat=$model->getAllPostsFromOneCategory($id);
        $modelCat=new Category();
        $name=$modelCat->getCatName($id);
        if($request->ajax()){
            $view=view('partials.post',['posts'=>$all_posts_from_cat]);
            return response()->json([
                "status"=>"ok",
                "posts"=>$view->render(),
            ]);
        }
        return
view("pages.post_category",["posts"=>$all_posts_from_cat,"name"=>$name],$this-
>data);
    }

    public function getOnePost($id){
        $model=new Post();
        $modelComment=new Comment();
        $onePost=$model->getOnePostAllDetails($id);
        $comments=$modelComment->getPostComments($id);
        $model->addView($id);
```

```php
        return
view("pages.one_post",["post"=>$onePost,"comm"=>$comments],$this->data);

    }
}
```

APP\HTTP\CONTROLLERS\SEARCHCONTROLLER

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Models\Post;

class SearchController extends FrontendController
{
    public function searchPost(Request $request){

        try {
            $model = new Post();
            if($request->ajax()){
                $posts = $model->getSearchPosts("%".strtolower($request->search)."%");
                return response()->json([
                    'status' => 'search',
                    'posts' => $posts,
                    'pagination' => $posts->links()->render()
                ]);
            }else{
                $posts = $model->getSearchPosts("%".strtolower($request->query('query'))."%");
                return view("pages.results",["posts"=>$posts],$this->data);
            }
        }catch(\Exception $ex){
            \Log::error("There was an error : " . $e->getMessage());
            session()->flash('alert-danger', 'Error while searching a post contact administartor');
            return redirect()->back();
        }
    }
}
```

APP\HTTP\CONTROLLERS\ADMIN\BASEADMINCONTROLLER

```php
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Models\Contact;

class BaseAdminController extends Controller
```

```php
{
    protected $data = [];

    public function __construct(){
        $model=new Contact();
        $newMessages=$model->numberOfNewMessages();
        $this->data['numOfmes']=$newMessages;
        $this->data['navigation'] = [
            0 => [
                "title" => "Dashboard",
                "href" => "/admin",
                "icon"=>"dashboard"
            ],
            1 => [
                "title" => "Posts",
                "href" => "/admin/posts",
                "icon"=>"library_books"
            ],
            2 => [
                "title" => "Users",
                "href" => "/admin/users",
                "icon"=>"person"
            ],
            3 => [
                "title" => "Comments",
                "href" => "/admin/comments",
                "icon"=>"comment"
            ],
            4 => [
                "title" => "Category",
                "href" => "/admin/category",
                "icon"=>"content_paste"
            ],
            5 => [
                "title" => "Back Home",
                "href" => "/",
                "icon"=>"exit_to_app"
            ]
        ];
//        dd($this->data['navigation']);
    }
}
```

APP\HTTP\CONTROLLERS\ADMIN\CATEGORYCONTROLLER

```php
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Http\Requests\CategoryRequest;
use App\Models\Category;

class CategoryController extends BaseAdminController
{
```

```php
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $model=new Category();
        $categories=$model->getAllCategories();
        return
view('pages.admin.categories',['categories'=>$categories],$this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        return view('pages.admin.category_form',$this->data);
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return \Illuminate\Http\Response
     */
    public function store(CategoryRequest $request)
    {
        try{
            $model=new Category();
            $model->inserNewCat($request);
            session()->flash('alert-success', 'Category added successfully');
            return redirect(route('category.index'));
            }catch(\Exception $ex){
                \Log::error("There was an error while adding new category: " .
$ex->getMessage());
                session()->flash('alert-danger', 'Error contact
administrator');
                return redirect(route('category.index'));
            }
    }

    /**
     * Display the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
```

```php
     * Show the form for editing the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $model=new Category();
        $category=$model->findeCat($id);
        return view('pages.admin.category_form',['category'=>$category],$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function update(CategoryRequest $request, $id)
    {
        try{
            $model=new Category();
            $model->updateCat($request,$id);
            session()->flash('alert-success', 'Category updated successfully');
            return redirect(route('category.index'));
            }catch(\Exception $ex){
                \Log::error("There was an error while updating category: " . $ex->getMessage());
                session()->flash('alert-danger', 'Error contact administrator');
                return redirect(route('category.index'));
            }
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        try{
            $model=new Category();
            $flag=$model->deleteCat($id);
            if($flag){
            session()->flash('alert-success', 'Category deleted successfully');
            }else{
                session()->flash('alert-danger', 'Category that contains posts can not be deleted');
            }
            return redirect(route('category.index'));
            }catch(\Exception $ex){
```

```php
                \Log::error("There was an error while deleting category: " .
$ex->getMessage());
                session()->flash('alert-danger', 'Error contact
administrator');
                return redirect(route('category.index'));
        }
    }
}
```

APP\HTTP\CONTROLLERS\ADMIN\COMMENTSCONTROLLER

```php
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Models\Comment;


class CommentsController extends BaseAdminController{
    public function index(){
        $model=new Comment();
        $comments=$model->allComments();
        return view('pages.admin.comments',['comments'=>$comments],$this-
>data);
    }

    public function delete($id){
        $model=new Comment();
        $model->deleteCom($id);
        return response(null,204);
    }

    public function allComments(){
        $model=new Comment();
        $data=$model->allComments();
        return response($data,200);
    }
}
```

APP\HTTP\CONTROLLERS\ADMIN\CONTACTCONTROLLER

```php
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Models\Contact;

class ContactController extends BaseAdminController
{
    public function index(){
```

```php
        $model=new Contact();
        $messages=$model->getMessages();
        return view("pages.admin.messages",['messages'=>$messages],$this-
>data);
    }

    public function view($id){
        $model=new Contact();
        $message=$model->getOneMessage($id);
        return view("pages.admin.one_message",['message'=>$message],$this-
>data);
    }

    public function delete($id){
        $model=new Contact();
        $model->deleteMess($id);
        return response(null,204);
    }

    public function allMessages(){
        $model=new Contact();
        $messages=$model->getMessages();
        return response($messages,200);
    }
}
```

APP\HTTP\CONTROLLERS\ADMIN\POSTSCONTROLLER

```php
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Http\Requests\PostRequest;
use App\Http\Requests\UpdatePostRequest;
use App\Models\Post;
use App\Models\Category;
use App\Services\PostService;
use Session;

class PostsController extends BaseAdminController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */

    public function index()
    {
    //   dd('sdasda');
        $model=new Post();
        $posts=$model->allPosts();
        return view("pages.admin.posts",['posts'=>$posts],$this->data);
    }
```

```php
    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        $model=new Category();
        $categories=$model->getAllCategories();
        return view("pages.admin.post_form",['categories'=>$categories],$this-
>data);

    }

    /**
     * Store a newly created resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return \Illuminate\Http\Response
     */
    public function store(PostRequest $request)
    {
        try{
            \DB::beginTransaction();
            $postService = new PostService();
            $postService->insertPost($request);
            \DB::commit();
            session()->flash('alert-success', 'Post created successfully');
            return redirect(route('posts.index'));
        }catch(\Exception $e){
            \Log::error("There was an error : " . $e->getMessage());
            \DB::rollBack();
            session()->flash('alert-danger', 'Error contact administrator');
            return redirect()->back();
        }
    }

    /**
     * Display the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
```

```php
        $model=new Post();
        $post=$model->getOnePostAllDetails($id);
        $model=new Category();
        $categories=$model->getAllCategories();
        return
view('pages.admin.post_form',['categories'=>$categories,"post"=>$post],$this-
>data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function update(UpdatePostRequest $request, $id)
    {
        try{
            \DB::beginTransaction();
            $postService = new PostService();
            $postService->updatePost($request,$id);
            \DB::commit();
            session()->flash('alert-success', 'Post updated successfully');
            return redirect(route('posts.index'));
        }catch(\Exception $e){
            \Log::error("There was an error while updating: " . $e-
>getMessage());
            \DB::rollBack();
            return redirect()->back()->with("errors", "Error while updating
post, contact administrator.");
        }
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        try{
            $postService=new PostService();
            $postService->deletePost($id);
            session()->flash('alert-success', 'Post deleted');
            return redirect()->back();
        }catch(\Exception $ex){
            \Log::error("There was an error while deliting a post: " . $ex-
>getMessage());
            return redirect()->back()->with("error", "Error while deliting
post, contact administrator.");
        }
    }
}
```

APP\HTTP\CONTROLLERS\ADMIN\USERCONTROLLER

```php
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use App\Http\Requests\RegisterRequest;
use App\Http\Requests\UpdateUserRequest;
use App\Models\User;
use App\Services\UserService;
use Session;

class UserController extends BaseAdminController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $model=new User();
        $users=$model->allUsers();
        return view("pages.admin.users",["users"=>$users],$this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        return view("pages.admin.user_form",$this->data);
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return \Illuminate\Http\Response
     */
    public function store(RegisterRequest $request)
    {
        try{
        $model=new UserService();
        $model->inserNewUser($request);
        session()->flash('alert-success', 'User added successfully');
        return redirect(route('users.index'));
        }catch(\Exception $ex){
            \Log::error("There was an error while adding new user: " . $ex-
>getMessage());
            session()->flash('alert-danger', 'Error contact administrator');
            return redirect(route('users.index'));
        }
```

```php
    }

    /**
     * Display the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $model=new User();
        $user=$model->getUserById($id);
        return view('pages.admin.user_form',["user"=>$user],$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function update(UpdateUserRequest $request, $id)
    {
        try{
            $model=new UserService();
            $model->updateUser($request,$id);
            session()->flash('alert-success', 'User updated successfully');
            return redirect(route('users.index'));
            }catch(\Exception $ex){
                \Log::error("There was an error while updating user: " . $ex-
>getMessage());
                session()->flash('alert-danger', 'Error contact
administrator');
                return redirect(route('users.index'));
            }
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
```

```php
        try{
            $model=new UserService();
            $model->deleteUser($id);
            session()->flash('alert-success', 'User deleted successfully');
            return redirect(route('users.index'));
            }catch(\Exception $ex){
                \Log::error("There was an error while deleting user: " . $ex->getMessage());
                session()->flash('alert-danger', 'Error contact administrator');
                return redirect(route('users.index'));
            }
    }

    public function usersActivities(){
       // dd('sdasdasdasdasda');
            $model=new User();
            $activities=$model->usersActivities();
            return
view('pages.admin.activities',['activities'=>$activities],$this->data);
    }

    public function usersActivitiesFilterd(Request $request){
        $model=new User();
        $activities=$model->usersActivitiesFilterd($request->date);
        return response($activities,200);
    }
}
```

APP\HTTP\MIDDLEWARE\ADMINMIDDLEWARE

```php
<?php

namespace App\Http\Middleware;

use Closure;

class AdminMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure  $next
     * @return mixed
     */
    public function handle($request, Closure $next)
    {
        if($request->session()->get("user")->id_role!='1'){
            return redirect("/home");
        }

        return $next($request);
    }
}
```

APP\HTTP\MIDDLEWARE\LOGINMIDDLEWARE

```php
<?php

namespace App\Http\Middleware;

use Closure;

class LoginMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure  $next
     * @return mixed
     */
    public function handle($request, Closure $next)
    {
        if($request->session()->has("user"))
            return $next($request);
        else
            return redirect("/home");

    }
}
```

APP\HTTP\REQUESTS\CATEGORYREQUEST

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class CategoryRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
```

```
            //
        ];
    }
}
```

APP\HTTP\REQUESTS\COMMENTREQUEST

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class CommentRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            "comment"=>"required"
        ];
    }
}
```

APP\HTTP\REQUESTS\CONTACTREQUEST

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ContactRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
```

```php
        {
            return true;
        }


        /**
         * Get the validation rules that apply to the request.
         *
         * @return array
         */
        public function rules()
        {
            return [
                "email"=>"required|email",
                "subject"=>"required|min:3",
                "message"=>"required|min:3"
            ];
        }
}
```

APP\HTTP\REQUESTS\LOGINREQUEST

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class LoginRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }


    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            "email"=>"required|email",
            "password"=>["required","regex:/^[A-z\d]+$/"]
        ];
    }

    public function messages(){
        return[
            "required"=>"Email and password fields are required"
        ];
```

```php
        }
}
```

APP\HTTP\REQUESTS\POSTREQUEST

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class PostRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {

        return [
            "title"=>"required|unique:post,title|min:3",
            "description"=>"required|min:5",
            "image"=>"required|mimes:jpeg,jpg,png",
            "categories"=>'required',
            "content"=>'required|min:5'
        ];
    }
}
```

APP\HTTP\REQUESTS\REGISTERREQUEST

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class RegisterRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
```

```php
     * @return bool
     */
    public function authorize()
    {
        return true;
    }


    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
                "email"=>"required|email|unique:user,email",
                "name"=>"required|regex:/^[A-Z][a-z]{2,}(\s[A-Z][a-z]{2,})+$/",

                "password"=>"required|regex:/^(?=.*\d).{6,}$/"
            ];
    }

    public function messages(){
        return [
            "unique" => "Email address is taken"
        ];
    }
}
```

APP\HTTP\REQUESTS\UPDATEPOSTREQUEST

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class UpdatePostRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }


    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
```

```php
        return [
            "title"=>"required|min:3",
            "description"=>"required|min:5",
            "categories"=>'required' ,
            "content"=>'required|min:5'
        ];
    }
}
```

APP\HTTP\REQUESTS\UPDATEUSERREQUEST

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class UpdateUserRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            "email"=>"required|email",
            "name"=>"required|regex:/^[A-Z][a-z]{2,}(\s[A-Z][a-z]{2,})+$/",
            "password"=>"nullable|regex:/^(?=.*\d).{6,}$/"
        ];
    }
}
```

APP\MODELS\BASE

```php
<?php

namespace App\Models;
class Base{
    public function logAction($user,$action){
        return \DB::table('action')
            ->insert([
                'id_user'=>$user,
```

```
                'action'=>$action
            ]);
    }
}
```

APP\MODELS\CATEGORY

```php
<?php

namespace App\Models;
use App\Http\Requests\CategoryRequest;

class Category
{
    public function getAllCategories(){
        return \DB::table('category')->get();
    }

    public function inserNewCat(CategoryRequest $request){
        return \DB::table('category')
            ->insert([
                "category"=>$request->input('category_name')
            ]);
    }
    public function findeCat($id){
        return \DB::table('category')
            ->select('*')
            ->where('id_category',$id)
            ->first();
    }
    public function updateCat(CategoryRequest $request,$id){
        return \DB::table('category')
            ->where('id_category',$id)
            ->update([
                "category"=>$request->input('category_name'),
                "updated_at"=>now()
            ]);
    }

    public function deleteCat($id){
        $posts=$this->findePostWitCat($id);
        if(count($posts)){
            return false;
        }else{
            \DB::table('category')
                ->where('id_category',$id)
                ->delete();
            return true;
        }
    }

    public function findePostWitCat($id){
        return \DB::table('post_cat')
            ->select('id_post')
            ->where('id_category',$id)
            ->get();
```

```php
    }
    public function getCatName($id){
        return \DB::table('category')
            ->select('category')
            ->where('id_category',$id)
            ->first();
    }
}
```

APP\MODELS\COMMENT

```php
<?php

namespace App\Models;
use Illuminate\Http\Request;
//use Illuminate\Http\CommentRequest;

class Comment{
    public function addComment(Request $request){
        return \DB::table("comment")
            ->insert([
                "id_user"=>$request->id_user,
                "id_post"=>$request->post_id,
                "comment"=>$request->comment
            ]);
    }
    public function getPostComments($id){
        return \DB::table('comment AS c')
            ->join('user AS u',"c.id_user","=","u.id_user")
            ->select("c.*","u.full_name")
            ->where([
                ["c.id_post","=",$id]
            ])
            ->orderBy("c.date","ASC")
            ->get();
    }

    public function allComments(){
        return \DB::table('comment AS c')
            ->join('user AS u','c.id_user','=','u.id_user')
            ->join('post AS p','c.id post','=','p.id post')
            ->select('c.*','u.full_name','p.title')
            ->get();
    }

    public function deleteCom($id){
        return \DB::table('comment')
            ->where('id_comment',$id)
            ->delete();
    }

    // public function numberOfComments($id){
    //     return \DB::table('comment AS c')
    //     ->join('user AS u',"c.id_user","=","u.id_user")
    //     ->select("c.*","u.full_name")
```

```
    //       ->where([
    //           ["c.id_post","=",$id]
    //       ])
    //       ->count();
    // }
}
```

APP\MODELS\CONTACT

```php
<?php
namespace App\Models;
use App\Http\Requests\ContactRequest;


class Contact{

    public function sendMewssage(ContactRequest $request){
        return \DB::table('message')
            ->insert([
                'email'=>$request->input('email'),
                'subject'=>$request->input('subject'),
                'message'=>$request->input('message')
            ]);
    }

    public function getMessages(){
        return \DB::table('message')->orderBy('date', 'DESC')->get();
    }


    public function numberOfNewMessages(){
        return \DB::table('message')
            ->where('mark_as_read','0')
            ->count();
    }

    public function getOneMessage($id){
        $this->markAsRead($id);
        return \DB::table('message')
            ->where('id_message',$id)
            ->select('*')
            ->first();

    }

    public function markAsRead($id){
        \DB::table('message')
            ->where('id_message',$id)
            ->update([
                'mark_as_read'=>'1'
            ]);
    }

    public function deleteMess($id){
        \DB::table('message')
            ->where('id_message',$id)
```

```php
                ->delete();
    }


}
```

APP\MODELS\POST

```php
<?php

namespace App\Models;

use Illuminate\Http\Request;
use App\Http\Requests\PostRequest;
use App\Http\Requests\UpdatePostRequest;

class Post{


    function getAllPosts(){
        return \DB::table("post AS p")
            ->join("user AS u","p.id_user", "=", "u.id_user")
            ->select("p.*","u.full_name")
            ->paginate(4);
    }

    public function getRecentPosts(){
        return \DB::table("post")
            ->select("*")
            ->orderBy("created_at","DESC")
            ->take(5)
            ->get();
    }

    public function getPopularPosts(){
        return \DB::table("post")
            ->select("*")
            ->orderBy("view","DESC")
            ->take(5)
            ->get();
    }
    public function getAllPostsFromOneCategory($id){
        return \DB::table("post AS p")
            ->join("user AS u","u.id_user","=","p.id_user")
            ->join("post_cat AS ps","ps.id_post","=","p.id_post")
            ->select("p.*","u.full_name")
            ->where([
                ['ps.id_category',"=",$id]
            ])
            ->paginate(4);
    }
    public function getPostCategories($id){
        return \DB::table("category AS c")
            ->join("post_cat AS ps","ps.id_category","=","c.id_category")
            ->select("c.*")
            ->where([
```

```php
                    ["ps.id_post","=",$id]
                ])
                ->get();
            // ->toArray();
    }
    public function getOnePostAllDetails($id){
        $postDetails= \DB::table("post AS p")
            ->join("user AS u","u.id_user","=","p.id_user")
            ->select("p.*","u.full_name","u.id_user")
            ->where([
                ["p.id_post", "=", $id]
            ])
            ->first();
        $postCat=$this->getPostCategories($id);
        $postDetails->postCategories=$postCat;
        return $postDetails;


    }
    public function addView($id){
        return \DB::table('post')
            ->where("id_post","=",$id)
            ->increment('view');
    }

    public function getAllPostsOfOneUser($id){
        return \DB::table('post AS p')
            ->join('user AS u',"u.id_user","=","p.id_user")
            ->where("p.id_user","=",$id)
            ->select("p.*","u.full_name")
            ->get();
    }

    public function allPosts(){
        return \DB::table('post')->get();
    }

    public function deletePost($id){
        $this->deletePostComments($id);
        $this->deletePostCategories($id);

        \DB::table('post')
            ->where('id_post',$id)
            ->delete();
    }

    public function deletePostComments($id){
        \DB::table('comment')
            ->where('id_post',$id)
            ->delete();
    }

    public function deletePostCategories($id){
        \DB::table('post_cat')
            ->where('id_post',$id)
            ->delete();
    }
```

```php
    public function insertGetId(PostRequest $request,$name){
        return \DB::table('post')
            ->insertGetId([
                "title"=>$request->input('title'),
                "description"=>$request->input('description'),
                "content"=>$request->input('content'),
                "photo"=>$name,
                "id_user"=>session()->get('user')->id_user
            ]);
    }


    public function insertPostCat($categories,$id){
        $itemsToInsert = [];
        $values = [];
        foreach($categories as $idCat){
            $itemsToInsert[]=[
                "id_post"=>$id,
                "id_category"=>$idCat
            ];
        }
        \DB::table("post_cat")->insert(
            $itemsToInsert
        );

    }

    public function updatePost(UpdatePostRequest $request,$id,$name){
        if(!$name){
        return \DB::table('post')
                ->where('id_post',$id)
                ->update([
                    "title"=>$request->input('title'),
                    "description"=>$request->input('description'),
                    "content"=>$request->input('content'),
                    "updated_at"=>now()
                ]);
        }else{
            return \DB::table('post')
                ->where('id_post',$id)
                ->update([
                    "title"=>$request->input('title'),
                    "description"=>$request->input('description'),
                    "content"=>$request->input('content'),
                    "photo"=>$name,
                    "updated_at"=>now()
                ]);
        }
    }

    public function deletePostCatWhileUpdating(UpdatePostRequest
$request,$id){

        $delete = \DB::table('post_cat')
                ->where('id_post',$id)
                ->delete();
```

```php
        $this->insertPostCat($request->input('categories'), $id);
    }

    public function getSearchPosts($search){
        return \DB::table("post AS p")
            ->join("user AS u","p.id_user", "=", "u.id_user")
            ->select("p.*","u.full_name")
            ->where('title','LIKE',$search)
            ->orWhere('description', 'LIKE',$search)
            ->paginate(4);

    }
}
```

APP\MODELS\USER

```php
<?php
namespace App\Models;
use App\Http\Requests\UpdateUserRequest;
use App\Http\Requests\RegisterRequest;
use Illuminate\Http\Request;

class User{

    public function getUserByEmailPassword($email,$password){
        return \DB::table("user AS u")
            ->join("role AS r","u.id_role","=","r.id_role")
            ->select("u.*","r.role")
            ->where([
                ["email","=",$email],
                ["password","=",md5($password)]
            ])
            ->first();

    }

    public function insertNewUser(RegisterRequest $request){
        return \DB::table("user")
            ->insertGetId([
                "email"=>$request->input("email"),
                "password"=>md5($request->input("password")),
                "full_name"=>$request->input("name")
            ]);
    }


    public function setActive($id){
        return \DB::table('user')
            ->where("id_user","=",$id)
            ->update([
                "active"=>"1"
            ]);

    }

    public function unsetActive($id){
```

```php
        return \DB::table('user')
            ->where("id_user","=",$id)
            ->update([
                "active"=>"0"
            ]);
    }

    public function allUsers(){
        return \DB::table('user AS u')
            ->join('role AS r','u.id_role','=','r.id_role')
            ->select('u.*','r.role')->get();
    }

    public function getUserById($id){
        return \DB::table('user AS u')
            ->join('role AS r','u.id_role','=','r.id_role')
            ->select('u.*','r.role')
            ->where('id_user',$id)
            ->first();
    }

    public function updateUser(UpdateUserRequest $request,$id){
        if($request->input('password')){
            $this->updateUserWithPass($request,$id);
        }else {
            $this->updateUserNoPass($request,$id);
        }
    }

    public function updateUserWithPass(UpdateUserRequest $request,$id){
        return \DB::table('user')
            ->where('id_user',$id)
            ->update([
                "full_name"=>$request->input('name'),
                "email"=>$request->input('email'),
                "password"=>md5($request->input('password'))
            ]);
    }

    public function updateUserNoPass(UpdateUserRequest $request,$id){
        return \DB::table('user')
            ->where('id_user',$id)
            ->update([
                "full_name"=>$request->input('name'),
                "email"=>$request->input('email')
            ]);
    }

    public function deleteUser($id){
        $this->deleteUserComments($id);
        $this->deleteUserPosts($id);
        \DB::table('user')
            ->where('id_user',$id)
            ->delete();
    }

    public function deleteUserPosts($id){
```

```php
        \DB::table('post')
            ->where('id_user',$id)
            ->delete();
    }

    public function deleteUserComments($id){
        \DB::table('comment')
            ->where('id_user',$id)
            ->delete();
    }



    public function usersActivitiesFilterd($date){
        if($date){
            return \DB::table('action AS a')
                ->join('user AS u','a.id_user','=','u.id_user')
                ->select('a.*','u.full_name')
                ->whereDate('date','=',$date)
                ->get();
        } else {
            return $this->usersActivities();
        }
    }

    public function usersActivities(){
        return \DB::table('action AS a')
            ->join('user AS u','a.id_user','=','u.id_user')
            ->select('a.*','u.full_name')
            ->orderBy('date','DESC')
            ->get();
    }


}
```

APP\SERVICES\IMAGESERVICE

```php
<?php
namespace App\Services;
use App\Models\Post;
use Illuminate\Http\Request;
use Illuminate\Http\UploadedFile;

class ImageService{

    public function uploadImage($image){
        return $this->upload($image);
    }


    private function upload(UploadedFile $image) {
        $fileName = time() . "_" . $image->getClientOriginalName();
        $image->move(public_path() . "/assets/images/", $fileName);
```

```php
            return $fileName;
    }
}
```

APP\SERVICES\POSTSERVICE

```php
<?php
namespace App\Services;
use App\Http\Requests\PostRequest;
use App\Http\Requests\UpdatePostRequest;
use App\Services\ImageService;
use App\Models\Post;
use App\Models\Base;
use Illuminate\Http\Request;

class PostService{

    public function insertPost(PostRequest $request){
        $image=$request->file('image');
        $uplader = new ImageService();
        $name = $uplader->uploadImage($image);
        $postModel = new Post();
        $id = $postModel->insertGetId($request,$name);
        $categories=$request->input('categories');
        $postModel->insertPostCat($categories,$id);
        $base=new Base();
        $base->logAction(session()->get('user')->id_user,"New Post");
    }

    public function updatePost(UpdatePostRequest $request,$id){
        $name=null;
        if($request->hasFile('image')){
            $uplader = new ImageService();
            $name = $uplader->uploadImage($request->file('image'));
        }
        $postModel=new Post();
        $postModel->updatePost($request,$id,$name);
        $postModel->deletePostCatWhileUpdating($request,$id);
        $base=new Base();
        $base->logAction(session()->get('user')->id_user,"Edit Post");
    }

    public function deletePost($id){
        $postModel=new Post();
        $postModel->deletePost($id);
        $base=new Base();
        $base->logAction(session()->get('user')->id_user,"Delete Post");
    }
}
```

APP\SERVICES\USERSERVICE

```php
<?php
namespace App\Services;
```

```php
use Illuminate\Http\Request;
use App\Http\Requests\RegisterRequest;
use App\Http\Requests\UpdateUserRequest;
use App\Models\User;

class UserService{
    public function inserNewUser(RegisterRequest $request){
        // $name=$request->input("name");
        // $password=$request->input("password");
        // $email=$request->input("email");
        $model=new User();
        $add=$model->insertNewUser($request);
    }

    public function updateUser(UpdateUserRequest $request,$id){
        $model=new User();
        $model->updateUser($request,$id);
    }

    public function deleteUser($id){
        $postModel=new User();
        $postModel->deleteUser($id);
    }
}
```

PUBLIC\ASSETS\JS\MAIN.JS

```javascript
$(document).ready(function () {
    $(document).on('click','#btnComment',function(e){
        e.preventDefault();
        if($('#usercomment').val()){
            document.getElementById("text-error").innerHTML="";
            addCommentAjax();
        }else{
            document.getElementById("text-error").innerHTML="Comment is
required";
        }

    });

    //click actions
    $(document).on('click','#btnDeletePost',deletePost);
    $(document).on('click','.btnAdminDelete',deletePostAdmin);
    $(document).on('click','.btnAdminDeleteUser',deleteUserAdmin);
    $(document).on('click','.btnAdminDeleteCat',deleteCategoryAdmin);
    $(document).on('click','.btnAdminDeleteCom',deleteComAdmin);

    $('#date').on('change', getDate);
    $(document).on('keyup','#searchPost',searchPost);
    $(document).on('click','.btnAdminDeleteMess',deleteMessAdmin);
})
let urlParams = new URLSearchParams(window.location.search);
let search_query = urlParams.get('query');

//search posts
function searchPost(){
```

```javascript
    if (event.keyCode === 13) {
        let search_query=$("#searchPost").val();
        let link=baseUrl+"/results?query="+search_query
        window.location.href=link;
    }
}

//pagination
$(document).on('click','.pagination a',function(e){
    e.preventDefault();
    var url=$(this).attr('href');
    console.log(url);
    $.ajax({
        url:url,
        method:"get",
        dataType:"json",
        data:{search:search_query},
        success:function(data){
            if(data.status=="ok"){
                $("#postovi").html(data.posts);
            }
            if(data.status=='search'){
                var pod=data['posts'].data;
                var pag=data['pagination'];
                showSearchedPosts(pod,pag);
            }
        },error:function(error){
            console.log(error);
        }
    });
    return false;
});




//filtering user activities on admin panel
function ajaxFilterdActivitiesShow(data){
    let br=1;
    let show=``;
    for(let d of data){
        show+=`
          <tr>
            <td>${br++}</td>
            <td>${d.full_name}</td>
            <td>${d.action}</td>
            <td>${formatDatum(d.date)}</td>
          </tr>
        `
    }

    $('#action').html(show);
}
function getDate(){
    var date = document.getElementById("date").value;
    $.ajax({
        url:baseUrl+"/api/admin",
        method:"get",
```

```javascript
        data:{date:date},
        success:function(data){
            ajaxFilterdActivitiesShow(data);

        },error:function(error){
            console.log(error);
        }
    });


}
// end filtering user activities on admin panel

//post comments
function addCommentAjax(){
    var id=document.getElementById("id_post").value;
    $.ajax({
        url:baseUrl+"/api/comment",
        method:"POST",
        data:{
            post_id:document.getElementById("id_post").value,
            id_user:document.getElementById('id_user').value,
            comment:document.getElementById("usercomment").value
        },success:function(data){
            getComments(id);
        },error:function(xhr,error){
            console.log(xhr);
        }

    })
}

function getComments(id){
    $.ajax({
        url:baseUrl+"/api/comments/"+id,
        method:"get",
        success:function(data){
            showComments(data);
        },error:function(error){
            console.log(error);
        }
    })
}

function showComments(data){
    let ispis="";
    for(let d of data){
        ispis+=`
        <div class="comment">
        <div class="comment-header d-flex justify-content-between">
            <div class="user d-flex align-items-center">
            <div class="title"><strong>${d.full_name}</strong><span
class="date">${formatDate(d.date)}</span></div>
            </div>
        </div>
        <div class="comment-body">
            <p>${d.comment}</p>
```

```javascript
            </div>
            </div>
            `

    }
    function formatDate(date){
        var datum=new Date(date);
        var
months=["January","February","March","May","Jun","July","August","September","
November","December"];
        var month=months[datum.getMonth()];
        var year=datum.getFullYear();
        var datumm=month+" "+year;
        return datumm;
    }
    document.getElementById("allComments").innerHTML=ispis;
    $("#usercomment").val('');

}
//end post comments

function showSearchedPosts(data,pag){
    let show=``;
    for(let d of data){
        show+=`
        <div class="post col-lg-6">
        <div class="post-thumbnail">
            <a href="`+baseUrl+`/posts/${d.id_post}"><img
src='`+baseUrl+`/assets/images/${d.photo}' alt="..." class="img-fluid"></a>
        </div>
        <div class="post-details">
          <div class="post-meta d-flex justify-content-between">
          </div><a href="`+baseUrl+`/posts/${d.id_post}">
            <h3 class="h4">${d.title}</h3></a>
            <p class="text-muted postDesc">${d.description}</p>
          <footer class="post-footer d-flex align-items-center"><a
href="`+baseUrl+`/user_posts/${d.id_user}" class="author d-flex align-items-
center flex-wrap">
            <div class="">${d.full_name}</div>
            <div class="title"><span></span></div></a>
            <div class="date"><i class="icon-
clock"></i>${formData3(d.created_at)}</div>
            <div class="views"><i class="icon-eye"></i>${d.view}</div>
          </footer>
        </div>
      </div>
        `

    }
    show+=pag;
    $('#postovi').html(show);


}

//delete post user
function deletePost(){
    var id=$(this).data('id');
    $('#deleteModal').modal('show');
```

```
    var forma=document.getElementById('deleteForma');
    forma.action=baseUrl+'/user_posts/'+id
}

//admin crud operations
function deletePostAdmin(){
    var id=$(this).data('id');
    $('#deleteModalAdmin').modal('show');
    var forma=document.getElementById('deleteFormaAdmin');
    forma.action=baseUrll+'/posts/'+id

}

function deleteUserAdmin(){
    var id=$(this).data('id');
    $('#deleteModalAdminUser').modal('show');
    var forma=document.getElementById('deleteFormaAdminUser');
    forma.action=baseUrll+'/users/'+id

}

function deleteCategoryAdmin(){
    var id=$(this).data('id');
    $('#deleteModalAdminCat').modal('show');
    var forma=document.getElementById('deleteFormaAdminCat');
    forma.action=baseUrll+'/category/'+id
}

function deleteComAdmin(){
    var id_comment=$(this).data('id');
    deleteCommAjax(id_comment);
}

function deleteCommAjax(id_comment){

    $.ajax({
        url:baseUrl+"/api/comment/"+id_comment,
        method:"DELETE",
        success:function(data){
            ajaxGetComm();

        },error:function(error){
            console.log(error);
        }
    });
}

function deleteMessAdmin(){
    var id_mess=$(this).data('id');
    deleteMessAjax(id_mess);
}

function deleteMessAjax(id_mess){

    $.ajax({
        url:baseUrl+"/api/contact/"+id_mess,
        method:"DELETE",
```

```javascript
            success:function(data){
                ajaxGetMess();

            },error:function(error){
                console.log(error);
            }
        });
}

function ajaxGetMess(){
    $.ajax({
        url: baseUrl+"/api/contact",
        method: "GET",
        success: function(data){
            console.log(data);
            showAllMess(data);
        },error:function(error){
            console.log(error);
        }
    })
}

function showAllMess(data){
    let br=1;
    let show=``;
    for(let d of data){
        show+=`
          <tr>
            <td>${br++}</td>
            <td>${d.email}</td>
            <td>${d.subject}</td>
            <td>${formatDatum(d.date)}</td>
                <td class="td-actions">
                <a href="`+baseUrll+`/messages/${d.id_message}">
                    <button class="btn btn-info"> Read</button>
                 </a>
                  <button class="btn btn-danger btn-fab btn-fab-mini
btnbtnAdminDeleteMess" data-id="${d.id_message}">
                     <i class="material-icons">close</i>
                  </button>
                </td>
            </tr>
            `
    }

    $('#com').html(show);

}

function ajaxGetComm(){
    $.ajax({
        url: baseUrl+"/api/comment",
        method: "GET",
        success: function(data){
            showAllComm(data);
        },error:function(error){
            console.log(error);
```

```
        }
    })
}

function showAllComm(data){
    let br=1;
    let show=``;
    for(let d of data){
        show+=`
        <tr>
            <td>${br++}</td>
            <td>${d.full_name}</td>
            <td>${d.title}</td>
            <td>${d.comment}</td>
            <td>${formatDatum(d.date)}</td>
                <td class="td-actions">
                    <button class="btn btn-danger btn-fab btn-fab-mini btn-round
btnAdminDeleteCom " data-id=${d.id_comment}>
                        <i class="material-icons">close</i>
                    </button>
                </td>
            </tr>
        `
    }

    $('#com').html(show);

}

//date formats
function formatDatum(date){
    var datum=new Date(date);
    var dan=datum.getDate();
    var month=datum.getMonth() + 1;
    var year=datum.getFullYear();
    var datumFormat=dan+"."+month+"."+year+".";
    return datumFormat;
}

function formData3(date){
    var datum=new Date(date);
    var
months=["January","February","March","May","Jun","July","August","September","
November","December"];
    var day=datum.getDate();
    var month=months[datum.getMonth()];
    var year=datum.getFullYear();
    var d=month+" "+day+", "+year;
    return d;
}
```

RESOURCES\VIEWS\FIXED\FOOTER

```
</div>
<footer id="colophon" class="site-footer">
    <div class="container">
        <div class="site-info">
```

```
            <h1 style="font-family: 'Herr Von Muellerhoff';color: #ccc;font-
weight:300;text-align: center;margin-bottom:0;margin-top:0;line-
height:1.4;font-size: 46px;">Moschino</h1>
            <a target="blank" href="https://www.wowthemes.net/">&copy;
Moschino - Free HTML Template by WowThemes.net</a>
        </div>
        <div class="site-info">
            <a target="blank" href="https://www.linkedin.com/in/sandra-
mladenovi%C4%87-451b80199/">&copy; Sandra Mladenovic 66/17</a>
        </div>
    </div>
</footer>
<a href="#top" class="smoothup" title="Back to top"><span class="genericon
genericon-collapse"></span></a>
```

RESOURCES\VIEWS\FIXED\HEAD

```
<!DOCTYPE html>
<html lang="en-US">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Moschino | @yield('title') </title>
    <script>
      var baseUrl='<?php echo url('/')?>'
    </script>
    <link rel='stylesheet' href="{{asset('vendor/css/material-
dashboard.css')}}" type='text/css' media='all'/>
    <link rel='stylesheet' href="{{asset('assets/css/woocommerce-
layout.css')}}"type='text/css' media='all'/>
    <link rel='stylesheet' href="{{asset('assets/css/woocommerce-
smallscreen.css')}}" type='text/css' media='only screen and (max-width:
768px)'/>
    <link rel='stylesheet' href="{{asset('assets/css/woocommerce.css')}}"
type='text/css' media='all'/>
    <link rel='stylesheet' href="{{asset('assets/css/font-awesome.min.css')}}"
type='text/css' media='all'/>
    <link rel='stylesheet' href="{{asset('assets/css/style.css')}}"
type='text/css' media='all'/>
    <link rel='stylesheet'
href='https://fonts.googleapis.com/css?family=Oswald:400,500,700%7CRoboto:400,
500,700%7CHerr+Von+Muellerhoff:400,500,700%7CQuattrocento+Sans:400,500,700'
type='text/css' media='all'/>
    <link rel='stylesheet' href="{{asset('assets/css/easy-responsive-
shortcodes.css')}}" type='text/css' media='all'/>
</head>
```

RESOURCES\VIEWS\FIXED\NAVIGATION

```
<body class="blog">
<div id="page">
    <div class="container-fluid">
        <header id="masthead" class="site-header">
            <div class="site-branding">
```

```
                    <h1 class="site-title"><a href="{{url('/')}}"
rel="home">Moschino</a></h1>
            </div>
            <nav id="site-navigation" class="main-navigation">
                <button class="menu-toggle">Menu</button>
                <a class="skip-link screen-reader-text" href="#content">Skip
to content</a>
                <div class="menu-menu-1-container">
                    <ul id="menu-menu-1" class="menu">
                        <li><a  href="{{url('/home')}}">Home</a></li>
                        <li><a href="#">Categories</a>
                            <ul class="sub-menu">
                                @foreach($categories as $cat)
                                <li><a href="{{url('/posts category',$cat-
>id_category)}}">{{$cat->category}}</a></li>
                                @endforeach
                            </ul>
                        </li>
                        <li><a href="{{url('/contact')}}">Contact</a></li>
                        @if(!session()->has('user'))
                        <li><a href="{{url('/login')}}">Login</a></li>
                        @else
                            <li><a href="{{url('/user_posts')}}">My
posts</a></li>
                            @if(session()->get('user')->role=='admin')
                            <li><a href="{{url('/admin')}}">Admin</a></li>
                            @endif
                            <li><a href="{{url('/logout')}}">Logout</a></li>
                        @endif
                    </ul>
                </div>
            </nav>
        </header>
```

RESOURCES\VIEWS\FIXED\SCRIPTS

```
<script src='{{asset('assets/js/jquery.js')}}'></script>
<script src='{{asset('assets/js/plugins.js')}}'></script>
<script src='{{asset('assets/js/scripts.js')}}'></script>
<script src='{{asset('assets/js/masonry.pkgd.min.js')}}'></script>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></scrip
t>
<script src="{{ asset("vendor/bootstrap/js/bootstrap.min.js")}}"></script>
<script src='{{asset('assets/js/main.js')}}'></script>
</body>
</html>
```

RESOURCES\VIEWS\FIXED\SIDEBAR

```
<div id="secondary" class="column third">
    <div id="sidebar-1" class="widget-area" role="complementary">
        <aside id="recent-posts-2" class="widget widget_recent_entries">
```

```
            <h4 class="widget-title">Recent Posts</h4>
            <ul>
                @foreach($recent_posts as $rp)
                <li>
                    <a href="{{url('/posts',$rp->id_post)}}">{{$rp->title}}</a>
                </li>
                @endforeach
            </ul>
        </aside>
        <div class="search-form">
            <div class="form-group">
                <input type="search"  class="form-control" placeholder="Search here" id="searchPost">
                <i class="icon-search submit"></i>
            </div>
        </div>
        <aside id="text-6" class="widget widget_text">
            <h4 class="widget-title">Like us on Facebook</h4>
            <div class="textwidget">
                <iframe
src="https://www.facebook.com/plugins/page.php?href=https%3A%2F%2Fwww.facebook
.com%2Fwowthemesnet-
562560840468823%2F&amp;tabs=timeline&amp;width=340&amp;height=380&amp;small_he
ader=false&amp;adapt_container_width=true&amp;hide_cover=false&amp;show_facepi
le=false&amp;appId=365036103630036" width="340" height="380"
style="border:none;overflow:hidden" scrolling="no" frameborder="0"
allowtransparency="true">
                </iframe>
            </div>
        </aside>

        <aside id="recent-comments-2" class="widget widget_recent_comments">
            <h4 class="widget-title">Popular Posts</h4>
            <ul id="recentcomments">
                @foreach($popular_posts as $pp)
                <li class="recentcomments"> <a href="{{url('/posts',$pp->id_post)}}">{{$pp->title}}</a></li>
                @endforeach
            </ul>
        </aside>


    </div>
    <!-- .widget-area -->
</div>
</div>
<!-- #content -->
</div>
```

RESOURCES\VIEWS\FIXED\ADMIN\FOOTER

```
{{-- </div>
</div> --}}
<footer class="footer">
    <div class="container-fluid">
```

```html
      <nav class="float-left">
        <ul>
          <li>
            <a href="https://www.creative-tim.com">
              Creative Tim
            </a>
          </li>
          <li>
            <a href="https://creative-tim.com/presentation">
              About Us
            </a>
          </li>
          <li>
            <a href="http://blog.creative-tim.com">
              Blog
            </a>
          </li>
          <li>
            <a href="https://www.creative-tim.com/license">
              Licenses
            </a>
          </li>
        </ul>
      </nav>
      <div class="copyright float-right">
        &copy;
        <script>
          document.write(new Date().getFullYear())
        </script>, made with <i class="material-icons">favorite</i> by
        <a href="https://www.creative-tim.com" target="_blank">Creative
Tim</a> for a better web.
      </div>
    </div>
  </footer>
  @section("javascript")
  <script src="{{ asset("vendor/jquery/jquery.min.js")}}"></script>
  <script src="{{ asset("vendor/popper.js/umd/popper.min.js")}}"> </script>
  <script src="{{ asset("vendor/bootstrap/js/bootstrap.min.js")}}"></script>
  <script src="{{ asset("vendor/js/bootstrap-material-design.min.js")}}">
</script>
  <script src="{{ asset("vendor/js/plugins/moment.min.js")}}"></script>
  <script src="{{ asset("vendor/js/plugins/sweetalert2.js")}}"></script>
  <script src="{{ asset("vendor/js/plugins/jquery.bootstrap-
wizard.js")}}"></script>
  <script src="{{ asset("vendor/js/plugins/arrive.min.js")}}"></script>
  <script src="{{ asset("vendor/js/plugins/bootstrap-notify.js")}}"></script>
  <script src="{{ asset("vendor/js/plugins/perfect-
scrollbar.jquery.min.js")}}"></script>
  <script src="{{ asset("vendor/js/plugins/bootstrap-
selectpicker.js")}}"></script>
  <script src="{{ asset("vendor/js/plugins/nouislider.min.js")}}"></script>
  <script src="{{ asset("vendor/js/material-dashboard.js?v=2.1.2")}}"
type="text/javascript"></script>
  <script src="{{ asset("assets/js/main.js")}}"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/core-
js/2.4.1/core.js"></script>
  @show
```

```
</body>

</html>
```

RESOURCES\VIEWS\FIXED\ADMIN\HEAD

```html
<head>
    <meta charset="utf-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
    <title>
        Admin | @yield('title')
    </title>
    <meta content='width=device-width, initial-scale=1.0, shrink-to-fit=no'
name='viewport' />
    <!--    Fonts and icons    -->
    <link rel="stylesheet" type="text/css"
href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700|Roboto+Sl
ab:400,700|Material+Icons" />
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/latest/css/font-awesome.min.css">
    <!-- CSS Files -->
    <link href="{{ asset('vendor/css/material-dashboard.css?v=2.1.2')}}"
rel="stylesheet" />
    <script>
      var baseUrl1='<?php echo url('/admin/')?>'
      var baseUrl='<?php echo url('/')?>'
    </script>
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/trix/1.2.1/trix.css">
    <link href="{{ asset('/assets/css/style.css')}}" rel="stylesheet" />
  </head>
```

RESOURCES\VIEWS\FIXED\ADMIN\NAV

```html
<nav class="navbar navbar-expand-lg navbar-transparent navbar-absolute fixed-
top ">
    <div class="container-fluid">
      <button class="navbar-toggler" type="button" data-toggle="collapse"
aria-controls="navigation-index" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="sr-only">Toggle navigation</span>
        <span class="navbar-toggler-icon icon-bar"></span>
        <span class="navbar-toggler-icon icon-bar"></span>
        <span class="navbar-toggler-icon icon-bar"></span>
      </button>
      <div class="collapse navbar-collapse justify-content-end">

      <ul class="navbar-nav">
        <li class="nav-item dropdown">
          <a class="nav-link" href="{{url('/admin/messages')}}"
id="navbarDropdownMenuLink"  aria-haspopup="true" >
```

```
                <i class="material-icons">notifications</i>
                @if($numOfmes)
                    @if($numOfmes == 1)
                <span class="numberOfMessages">{{$numOfmes}} New message</span>
                    @else
                        <span class="numberOfMessages">{{$numOfmes}} New
messages</span>
                    @endif
                @else
                    <span class="numberOfMessages">No new messages</span>
                @endif

            </a>
        </li>
      </ul>
    </div>
  </div>
  </nav>
```

RESOURCES\VIEWS\FIXED\ADMIN\SIDEBAR

```
<body class="">
    <div class="wrapper ">
      <div class="sidebar" data-color="purple" data-background-color="white">
        <div class="logo adminName" class="simple-text logo-normal">
            {{session()->get('user')->full_name}}<br>{{session()->get('user')-
>email}}
        </div>
        <div class="sidebar-wrapper">
          <ul class="nav">
            @foreach ($navigation as $nav)
            <li @if(Request::url() === url($nav['href']))
            class="nav-item active" @else class="nav-item" @endif>
              <a class="nav-link" href="{{ url($nav['href']) }}">
                <i class="material-icons">{{$nav['icon']}}</i>
                <p>{{$nav['title']}}</p>
              </a>
            </li>
            @endforeach
          </ul>
        </div>
      </div>
      <div class="main-panel">
```

RESOURCES\VIEWS\LAYOUTS\LAYOUT

```
@include("fixed.head")

@include("fixed.navigation")

@yield("content")
@include("fixed.footer")
@include("fixed.scripts")
```

RESOURCES\VIEWS\LAYOUTS\ADMIN\LAYOUT

```
@include("fixed.admin.head")
@include("fixed/admin/sidebar")
@include("fixed/admin/nav")

@yield("content")

@include("fixed/admin/footer")
```

RESOURCES\VIEWS\PAGES\CONTACT

```
@extends('layouts.layout')
@section('title')
    Contact
@endsection
@section('content')
    <div id="content" class="site-content">
        <div id="primary" class="content-area column full">
            <main id="main" class="site-main">
                <article id="post-39" class="post-39 page type-page status-
publish hentry">
                    <header class="entry-header">
                        <h1 class="entry-title">Contact</h1>
                    </header>
                    <!-- .entry-header -->
                    <div class="entry-content">

                        <!-- BEGIN MAP -->
                        <p><script
src='https://maps.googleapis.com/maps/api/js?v=3.exp'></script>
                        <div style='overflow:hidden;height:380px;width:100%;'>
                            <div id='gmap_canvas'
style='height:380px;width:100%;'></div>
                            <div>embed google maps</a></div>
                            <style>#gmap_canvas img{max-
width:none!important;background:none!important}</style>
                        </div>
                        <p><script type='text/javascript'>function
init_map(){var myOptions = {zoom:10,center:new google.maps.LatLng(3.4000221,-
76.387969),mapTypeId: google.maps.MapTypeId.ROADMAP};map = new
google.maps.Map(document.getElementById('gmap_canvas'), myOptions);marker =
new google.maps.Marker({map: map,position: new google.maps.LatLng(3.4000221,-
76.387969)});infowindow = new google.maps.InfoWindow({content:'<strong>Jane
Photography</strong><br />Florida Beach<br
/>'});google.maps.event.addListener(marker, 'click',
function(){infowindow.open(map,marker);});infowindow.open(map,marker);}google.
maps.event.addDomListener(window, 'load', init_map);</script></p>
                        <!-- END MAP -->

                        <div class="wpcmsdev-columns">
                            <div class="column column-width-one-half">
                                <h4>Quick Contact</h4>

                                <form action="{{url('/contact/send')}}"
method="POST">
```

```
                                          @csrf
                                          <div class="form-group">
                                              <label for="email">Email</label>
                                              <input type="text" name="email"
id="email" class="form-control" placeholder="example@example">
                                          </div>
                                          <div class="form-group">
                                              <label for="subject">Subject</label>
                                              <input type="text" name="subject"
id="subject" class="form-control" placeholder="Subject">
                                          </div>
                                          <div class="form-group">
                                              <label for="message">Message</label>
                                              <textarea name="message" id="message"
cols="5" rows="5" class="form-control" placeholder="Message..."></textarea>
                                          </div>
                                          <div class="form-group">
                                              <button type="submit" class="btn btn-
info">
                                                  Send Message
                                              </button>
                                          </div>
                                      </form>
                                      <div class="done">
                                          Your message has been sent. Thank you!
                                      </div>

                                  </div>
                                  <div class="column column-width-one-half">
                                      <h4>Find Us: (888) 252 389 3571</h4>
                                      <p>
                                          We're impartial and independent, and every
day we create distinctive, world-class programmes and content which inform,
educate and entertain millions of people in the UK and around the world.
                                      </p>
                                      <p>
                                          Monday – Friday: 9am to 5pm<br>
                                          Saturday: 10am to 2pm<br>
                                          Sunday: Closed
                                      </p>
                                  </div>
                              </div>
                          </div>
                          <!-- .entry-content -->
                      </article>
                  </main>
                  <!-- #main -->
              </div>
              <!-- #primary -->
          </div>
@endsection
```

RESOURCES\VIEWS\PAGES\HOME

```
@extends('layouts.layout')
@section('title')
```

```
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    @endisset
                    <div class="flash-message">
                        @foreach (['danger', 'warning', 'success', 'info']
as $msg)
                            @if(Session::has('alert-' . $msg))
                                <p class="alert alert-{{ $msg }}">{{
Session::get('alert-' . $msg) }}</p>
                            @endif
                        @endforeach
                    </div>
                </div>
                <div class="card card-default">
                    <div class="">
                        <h5 class="loginText text-center">Sign in with
your account</h5>
                    </div>
                    <div class="card-body">
                        <form class="wpcf7" method="POST" action="{{
url("/login") }}" id="">
                            @csrf
                            <div class="form">
                                <p><input type="email" id="email"
class="form-control " name="email" placeholder="Username *"></p>
                                <p><input type="password"class="form-
control" id="password" name="password" placeholder="Password *"></p>
                                <button type="submit" class="btn
loginInput blue blueHover" id="submit" class="clearfix btn">Login</button>
                                <a href="{{url('/register')}}" class="
loginInput blueTextHover">Sign up?</a>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </main>
    </div>
</div>
@endsection
```

RESOURCES\VIEWS\PAGES\MY_POSTS

```
@extends("layouts.layout")
@section('title')
    My Posts
@endsection
@section('content')
    <div class="container">
        <div class="col-lg-12 centered">

            <main id=""class="posts-listing">
                <div class="container">
                    <div class="row" id="bb"></div>
```

```
                        <div class="">
                            <div class="prof-info col-md-6">
                                <h3>{{isset($user)?$user->full_name : session()-
>get('user')->full_name}}'s Posts</h3>
                                <span class="info"><i class="fa fa-envelope-o"
aria-hidden="true"></i>  email {{isset($user)?$user->email : session()-
>get('user')->email}}</span><br>
                                <span class="info"><i class="fa fa-calendar-o"
aria-hidden="true"></i> Joined {{isset($user)? date('F Y', strtotime($user-
>registrated_at)) :  date('F Y', strtotime(session()->get('user')-
>registrated_at)) }}</span>
                            </div>
                        </div>
                        <div class="flash-message">
                            @foreach (['danger', 'warning', 'success', 'info'] as
$msg)
                                @if(Session::has('alert-' . $msg))
                                    <p class="alert alert-{{ $msg }}">{{
Session::get('alert-' . $msg) }}</p>
                                @endif
                            @endforeach
                        </div>
                        @if(count($posts))

                            @if(!isset($user) || ((session()->has('user')) &&
$id==session()->get('user')->id_user))
                                <div class="prof-info col-md-6">
                                <a href="{{url('user_posts/create')}}"
class="new"><button type="button" class="btn btn-blue">Create
Post</button></a>
                                </div>
                        </div>
                            @endif
                            @foreach ($posts as $post)
                                @if(isset($user))
@component('partials.my_posts',["p"=>$post,"user"=>$user,"id"=>$id])
                                    @endcomponent
                                @else
                                    @component('partials.my_posts',["p"=>$post])
                                    @endcomponent
                                @endif
                            @endforeach
                        @else
                            <div class="container" id="noPosts">
                                <h3>No posts yet</h3>
                                @if(!isset($user) || ((session()->has('user')) &&
$id==session()->get('user')->id_user))
                                    <a href="{{url('user_posts/create')}}"><button
type="button" class="btn btn-outline-success">Create First Post</button></a>
                                @endif
                            </div>
                        @endif
                    </div>
            </main>
        </div>
@endsection
```

RESOURCES\VIEWS\PAGES\NEW_POST

```blade
@extends('layouts.layout')
@section('title')
    @if(isset($post)) Edit Post @else Create Post  @endif
@endsection
@section('content')
    <div class="container-fluid centered">
        <div class="row">
            <main class="centered col-lg-12">
                <div class="flash-message">
                    @foreach (['danger', 'warning', 'success', 'info'] as
$msg)
                        @if(Session::has('alert-' . $msg))
                            <p class="alert alert-{{ $msg }}">{{
Session::get('alert-' . $msg) }}</p>
                        @endif
                    @endforeach
                </div>
                <div class="editOrCreatePost">
                    {{isset($post)? "Edit Post" : "Create New Post"}}
                </div>
                <div class="card card-default">
                    <div class="card-body">
                        <form action="{{isset($post)?
route('user_posts.update',$post->id_post):route('user_posts.store')}}"
method="POST" enctype="multipart/form-data">
                            @csrf
                            @if(isset($post))
                                @method('PUT')
                            @endif
                            <div class="form-group">
                                <label for="title"
class="labelText">Title</label>
                                <input type="text" name="title" id="title"
class="form-control" value="{{isset($post)? $post->title : ''}}">
                            </div>
                            <div class="form-group">
                                <label for="description"
class="labelText">Description</label>
                                <textarea name="description" id="description"
cols="20" rows="5" class="form-control">{{isset($post)? $post->description :
''}}</textarea>
                            </div>
                            <div class="form-group">
                                <label for="content"
class="labelText">Content</label>
                                <textarea id="content" type="textarea"
cols="20" rows="20"  class="form-control" name="content">{{isset($post)?
$post->content : ''}}</textarea>
                                <trix-editor input="content" ></trix-editor>
                            </div>
                            <div class="form-group">
                                <label for="categories[]"
class="labelText">Categories</label><br>
```

```
                                @if(isset($post))
                                    @foreach ($categories as $c)
                                        @if($post->postCategories-
>contains('category',$c->category))
                                            <input type="checkbox"
name="categories[]" checked value="{{$c->id_category}}" />
                                            {{$c->category}}
                                        @else
                                            <input type="checkbox"
name="categories[]" value="{{$c->id_category}}" />{{$c->category}}
                                        @endif
                                    @endforeach
                                @else
                                    @foreach ($categories as $c)
                                        <input type="checkbox"
name="categories[]" value="{{$c->id_category}}" />
                                        {{$c->category}}
                                    @endforeach
                                @endif
                            </div>
                            @isset($post)
                                <div class="form-group">
                                    <img src="{{asset('/assets/images/'.$post-
>photo)}}" alt="" style="width: 100%">
                                </div>
                            @endisset
                            <div class="form-group">
                                <label for="image"
class="labelText">Image</label>
                                <input type="file" name="image" id="image"
class="form-control" >
                            </div>
                            <div class="form-group">
                                <button type="submit" class="btn btn-blue">
                                    {{isset($post)? "Update Post":"Create
Post"}}

                                </button>
                            </div>
                        </form>
                        <div class="col-md-12">
                            @isset($errors)
                                @if($errors->any())
                                    <div class="alert alert-danger">
                                        <ul class="list-group">
                                            @foreach($errors->all() as
$poruka)
                                                <li class="list-group-item">
                                                    {{ $poruka }} <br/>
                                                </li>
                                            @endforeach
                                        </ul>
                                    </div>
                                @endif
                            @endisset
                        </div>
                    </div>
```

```
                    </div>

            </main>
        </div>
    </div>
            @endsection
            @section('javascript')
                <script
src="https://cdnjs.cloudflare.com/ajax/libs/trix/1.2.1/trix.js"></script>

            @endsection
            @section('css')
                <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/trix/1.2.1/trix.css"/>

@endsection
```

RESOURCES\VIEWS\PAGES\ONE_POST

```
@extends('layouts.layout')
@section('title')
    {{$post->title}}
@endsection
@section('content')
    <div id="content" class="site-content">
        <div id="primary" class="content-area column two-thirds">
            <main id="main" class="site-main" role="main">
                <article>
                    <header class="entry-header">
                        <h1 class="entry-title">{{$post->title}}</h1>
                        <div class="entry-meta">
                            <span class=""><i class="fa fa-eye" aria-
hidden="true"></i>{{$post->view}}</span> |
                            <span class="posted-on"><time class="entry-date
published">{{date('F d, Y', strtotime($post->created at))}}</time></span>
                        </div>
                        <div class="entry-thumbnail">
                            <img src="http://s3.amazonaws.com/caymandemo/wp-
content/uploads/sites/10/2015/09/30160348/sep4.jpg" alt="">
                        </div>
                    </header>
                    <!-- .entry-header -->
                    <div class="entry-content">
                        {!!$post->content !!}
                    </div>
                </article>
                <!-- #post-## -->

                <!-- .navigation -->
                <div id="comments" class="comments-area">
                    <div id="respond" class="comment-respond">
                        <h3 id="reply-title" class="comment-reply-title">Leave
a Reply <small><a rel="nofollow" id="cancel-comment-reply-link" href="/demo-
moschino/embed-audio/#respond" style="display:none;">Cancel
```

```
reply</a></small></h3>
                                <div class="post-comments">
                                    <header>
                                        <h3 class="h6 blueText blueTextSize">Post
Comments<span class="no-of-comments">({{count($comm)}})</span></h3>
                                    </header>
                                    <div id="allComments">
                                        @foreach ($comm as $c)
                                            @component('partials.comment',["c"=>$c])
                                            @endcomponent
                                        @endforeach
                                    </div>
                                </div>
                                @if(session()->has('user'))
                                    <div class="add-comment">
                                        <header>
                                            <h3 class="h6">Leave a comment</h3>
                                        </header>
                                        <form  class="commenting-form">
                                            <div class="row">
                                                <input type="hidden" name="post"
id="id_post" value="{{$post->id_post}}">
                                                <input type="hidden" name="user"
id="id_user" value="{{session()->get('user')->id_user}}">
                                                <div class="form-group col-md-12">
                                                    <textarea name="usercomment"
id="usercomment" placeholder="Type your comment" class="form-
control"></textarea>
                                                </div>
                                                <div class="form-group col-md-12 text-
muted" id="text-error"></div>
                                                <div class="form-group col-md-12">
                                                    <button type="submit" class="btn
btn-secondary" id="btnComment">Submit Comment</button>
                                                </div>
                                            </div>
                                        </form>
                                        @isset($errors)
                                            @foreach($errors->all() as $error)
                                                {{ $error }}
                                            @endforeach
                                        @endisset
                                    </div>
                                @else
                                    <a href="{{url('/login')}}"><button class=" btn-
to-log-in">Login To Comment</button></a>
                                @endif

                            </div>
                            <!-- #respond -->
                        </div>
                        <!-- #comments -->
                    </main>
                    <!-- #main -->
                </div>
                @include('fixed.sidebar')
```

```
        </div>
@endsection
```

RESOURCES\VIEWS\PAGES\POST_CATEGORY

```
@extends('layouts.layout')
@section('title')
    {{$name->category}}
@endsection
@section('content')


                <header class="">
                    <h3 class="page-title">
                        {{$name->category}}
                    </h3>
                </header>

                <div id="content" class="site-content">
                    <div id="primary" class="content-area column two-thirds">
                        <main id="main" class="site-main" role="main">
                            <div class="grid bloggrid">
                                <div class="row" id="postovi">
                                @component('partials.post', ['posts'=>$posts])
                                @endcomponent
                                </div>
                            </div>
                            <div class="clearfix">
                            </div>
                            {{$posts->links()}}
                            <br/>
                        </main>
                        <!-- #main -->
                    </div>
                    <!-- #primary -->

                @include('fixed.sidebar')
                    <!-- #secondary -->
                </div>

@endsection
```

RESOURCES\VIEWS\PAGES\REGISTER

```
@extends('layouts.layout')
@section('title')
    Login
@endsection
@section('content')
    <div class="container">
        <div class="row">
            <main class="posts-listing col-lg-8">
                <div class="container">
                    <div class="col-md-12">
                        @isset($errors)
```

```blade
                                    @if($errors->any())
                                        <div class="alert alert-danger">
                                            <ul class="list-group">
                                                @foreach($errors->all() as $poruka)
                                                    <li class="list-group-item">
                                                        {{ $poruka }} <br/>
                                                    </li>
                                                @endforeach
                                            </ul>
                                        </div>
                                    @endif
                                @endisset
                                <div class="flash-message">
                                    @foreach (['danger', 'warning', 'success', 'info']
as $msg)
                                        @if(Session::has('alert-' . $msg))
                                            <p class="alert alert-{{ $msg }}">{{
Session::get('alert-' . $msg) }}</p>
                                        @endif
                                    @endforeach
                                </div>
                            </div>
                            <div class="card card-default">
                                <div class="">
                                    <h5 class="text-center loginText">Sign in with
your account</h5>
                                </div>
                                <div class="card-body">
                                    <form class="wpcf7" method="POST" action="{{
url("/register") }}" id="contactform">
                                        @csrf
                                        <div class="form">
                                            <p><input type="text" class="form-control"
id="name" name="name" placeholder="Full Name *"></p>
                                            <p><input type="email" class="form-
control" id="email" name="email" placeholder="Email *"></p>
                                            <p><input type="password"  class="form-
control" id="password" name="password" placeholder="Password *"></p>
                                            <button type="submit" id="submit"
class="btn loginInput blue blueHover">Register</button>
                                            <a href="{{url('/login')}}" class="
loginInput blueTextHover">Sign in?</a>
                                        </div>
                                    </form>
                                </div>
                            </div>
                        </div>
                    </main>
@endsection
```

RESOURCES\VIEWS\PAGES\RESULTS

```blade
@extends('layouts.layout')
@section('title')
    Search
@endsection
```

```
@section('content')
    <div class="container">
        <div class="row">
            <main id=""class="posts-listing col-lg-8">
                <div class="container">
                    <div class="row" id="bb"></div>
                    <div class="grid bloggrid">
                        <div class="row" id="postovi">
                            @component('partials.post', ['posts'=>$posts])
                            @endcomponent
                        </div>
                    </div>
                </div>
            </main>
            @include('fixed.sidebar')
        </div>
    </div>

@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\ACTIVITIES

```
@extends('layouts.admin.layout')
@section('title')
Dashboard
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-12">
                <div class="card">
                    <div class="card-header card-header-primary">
                        <h4 class="card-title ">Activities</h4>
                        <p class="card-category"> Users activities on site</p>
                    </div>
                    <div class="card-body">
                        <div class="table-responsive">
                            <table class="table">
                                <label>Filter by date:</label>
                                <input type="date" class="form-control  col-lg-4 col-md-
12 col-sm-12" name="date" id='date'>
                                <thead class=" text-primary">
                                <th class="numberOfMessages thActivities"> ID</th>
                                <th class="numberOfMessages thActivities"> Name</th>
                                <th class="numberOfMessages thActivities">Activiti</th>
                                <th class="numberOfMessages thActivities">Date</th>
                                </thead>
                                <tbody id='action'>
                                <?php $br=1?>
                                    @foreach ($activities as $a)
                                <tr>
                                    <td> {{$br++}}</td>
                                    <td>{{$a->full_name}}</td>
                                    <td>{{$a->action}}</td>
                                    <td> {{date('d.m.Y.', strtotime($a->date))}}</td>
```

```
                        </tr>
                        @endforeach
                    </tbody>
                </table>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\CATEGORIES

```
@extends('layouts.admin.layout')
@section('title')
Categories
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
        <div class="row">
          <div class="col-md-12">
              <div class="flash-message">
                @foreach (['danger', 'warning', 'success', 'info'] as $msg)
                  @if(Session::has('alert-' . $msg))
                  <p class="alert alert-{{ $msg }}">{{ Session::get('alert-' .
$msg) }}</p>
                  @endif
                @endforeach
              </div>
              <div class="card">
                <div class="card-header card-header-primary">
                  <h4 class="card-title ">Category</h4>
                  <p class="card-category"> Add, edit, delete category</p>
                </div>
                <div class="card-body">
                  <div class="table-responsive">
                    <table class="table">
                      <thead class=" text-primary">
                        <th class="blueText"> ID</th>
                        <th class="blueText"> Name</th>
                        <th class="blueText"> Creared</th>
                        <th class="blueText"> Updated</th>
                        <th class="blueText">Edit/Delete</th>
                      </thead>
                      <tbody>
                        <?php $br=1?>
                          @foreach ($categories as $c)
                        <tr>
                          <td> {{$br++}}</td>
                          <td>{{$c->category}}</td>
                          <td>{{date('d.m.Y.', strtotime($c->created_at))}}</td>
                          <td>{{date('d.m.Y.', strtotime($c->updated_at))}}</td>
                          <td class="td-actions">
```

```html
                            <a href="{{route('category.edit',$c->id_category)}}">
                             <button class="btn btn-success btn-fab btn-fab-mini
btn-round">
                                <i class="material-icons">edit</i>
                             </button>
                            </a>
                             <button class="btn btn-danger btn-fab btn-fab-mini
btn-round btnAdminDeleteCat" data-id={{$c->id_category}}>
                                <i class="material-icons">close</i>
                             </button>
                             <form action="" id="deleteFormaAdminCat"
method="post">
                                @method('delete')
                                @csrf
                                <div class="modal fade" tabindex="-1"
id="deleteModalAdminCat" role="dialog">
                                   <div class="modal-dialog" role="document">
                                     <div class="modal-content">
                                        <div class="modal-header">
                                          <h5 class="modal-title"
id="exampleModalLabelAdminCat">Delete Category</h5>
                                          <button type="button" class="close"
data-dismiss="modal" aria-label="Close">
                                            <span aria-
hidden="true">&times;</span>
                                          </button>
                                        </div>
                                        <div class="modal-body">
                                          <p>Are you sure you want to delete this
category?</p>
                                        </div>
                                        <div class="modal-footer">
                                          <button type="submit" class="btn btn-
primary btn-danger">Yes, delete</button>
                                          <button type="button" class="btn btn-
secondary" data-dismiss="modal">No, go back</button>
                                        </div>
                                     </div>
                                   </div>
                                </div>
                             </form>
                      </td>
                      </tr>
                      @endforeach
                   </tbody>
                </table>
             </div>
           </div>
        </div>
        <div class="col-md-12">
           <a href="{{route('category.create')}}"> <button class="btn btn-
blue ">Add New Category</button></a>
        </div>
     </div>
   </div>
```

```
</div>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\CATEGORY_FORM

```php
@extends('layouts.admin.layout')
@section('title')
@if(isset($category)) Edit Category @else Create Category  @endif
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-12">
                <div class="col-md-12">
                    @isset($errors)
                    @if($errors->any())
                    <div class="alert alert-danger">
                        <ul class="list-group">
                            @foreach($errors->all() as $poruka)
                                <li class="list-group-item">
                                    {{ $poruka }} <br/>
                                </li>
                            @endforeach
                        </ul>
                    </div>
                    @endif
                    @endisset
                </div>
            <div class="card">
                <div class="card-header card-header-primary">
                    <h4 class="card-title">{{isset($category)? "Edit Category" :
"Add New Category"}}</h4>
                    <p class="card-category">{{isset($category)? "Change category" :
"Create category"}}</p>
                </div>
                <div class="card-body">
                    <form action="{{isset($category)?
route('category.update',$category->id_category):route('category.store')}}"
method="post">
                        @csrf
                        @if(isset($category))
                        @method('PUT')
                        @endif
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label class="bmd-label-floating">Category Name</label>
                            <input type="text" class="form-control"
name="category_name" value="{{isset($category)? $category->category : ''}}">
                        </div>
                    </div>
                    <div class="col-md-12">
                        <button type="submit" class="btn btn-primary pull-
right">{{isset($category)? "Update Category":"Create Category"}}
                        </button>
```

```
                        <div class="clearfix"></div>
                    </div>
                </form>
            </div>
        </div>
    </div>

        </div>
    </div>
  </div>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\COMMENTS

```
@extends('layouts.admin.layout')
@section('title')
Comments
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-12">
            <div class="flash-message">
                @foreach (['danger', 'warning', 'success', 'info'] as $msg)
                    @if(Session::has('alert-' . $msg))
                    <p class="alert alert-{{ $msg }}">{{ Session::get('alert-' .
$msg) }}</p>
                    @endif
                @endforeach
            </div>
            <div class="card">
              <div class="card-header card-header-primary">
                <h4 class="card-title ">Comments</h4>
                <p class="card-category">delete comments</p>
              </div>
              <div class="card-body">
                <div class="table-responsive">
                  <table class="table">
                    <thead class=" text-primary">
                      <th class="blueText"> ID</th>
                      <th class="blueText"> User</th>
                      <th class="blueText"> Post</th>
                      <th class="blueText"> Comment</th>
                      <th class="blueText"> Date</th>
                      <th class="blueText">Delete</th>
                    </thead>
                    <tbody id="com">
                      <?php $br=1?>
                        @foreach ($comments as $c)
                      <tr>
                        <td> {{$br++}}</td>
                        <td>{{$c->full_name}}</td>
                        <td>{{$c->title}}</td>
```

```
                    <td>{{$c->comment}}</td>
                    <td>{{date('d.m.Y.', strtotime($c->date))}}</td>
                    <td class="td-actions">
                            <button class="btn btn-danger btn-fab btn-fab-mini
btn-round btnAdminDeleteCom " data-id={{$c->id_comment}}>
                                <i class="material-icons">close</i>
                            </button>
                    </td>
                    </tr>
                    @endforeach
                </tbody>
            </table>
        </div>
      </div>
    </div>
   </div>
  </div>
 </div>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\MESSAGES

```
@extends('layouts.admin.layout')
@section('title')
Inbox
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-12">
            <div class="card">
              <div class="card-header card-header-primary">
                <h4 class="card-title ">Messages</h4>
                <p class="card-category">Users messages</p>
              </div>
              <div class="card-body">
                <div class="table-responsive">
                  <table class="table">
                    <thead class=" text-primary">
                      <th> ID</th>
                      <th> Email</th>
                      <th> Subject</th>
                      <th> Date</th>
                      <th>View</th>
                    </thead>
                    <tbody id="com">
                      <?php $br=1?>
                        @foreach ($messages as $m)
                      <tr>
                        <td> {{$br++}}</td>
                        <td>{{$m->email}}</td>
                        <td>{{$m->subject}}</td>
                        <td>{{date('d.m.Y.', strtotime($m->date))}}</td>
                        <td class="td-actions">
```

```
                                <a href="{{url('/admin/messages',$m-
>id_message)}}">
                                        <button class="btn btn-info"> Read</button>
                                </a>
                                <button class="btn btn-danger btn-fab btn-fab-mini
btn btnAdminDeleteMess " data-id="{{$m->id_message}}">
                                    <i class="material-icons">close</i>
                                </button>
                        </td>
                        </tr>
                        @endforeach
                    </tbody>
                </table>
            </div>
          </div>
        </div>
      </div>
     </div>
    </div>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\ONE_MESSAGE

```
@extends('layouts.admin.layout')
@section('title')
Inbox
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-12">
            <div class="col-lg-12">
                <div class="card card-stats">
                    <div class="card-header card-header-info card-header-icon">
                        <div class="card-icon">
                            <i class="fa fa-envelope"></i>
                        </div>
                        <p class="card-category">Message</p>
                    </div>
                    <div class="card-body">

                        <h5 class="card-category">From:</h5>
                        <p class="card-title">{{$message->email}}</p>
                        <h5 class="card-category">Subject:</h5>
                        <p class="card-title">{{$message->subject}}</p>
                        <h5 class="card-category">Message:</h5>
                        <p class="card-title">{{$message->message}}</p>

                    </div>
                    <div class="card-footer">
                        <div class="stats">

                        </div>
                    </div>
```

```
                </div>
            </div>
        </div>
    </div>
</div>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\POST_FORM

```
@extends('layouts.admin.layout')
@section('title')
@if(isset($post)) Edit Post @else Create Post  @endif
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
        <div class="row">
          <div class="col-md-12">
            <div class="col-md-12">
                @isset($errors)
                @if($errors->any())
                <div class="alert alert-danger">
                    <ul class="list-group">
                            @foreach($errors->all() as $poruka)
                                <li class="list-group-item">
                                    {{ $poruka }} <br/>
                                </li>
                            @endforeach
                    </ul>
                </div>
                @endif
                @endisset
            </div>
          <div class="card">
            <div class="card-header card-header-primary">
              <h4 class="card-title">{{isset($post)? "Edit Post" : "Add New
Post"}}</h4>
                <p class="card-category">{{isset($post)? "Change post" : "Create
post"}}</p>
            </div>
            <div class="card-body">
              <form action="{{isset($post)? route('posts.update',$post-
>id_post):route('posts.store')}}" method="post" enctype="multipart/form-data">
                        @csrf
                        @if(isset($post))
                        @method('PUT')
                        @endif
                <div class="row">
                  <div class="col-md-12">
                    <div class="form-group">
                      <label class="bmd-label-floating">Title</label>
                      <input type="text" class="form-control" name="title"
value="{{isset($post)? $post->title : ''}}">
                    </div>
                  </div>
```

```html
                    <div class="col-md-12">
                        <div class="form-group">
                            <label class="bmd-label-floating">Description</label>
                            <textarea name="description" id="description" cols="5"
rows="5" class="form-control">{{isset($post)? $post->description :
''}}</textarea>
                        </div>
                    </div>
                    <div class="col-md-12">
                        <div class="form-group">
                            <label for="content">Content</label>
                            <input id="content" type="hidden" name="content"
cols="20" rows="20" value="{{isset($post)? $post->content : ''}}">
                            <trix-editor input="content"></trix-editor>
                        </div>
                    </div>
                </div>
                @isset($post)
                <div class="form-group">
                    <img src="{{asset('/assets/images/'.$post->photo)}}"
alt="" style="width: 50%">
                </div>
                @endisset
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label for="image" class="bmd-label-floating">
                                Image
                            </label>
                            <input type="file" name="image" id="image" >
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="form-group">
                            <label for="categories[]" class="bmd-label-
floating">Categories</label><br>
                            @if(isset($post))
                            @foreach ($categories as $c)
                            @if($post->postCategories->contains('category',$c-
>category))
                            <div class="form-check form-check-inline">
                                <label class="form-check-label">
                                    <input class="form-check-input"
type="checkbox" checked value="{{$c->id_category}}" name="categories[]">{{$c-
>category}}
                                    <span class="form-check-sign">
                                        <span class="check"></span>
                                    </span>
                                </label>
                            </div>
                            @else
                            <div class="form-check form-check-inline">
                                <label class="form-check-label">
                                    <input class="form-check-input"
type="checkbox" value="{{$c->id_category}}" name="categories[]">{{$c-
```

```html
>category}}
                                        <span class="form-check-sign">
                                            <span class="check"></span>
                                        </span>
                                    </label>
                                </div>
                                @endif
                                @endforeach
                                @else
                                @foreach ($categories as $c)
                                <div class="form-check form-check-inline">
                                        <label class="form-check-label">
                                            <input class="form-check-input"
type="checkbox" value="{{$c->id category}}" name="categories[]">{{$c-
>category}}
                                            <span class="form-check-sign">
                                                <span class="check"></span>
                                            </span>
                                        </label>
                                </div>
                                @endforeach
                                @endif
                            </div>
                        </div>
                    <div class="col-md-12">
                            <button type="submit" class="btn btn-blue pull-
right">{{isset($post)? "Update Post":"Create Post"}}
                            </button>
                    <div class="clearfix"></div>
                    </div>
                </form>
            </div>
        </div>
    </div>

    </div>
    </div>
  </div>
@endsection
@section('javascript')
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/trix/1.2.1/trix.js"></script>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\POSTS

```html
@extends('layouts.admin.layout')
@section('title')
Posts
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-12">
```

```html
            <div class="flash-message">
                @foreach (['danger', 'warning', 'success', 'info'] as $msg)
                    @if(Session::has('alert-' . $msg))
                    <p class="alert alert-{{ $msg }}">{{ Session::get('alert-' .
$msg) }}</p>
                    @endif
                @endforeach
            </div>
            <div class="card">
                <div class="card-header card-header-primary">
                    <h4 class="card-title ">Posts</h4>
                    <p class="card-category"> Add, edit, delete post</p>
                </div>
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table">
                            <thead class=" text-primary">
                                <th class="blueText"> ID</th>
                                <th class="blueText"> Post</th>
                                <th class="blueText">Title</th>
                                <th class="blueText">Published</th>
                                <th class="blueText">Updated</th>
                                <th class="blueText">Edit/Delete</th>
                            </thead>
                            <tbody>
                                <?php $br=1?>
                                    @foreach ($posts as $p)
                                <tr>
                                    <td> {{$br++}}</td>
                                    <td><img src="{{asset('/assets/images/'.$p->photo)}}"
alt="" class="slika"></td>
                                    <td> {{$p->title}}</td>
                                    <td>{{date('d.m.Y.', strtotime($p->created_at))}}</td>
                                    <td>{{date('d.m.Y.', strtotime($p->updated_at))}}</td>
                                    <td class="td-actions">
                                     <a href="{{route('posts.edit',$p->id_post)}}">
                                        <button class="btn btn-success btn-fab btn-fab-mini
btn-round">
                                            <i class="material-icons">edit</i>
                                        </button>
                                     </a>
                                        <button class="btn btn-danger btn-fab btn-fab-mini
btn-round btnAdminDelete" data-id={{$p->id_post}}>
                                            <i class="material-icons">close</i>
                                        </button>
                                        <form action="" id="deleteFormaAdmin" method="post">
                                            @method('delete')
                                            @csrf
                                            <div class="modal fade" tabindex="-1"
id="deleteModalAdmin" role="dialog">
                                                <div class="modal-dialog" role="document">
                                                    <div class="modal-content">
                                                        <div class="modal-header">
                                                            <h5 class="modal-title"
id="exampleModalLabelAdmin">Delete Post</h5>
                                                            <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
```

```
                                            <span aria-hidden="true">&times;</span>
                                        </button>
                                    </div>
                                    <div class="modal-body">
                                        <p>Are you sure you want to delete this
post?</p>
                                    </div>
                                    <div class="modal-footer">
                                        <button type="submit" class="btn btn-
primary btn-danger">Yes, delete</button>
                                        <button type="button" class="btn btn-
secondary" data-dismiss="modal">No, go back</button>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </form>
                </td>
                </tr>
                @endforeach
            </tbody>
        </table>
      </div>
    </div>
  </div>
  <div class="col-md-12">
      <a href="{{route('posts.create')}}"> <button class="btn btn-primary
">Add New Post</button></a>
  </div>
 </div>
 </div>
</div>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\USER_FORM

```
@extends('layouts.admin.layout')
@section('title')
@if(isset($user)) Edit User @else Create User  @endif
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-12">
            <div class="col-md-12">
                @isset($errors)
                @if($errors->any())
                <div class="alert alert-danger">
                    <ul class="list-group">
                        @foreach($errors->all() as $poruka)
                            <li class="list-group-item">
                                {{ $poruka }} <br/>
                            </li>
                        @endforeach
```

```
                    </ul>
                </div>
                @endif
                @endisset
            </div>
        <div class="card">
            <div class="card-header card-header-primary">
                <h4 class="card-title">{{isset($user)? "Edit User" : "Add New
User"}}</h4>
                <p class="card-category">{{isset($user)? "Change user" : "Create
user"}}</p>
            </div>
            <div class="card-body">
                <form action="{{isset($user)? route('users.update',$user-
>id_user):route('users.store')}}" method="post">
                        @csrf
                        @if(isset($user))
                        @method('PUT')
                        @endif
                    <div class="row">
                        <div class="col-md-12">
                            <div class="form-group">
                                <label class="bmd-label-floating">Full Name</label>
                                <input type="text" class="form-control" name="name"
value="{{isset($user)? $user->full_name : ''}}">
                            </div>
                        </div>
                    </div>
                    <div class="row">
                        <div class="col-md-12">
                            <div class="form-group">
                                <label class="bmd-label-floating">Email</label>
                                <input type="text" class="form-control" name="email"
value="{{isset($user)? $user->email : ''}}">
                            </div>
                        </div>
                    </div>
                    <div class="row">
                        <div class="col-md-12">
                            <div class="form-group">
                                <label class="bmd-label-floating">{{isset($user)?
"Change Password" : "Password"}}</label>
                                <input type="password" class="form-control"
name="password">
                            </div>
                        </div>
                    </div>
                    <div class="col-md-12">
                        <button type="submit" class="btn btn-primary pull-
right">{{isset($user)? "Update User":"Create User"}}
                        </button>
                    <div class="clearfix"></div>
                    </div>
                </form>
            </div>
        </div>
    </div>
```

```
        </div>
      </div>
    </div>
@endsection
```

RESOURCES\VIEWS\PAGES\ADMIN\USERS

```
@extends('layouts.admin.layout')
@section('title')
Users
@endsection
@section('content')
<div class="content">
    <div class="container-fluid">
       <div class="row">
         <div class="col-md-12">
           <div class="flash-message">
             @foreach (['danger', 'warning', 'success', 'info'] as $msg)
               @if(Session::has('alert-' . $msg))
               <p class="alert alert-{{ $msg }}">{{ Session::get('alert-' .
$msg) }}</p>
               @endif
             @endforeach
           </div>
           <div class="card">
             <div class="card-header card-header-primary">
               <h4 class="card-title ">Users</h4>
               <p class="card-category"> Add, edit, delete users</p>
             </div>
             <div class="card-body">
               <div class="table-responsive">
                 <table class="table">
                   <thead class=" text-primary">
                     <th class="blueText"> ID</th>
                     <th class="blueText"> Name</th>
                     <th class="blueText">Email</th>
                     <th class="blueText">Role</th>
                     <th class="blueText">Registrated at</th>
                     <th class="blueText">Edit/Delete</th>
                   </thead>
                   <tbody>
                     <?php $br=1?>
                       @foreach ($users as $u)
                     <tr>
                       <td> {{$br++}}</td>
                       <td>{{$u->full_name}}</td>
                       <td> {{$u->email}}</td>
                       <td> {{$u->role}}</td>
                       <td> {{date('d.m.Y.', strtotime($u-
>registrated_at))}}</td>
                       <td class="td-actions">
                        <a href="{{route('users.edit',$u->id_user)}}">
                          <button class="btn btn-success btn-fab btn-fab-mini
```

```
btn-round">
                                <i class="material-icons">edit</i>
                            </button>
                        </a>
                            <button class="btn btn-danger btn-fab btn-fab-mini
btn-round btnAdminDeleteUser" data-id={{$u->id_user}}>
                                <i class="material-icons">close</i>
                            </button>
                            <form action="" id="deleteFormaAdminUser"
method="post">
                                @method('delete')
                                @csrf
                                <div class="modal fade" tabindex="-1"
id="deleteModalAdminUser" role="dialog">
                                    <div class="modal-dialog" role="document">
                                        <div class="modal-content">
                                            <div class="modal-header">
                                                <h5 class="modal-title"
id="exampleModalLabelAdmin">Remove User</h5>
                                                <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                                                    <span aria-hidden="true">&times;</span>
                                                </button>
                                            </div>
                                            <div class="modal-body">
                                                <p>Are you sure you want to remove this
user?</p>
                                            </div>
                                            <div class="modal-footer">
                                                <button type="submit"
id="deleteFormaAdminUser" class="btn btn-primary btn-danger">Yes,
remove</button>
                                                <button type="button" class="btn btn-
secondary" data-dismiss="modal">No, go back</button>
                                            </div>
                                        </div>
                                    </div>
                                </div>
                            </form>
                    </td>
                    </tr>
                    @endforeach
                </tbody>
            </table>
        </div>
      </div>
    </div>
  </div>
  <div class="col-md-12">
      <a href="{{route('users.create')}}"> <button class="btn btn-blue
">Add New User</button></a>
  </div>
  </div>
  </div>
</div>
@endsection
```

RESOURCES\VIEWS\PARTIALS\COMMENT

```
<div class="comment">
    <div class="comment-header d-flex justify-content-between">
        <div class="user d-flex align-items-center">
            <div class="title"><strong>{{$c->full_name}}</strong><span
class="date">/{{date('F Y', strtotime($c->date))}}</span></div>
        </div>
    </div>
    <div class="comment-body">
        <p>{{$c->comment}}</p>
    </div>
</div>
```

RESOURCES\VIEWS\PARTIALS\MY_POSTS

```
<article class="centered">
    <header class="entry-header">
        <h1 class="entry-title"><a href="{{url('/posts',$p->id_post)}}"
rel="bookmark">{{$p->title}}</a></h1>
        <div class="entry-meta">
            <span class=""><i class="fa fa-eye" aria-hidden="true"></i>{{$p-
>view}}</span> |
            <span class="posted-on"><time class="entry-date
published">{{date('F d, Y', strtotime($p->created_at))}}</time></span>
        </div>
        <div class="entry-thumbnail">
            <img src="{{asset('assets/images/'.$p->photo)}}" alt="{{$p-
>title}}">
        </div>
    </header>
    <div class="entry-summary">
        <p>
            {{$p->description}}
            <a class="more-link" href="blog-single.html">Read more</a>
        </p>
    </div>
    <footer class="entry-footer">
            <span class="cat-links">
            Posted by <a href="#">{{$p->full_name}}</a>
            </span>
    </footer>
</article>
        @if(!isset($user) || ((session()->has('user')) && $id==session()-
>get('user')->id_user))
            <div class="edit col-lg-12 centered">
                <a href="{{route('user_posts.edit',$p->id_post)}}"><button
type="button" class="btn btn-info btn-sm"><i class="fa fa-pencil" aria-
hidden="true"></i></button></a>
                <button type="button" class="btn btn-danger btn-sm"
id="btnDeletePost" data-id="{{$p->id_post}}"><i class="fa fa-trash-o" aria-
hidden="true"></i></button>
                <form action="" id="deleteForma" method="POST">
                    @method('DELETE')
```

```
                        @csrf
                        <div class="modal fade" id="deleteModal" tabindex="-1"
role="dialog" aria-labelledby="deleteModalLabel" aria-hidden="true">
                            <div class="modal-dialog" role="document">
                                <div class="modal-content">
                                    <div class="modal-header">
                                        <h5 class="modal-title"
id="exampleModalLabel">Delete Post</h5>
                                        <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                                            <span aria-
hidden="true">&times;</span>
                                        </button>
                                    </div>
                                    <div class="modal-body">
                                        <p class="form-group">Are you sure you
want to delete this post?</p>
                                    </div>
                                    <div class="modal-footer">
                                        <button type="button" class="btn btn-
secondary" data-dismiss="modal">No, go back</button>
                                        <button type="submit" class="btn btn-
danger">Yes, delete</button>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </form>
                </div>
        @endif
{{-- </div> --}}
```

RESOURCES\VIEWS\PARTIALS\POST

```
@foreach($posts as $p)
    <article>
        <header class="entry-header">
            <h1 class="entry-title"><a href="{{url('/posts',$p->id_post)}}"
rel="bookmark">{{$p->title}}</a></h1>
            <div class="entry-meta">
                <span class=""><i class="fa fa-eye" aria-
hidden="true"></i>{{$p->view}}</span> |
                <span class="posted-on"><time class="entry-date
published">{{date('F d, Y', strtotime($p->created_at))}}</time></span>
            </div>
            <div class="entry-thumbnail">
                <img src="{{asset('assets/images/'.$p->photo)}}" alt="{{$p-
>title}}">
            </div>
        </header>
        <div class="entry-summary">
            <p>
                {{$p->description}}
            </p>
        </div>
        <footer class="entry-footer">
```

```
            <span class="cat-links blueText">
            {{$p->full_name}}
            </span>
        </footer>
    </article>
@endforeach
```

ROUTES\WEB.PHP

```php
<?php

use App\Http\Controllers\HomeController;
use App\Http\Controllers\PostsController;
use App\Http\Controllers\ContactController;
/*
|--------------------------------------------------------------------------
| Web Routes
|--------------------------------------------------------------------------
|
| Here is where you can register web routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| contains the "web" middleware group. Now create something great!
|
*/

Route::get('/', "PostsController@getAllPostsWithPagination");
Route::get('/{home?}', "PostsController@getAllPostsWithPagination")-
>where('home', '(home|index|index.php)')->name('home');

Route::get("/posts/{id}","PostsController@getOnePost")->name("posts.show")-
>where("id","[0-9]+");
Route::get("/posts_category/{id}","PostsController@getAllPostsFromOneCategory"
)->where(["id"=> "\d+"]);

Route::get("/login","AuthController@login");
Route::post("/login","AuthController@doLogin");
Route::get("/logout","AuthController@logout")->middleware("isLoggedIn");;
Route::get("/register","AuthController@register");
Route::post("/register","AuthController@doRegister");

Route::resource('/user_posts', 'MyPostsController', ['except' => ['show']])-
>middleware(['isLoggedIn']);
Route::resource('/user_posts', 'MyPostsController', ['only' => ['show']]);

Route::get('/contact',[ContactController::class, 'index']);
Route::post('/contact/send','ContactController@send');


Route::get('/results','SearchController@searchPost');

Route::prefix("/admin")->middleware(["isLoggedIn","admin"])->group(function(){
    Route::get('/',"Admin\UserController@usersActivities");
    Route::resource('/posts','Admin\PostsController');
    Route::resource('/users','Admin\UserController');
    Route::resource('/category','Admin\CategoryController');
    Route::get('/comments','Admin\CommentsController@index');
```

```
    Route::get('/messages','Admin\ContactController@index');
    Route::get('/messages/{id}','Admin\ContactController@view')->where(["id"=>
"\d+"]);


});


Route::post('like', 'LikesController@like');
Route::delete('like', 'LikesController@dislike');
```