Execution Environment

Host name BRI - DESKTOP-DJRE031

Local OS Windows 11 64bit

Katalon version 10.3.1.0

Browser Chrome 140.0.7339.128

Device name

Summary

ID Test Suites/Cart Update Qty

Description

Total 1

Passed0Failed1Error0Incomplete0

Skipped 0

Start 13-09-2025 19:36:22 **End** 13-09-2025 19:36:53

Elapsed 31.749s

# ID		Description	Status
4	(0 , 11 1 , 0)		EAUED

1 Test Cases/Cart - Update Qty FAILED

Information

ID Test Cases/Cart - Update Qty

Description

Tag


Start 13-09-2025 19:36:23 **End** 13-09-2025 19:36:53

Elapsed 30.826s

Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser(URLDev)	10.008s	PASSED
	Browser is opened with url: 'https://sauce-demo.myshopify.com/'		
2	click(findTestObject("Object Repository/Cart/Catalog"))	2.306s	PASSED
	Object: 'Object Repository/Cart/Catalog' is clicked on		







Footer About Us

Search
This is a demo site created for Sauce, an awesome new way to make your Shopify site social. Sauce allows you to let customers to share what they purchase to their friends, and see what their friends have purchased or "wanted" on your store.


Copyright © 2025 Sauce Demo Shopping Cart by Shopify

Search About Us





Object: 'Object Repository/Cart/checkout' is clicked on



Search About Us

Copyright © 2025 Sauce Demo. Shopping Cart by Shopify.

#	Description	Elapsed	Status
10	setText(findTestObject("Object Repository/Cart/qty"), "2")	8.023s	FAILED
	Unable to set text '2' of object 'Object Repository/Cart/qty' (Root cause: com.kms.katalon.		
	core.exception.StepFailedException: Unable to set text '2' of object 'Object Repository/Cart/qty'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:175)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:49) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeywordUntilTimeout(WebUlKeywordMain.groovy:132)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:101)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:49) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:79)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1081)		
	at Cart - Update Qty.run(Cart - Update Qty:35)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:486)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:456)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:322)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:71)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:145) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	104)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	205)		
	at TempTestSuite1757766975993.run(TempTestSuite1757766975993.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id		
	Build info: version: '4.28.1', revision: '73f5ad48a2'		
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version:		
	'17.0.14'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver Command: [7f071c5a310cb5f7a8b0d6abdd003f15, findElements {using=xpath, value=		
	(//input[@id='updates_611945025'])[2]}]		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	140.0.7339.128, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769,		
	userDataDir: C:\Users\BRI\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54233}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54233/devtoo, se:		
	cdpVersion: 140.0.7339.128, setWindowRect: true, strictFileInteractability: false, timeouts:		
	{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: {alert: ignore,		
	beforeUnload: ignore, confirm: ignore, default: ignore, file: ignore, prompt: ignore},		

Elapsed

Status

Description webSocketUrl: ws://localhost:5845/session..., webauthn:extension:credBlob: true, webauthn: extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7f071c5a310cb5f7a8b0d6abdd003f15 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openga.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:138) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:50) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute (DriverCommandExecutor.java:216) $at\ or g. open qa. selenium. remote. service. Driver Command Executor. execute$ (DriverCommandExecutor.java:174) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements (ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation. java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375) at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48) at org.openga.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at org.openga.selenium.remote.RemoteWebDriver\$ByteBuddy\$vQUNedtY. findElements(Unknown Source) at com.kms.katalon.core.webui.model.WebUiElementFinder. findElementByNormalMethods(WebUiElementFinder.java:185) at com.kms.katalon.core.webui.model.WebUiElementFinder. findElementsBySelectedMethod(WebUiElementFinder.java:92) at com.kms.katalon.core.webui.model.WebUiElementFinder. findElementsBySelectedMethod(WebUiElementFinder.java:75) $at\ com. kms. katalon. core. we bui. model. We bUi Element Finder.$ findElementsBySelectedMethod(WebUiElementFinder.java:70) at com.kms.katalon.core.webui.model.WebUiElementFinder.findElement (WebUiElementFinder.java:44) at com.kms.katalon.core.webui.model.WebUiElementFinderWithTimeout. basicFindElement(WebUiElementFinderWithTimeout.java:50) $at\ com. kms. katalon. core. webui. model. WebUiElement Finder With Timeout.$ lambda\$0(WebUiElementFinderWithTimeout.java:29) at com.kms.katalon.core.webui.model.SeleniumActionRetryController. performAction(SeleniumActionRetryController.java:109) at com.kms.katalon.core.webui.model.SeleniumActionRetryController. performAction(SeleniumActionRetryController.java:96) at com.kms.katalon.core.webui.model.WebUiElementFinderWithTimeout. findElement(WebUiElementFinderWithTimeout.java:28)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

Elapsed

Status

```
Description
findWebElement(WebUIAbstractKeyword.groovy:96)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:65)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at jdk.proxy2/jdk.proxy2.$Proxy46.execute(Unknown Source)
         at com.kms.katalon.core.webui.model.SeleniumActionRetryController.
performAction(SeleniumActionRetryController.java:109)
         at com.kms.katalon.core.webui.model.SeleniumActionRetryController.
performAction(SeleniumActionRetryController.java:96)
         at com.kms.katalon.core.webui.keyword.internal.
WebUIKeywordMain\$\_runKeywordUntilTimeout\_closure1.doCall(WebUIKeywordMain.
groovy:135)
          at com.kms.katalon.core.webui.keyword.internal.
WebUIKeywordMain$_runKeywordUntilTimeout_closure1.call(WebUIKeywordMain.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:41)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeywordUntilTimeout(WebUIKeywordMain.groovy:132)
         at\ com. kms. katalon. core. webui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:101)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:49)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:79)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. set Text
(WebUiBuiltInKeywords.groovy:1081)
         at Script1757754170076.run(Script1757754170076.groovy:35)
         ... 15 more
```