




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 1/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 3/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 4/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 6/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 8/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 9/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 10/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 14/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 15/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 19/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 20/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 22/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 23/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 24/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 27/31




exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 28/31



exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 29/31



exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 30/31



exp2: generic attributes (two_layer)
mean-of-cosines (per-agent) — layer 31/31

