




QwenInst32 self-play — residual PCA @ layer 0/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=nan% of variance)




QwenInst32 self-play — residual PCA @ layer 4/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=82.6% of variance)




QwenInst32 self-play — residual PCA @ layer 9/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=81.8% of variance)




QwenInst32 self-play — residual PCA @ layer 14/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=84.3% of variance)




QwenInst32 self-play — residual PCA @ layer 19/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=81.7% of variance)




QwenInst32 self-play — residual PCA @ layer 24/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=83.4% of variance)




QwenInst32 self-play — residual PCA @ layer 29/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=82.2% of variance)




QwenInst32 self-play — residual PCA @ layer 34/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=83.6% of variance)




QwenInst32 self-play — residual PCA @ layer 39/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=84.9% of variance)




QwenInst32 self-play — residual PCA @ layer 44/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=82.0% of variance)




QwenInst32 self-play — residual PCA @ layer 49/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=73.3% of variance)



QwenInst32 self-play — residual PCA @ layer 54/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=68.8% of variance)



QwenInst32 self-play — residual PCA @ layer 59/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=60.0% of variance)



QwenInst32 self-play — residual PCA @ layer 64/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=60.7% of variance)

