




QwenInst32 self-play — residual PCA @ layer 0/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=nan% of variance)




QwenInst32 self-play — residual PCA @ layer 4/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=55.9% of variance)




QwenInst32 self-play — residual PCA @ layer 9/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=58.0% of variance)




QwenInst32 self-play — residual PCA @ layer 14/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=62.2% of variance)




QwenInst32 self-play — residual PCA @ layer 19/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=58.9% of variance)




QwenInst32 self-play — residual PCA @ layer 24/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=55.1% of variance)




QwenInst32 self-play — residual PCA @ layer 29/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=53.6% of variance)




QwenInst32 self-play — residual PCA @ layer 34/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=55.8% of variance)




QwenInst32 self-play — residual PCA @ layer 39/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=55.5% of variance)




QwenInst32 self-play — residual PCA @ layer 44/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=55.7% of variance)




QwenInst32 self-play — residual PCA @ layer 49/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=43.4% of variance)



QwenInst32 self-play — residual PCA @ layer 54/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=36.4% of variance)



QwenInst32 self-play — residual PCA @ layer 59/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=24.8% of variance)



QwenInst32 self-play — residual PCA @ layer 64/64 [per-seed centered]
(edge=player, fill=turn; lines=per-rollout; PC1+PC2=54.2% of variance)

