




Llama square_grid L31: power per Laplacian mode



cumulative variance vs #modes




power: eigenmode × layer




Llama square_grid: Laplacian eigenmode DIVIDERS (% = variance share at L31)


mode 1 $\lambda=0.59$ (14%)




mode 2 $\lambda=0.59$ (16%)




mode 3 $\lambda=1.17$ (5%)




mode 4 $\lambda=2.00$ (3%)




mode 5 $\lambda=2.00$ (3%)




mode 6 $\lambda=2.59$ (3%)




mode 7 $\lambda=2.59$ (2%)




mode 8 $\lambda=3.41$ (2%)




mode 9 $\lambda=3.41$ (2%)




mode 10 $\lambda=4.00$ (3%)




mode 11 $\lambda=4.00$ (3%)




mode 12 $\lambda=4.00$ (4%)




mode 13 $\lambda=5.41$ (5%)



mode 14 $\lambda=5.41$ (7%)




mode 15 $\lambda=6.83$ (28%)




Llama square_grid: named-cut basis (left) & model's own top axes (right)


named cuts, greedy orthogonal (cumulative Σ)




PC0 (37%)
 $\approx$ checkerboard (parity)



PC1 (18%)
 $\approx$ y (coord 1)



PC2 (12%)
 $\approx$ x (coord 0)



PC3 (7%)
 $\approx$ checkerboard (parity)

