



Llama sbm4: eigenmode circuit-overlap
(corr of per-mode single-head damage; 1=same heads)




Llama sbm4: single-head damage per eigenmode (red=head builds it)


m1 $\lambda 0.9$ p0.12




m2 $\lambda 1.4$ p0.10




m3 $\lambda 1.7$ p0.08




m4 $\lambda 2.1$ p0.07




m5 $\lambda 3.3$ p0.05




m6 $\lambda 3.4$ p0.06




m7 $\lambda 3.8$ p0.07




m8 $\lambda 4.4$ p0.05




m9 $\lambda 4.9$ p0.05




m10 $\lambda 5.1$ p0.05




m11 $\lambda 5.4$ p0.05




m12 $\lambda 6.3$ p0.07




m13 $\lambda 6.8$ p0.06



m14 $\lambda 7.9$ p0.06



m15 $\lambda 8.6$ p0.06



Llama – sbm4: which heads build which structure

CIRCUIT 1 – community split / low-freq (no simple name)
modes [1, 2, 4] (λ 0.9, 1.4, 2.1), total power 0.30
top heads: L21H10, L2H22, L1H20

CIRCUIT 2 – low-freq (no simple name) / mid-freq (no simple name)
modes [7, 6, 10, 9, 11] (λ 3.8, 3.4, 5.1, 4.9, 5.4), total power 0.28
top heads: L10H2, L20H3, L14H9, L4H16, L8H9

CIRCUIT 3 – high-freq (no simple name)
modes [12, 13, 14, 15] (λ 6.3, 6.8, 7.9, 8.6), total power 0.25
top heads: L8H11, L2H26, L14H19

CIRCUIT 4 – low-freq (no simple name)
modes [3] (λ 1.7), total power 0.08
top heads: L4H16, L9H28, L2H27

Circuit 1 vs Circuit 2 cross-correlation: -0.81 (anti-correlated → compete for variance)