

Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 0
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 1
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 2
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 3
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 4
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 5
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 6
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 7
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 8
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 9
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 10
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 11
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 12
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 13
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 14
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 15
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 16
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 17
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 18
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 19
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 20
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 21
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 22
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 23
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 24
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 25
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 26
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 27
red = ablating that head weakens the mode at this layer; per-mode fixed scale




Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 28
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 29
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 30
red = ablating that head weakens the mode at this layer; per-mode fixed scale



Llama er_random — eigenmode damage heatmaps (ablation-layer[y] x head[x]) measured at LAYER 31 <-- readout
red = ablating that head weakens the mode at this layer; per-mode fixed scale

