

POOLED leave-one-node-out R^2 — both directions (top: A→B, bottom: B→A; ridge top-6 PC, $\alpha=1000$; best-cell node-shuffle null, 200 perms)

best-cell null -0.26 ± 0.18 , $p=0.005$




best-cell null -0.27 ± 0.16 , $p=0.005$

best-cell null -0.33 ± 0.17 , $p=0.005$

predict Llama from Gemma (max 0.77)

predict Qwen from Gemma (max 0.75)

predict Qwen from Llama (max 0.80)



best-cell null -0.33 ± 0.18 , $p=0.005$




best-cell null -0.29 ± 0.19 , $p=0.005$

best-cell null -0.32 ± 0.20 , $p=0.005$


predict Gemma from Llama (max 0.83)

predict Gemma from Qwen (max 0.79)


predict Llama from Qwen (max 0.78)




[ring] HELD-OUT node 0 @ (1.0, 0.0) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 1 @ (0.92, 0.38) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 2 @ (0.71, 0.71) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 3 @ (0.38, 0.92) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 4 @ (0.0, 1.0) — per-node R² layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 5 @ (-0.38, 0.92) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 6 @ (-0.71, 0.71) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 7 @ (-0.92, 0.38) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 8 @ (-1.0, 0.0) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 9 @ (-0.92, -0.38) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 10 @ (-0.71, -0.71) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 11 @ (-0.38, -0.92) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)




[ring] HELD-OUT node 12 @ (-0.0, -1.0) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)



[ring] HELD-OUT node 13 @ (0.38, -0.92) — per-node R^2 layerxlayer, both directions (red=well predicted, blue=worse than centroid)



[ring] HELD-OUT node 14 @ (0.71, -0.71) — per-node R^2 layer $\times$ layer, both directions (red=well predicted, blue=worse than centroid)



[ring] HELD-OUT node 15 @ (0.92, -0.38) — per-node R^2 layer×layer, both directions (red=well predicted, blue=worse than centroid)

