



square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.00
rows = model A context, cols = model B context (viridis)


Qwen L0 vs Llama L0 (max 0.17)



Qwen L0 vs Gemma L0 (max -0.11)




Gemma L0 vs Llama L0 (max 0.12)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.02
rows = model A context, cols = model B context (viridis)


Qwen L1 vs Llama L1 (max 0.23)



Qwen L1 vs Gemma L1 (max 0.38)




Gemma L1 vs Llama L1 (max 0.55)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.05
rows = model A context, cols = model B context (viridis)


Qwen L2 vs Llama L2 (max 0.35)



Qwen L2 vs Gemma L2 (max 0.51)




Gemma L2 vs Llama L2 (max 0.81)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.07
rows = model A context, cols = model B context (viridis)


Qwen L3 vs Llama L2 (max 0.22)



Qwen L3 vs Gemma L3 (max 0.47)




Gemma L3 vs Llama L2 (max 0.77)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.10
rows = model A context, cols = model B context (viridis)


Qwen L3 vs Llama L3 (max 0.17)



Qwen L3 vs Gemma L4 (max 0.40)




Gemma L4 vs Llama L3 (max 0.76)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.12
rows = model A context, cols = model B context (viridis)


Qwen L4 vs Llama L4 (max 0.20)



Qwen L4 vs Gemma L5 (max 0.43)




Gemma L5 vs Llama L4 (max 0.74)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.15
rows = model A context, cols = model B context (viridis)


Qwen L5 vs Llama L5 (max 0.53)



Qwen L5 vs Gemma L6 (max 0.72)




Gemma L6 vs Llama L5 (max 0.83)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.17
rows = model A context, cols = model B context (viridis)


Qwen L6 vs Llama L5 (max 0.62)



Qwen L6 vs Gemma L7 (max 0.68)




Gemma L7 vs Llama L5 (max 0.80)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.20
rows = model A context, cols = model B context (viridis)


Qwen L7 vs Llama L6 (max 0.63)



Qwen L7 vs Gemma L8 (max 0.73)




Gemma L8 vs Llama L6 (max 0.77)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.22
rows = model A context, cols = model B context (viridis)


Qwen L8 vs Llama L7 (max 0.57)



Qwen L8 vs Gemma L9 (max 0.83)




Gemma L9 vs Llama L7 (max 0.70)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.24
rows = model A context, cols = model B context (viridis)


Qwen L9 vs Llama L8 (max 0.60)



Qwen L9 vs Gemma L10 (max 0.84)




Gemma L10 vs Llama L8 (max 0.72)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.27
rows = model A context, cols = model B context (viridis)


Qwen L9 vs Llama L8 (max 0.60)



Qwen L9 vs Gemma L11 (max 0.84)




Gemma L11 vs Llama L8 (max 0.74)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.29
rows = model A context, cols = model B context (viridis)


Qwen L10 vs Llama L9 (max 0.66)



Qwen L10 vs Gemma L12 (max 0.83)




Gemma L12 vs Llama L9 (max 0.77)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.32
rows = model A context, cols = model B context (viridis)


Qwen L11 vs Llama L10 (max 0.65)



Qwen L11 vs Gemma L13 (max 0.83)




Gemma L13 vs Llama L10 (max 0.78)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.34
rows = model A context, cols = model B context (viridis)


Qwen L12 vs Llama L11 (max 0.67)



Qwen L12 vs Gemma L14 (max 0.84)




Gemma L14 vs Llama L11 (max 0.78)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.37
rows = model A context, cols = model B context (viridis)


Qwen L13 vs Llama L11 (max 0.68)



Qwen L13 vs Gemma L15 (max 0.84)




Gemma L15 vs Llama L11 (max 0.77)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.39
rows = model A context, cols = model B context (viridis)


Qwen L14 vs Llama L12 (max 0.71)



Qwen L14 vs Gemma L16 (max 0.84)




Gemma L16 vs Llama L12 (max 0.82)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.41
rows = model A context, cols = model B context (viridis)


Qwen L15 vs Llama L13 (max 0.74)



Qwen L15 vs Gemma L17 (max 0.83)




Gemma L17 vs Llama L13 (max 0.81)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.44
rows = model A context, cols = model B context (viridis)


Qwen L15 vs Llama L14 (max 0.71)



Qwen L15 vs Gemma L18 (max 0.84)




Gemma L18 vs Llama L14 (max 0.80)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.46
rows = model A context, cols = model B context (viridis)


Qwen L16 vs Llama L14 (max 0.71)



Qwen L16 vs Gemma L19 (max 0.83)




Gemma L19 vs Llama L14 (max 0.78)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.49
rows = model A context, cols = model B context (viridis)


Qwen L17 vs Llama L15 (max 0.73)



Qwen L17 vs Gemma L20 (max 0.82)




Gemma L20 vs Llama L15 (max 0.69)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.51
rows = model A context, cols = model B context (viridis)


Qwen L18 vs Llama L16 (max 0.69)



Qwen L18 vs Gemma L21 (max 0.80)




Gemma L21 vs Llama L16 (max 0.65)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.54
rows = model A context, cols = model B context (viridis)


Qwen L19 vs Llama L17 (max 0.63)



Qwen L19 vs Gemma L22 (max 0.80)




Gemma L22 vs Llama L17 (max 0.66)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.56
rows = model A context, cols = model B context (viridis)


Qwen L20 vs Llama L17 (max 0.69)



Qwen L20 vs Gemma L23 (max 0.80)




Gemma L23 vs Llama L17 (max 0.72)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.59
rows = model A context, cols = model B context (viridis)


Qwen L20 vs Llama L18 (max 0.68)



Qwen L20 vs Gemma L24 (max 0.82)




Gemma L24 vs Llama L18 (max 0.70)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.61
rows = model A context, cols = model B context (viridis)


Qwen L21 vs Llama L19 (max 0.67)



Qwen L21 vs Gemma L25 (max 0.81)




Gemma L25 vs Llama L19 (max 0.70)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.63
rows = model A context, cols = model B context (viridis)


Qwen L22 vs Llama L20 (max 0.79)



Qwen L22 vs Gemma L26 (max 0.69)




Gemma L26 vs Llama L20 (max 0.62)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.66
rows = model A context, cols = model B context (viridis)


Qwen L23 vs Llama L20 (max 0.72)



Qwen L23 vs Gemma L27 (max 0.69)




Gemma L27 vs Llama L20 (max 0.65)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.68
rows = model A context, cols = model B context (viridis)


Qwen L24 vs Llama L21 (max 0.77)



Qwen L24 vs Gemma L28 (max 0.59)




Gemma L28 vs Llama L21 (max 0.83)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.71
rows = model A context, cols = model B context (viridis)


Qwen L25 vs Llama L22 (max 0.63)



Qwen L25 vs Gemma L29 (max 0.72)




Gemma L29 vs Llama L22 (max 0.77)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.73
rows = model A context, cols = model B context (viridis)


Qwen L26 vs Llama L23 (max 0.61)



Qwen L26 vs Gemma L30 (max 0.65)




Gemma L30 vs Llama L23 (max 0.75)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.76
rows = model A context, cols = model B context (viridis)


Qwen L26 vs Llama L23 (max 0.61)



Qwen L26 vs Gemma L31 (max 0.74)




Gemma L31 vs Llama L23 (max 0.79)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.78
rows = model A context, cols = model B context (viridis)


Qwen L27 vs Llama L24 (max 0.71)



Qwen L27 vs Gemma L32 (max 0.78)




Gemma L32 vs Llama L24 (max 0.82)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.80
rows = model A context, cols = model B context (viridis)


Qwen L28 vs Llama L25 (max 0.63)



Qwen L28 vs Gemma L33 (max 0.81)




Gemma L33 vs Llama L25 (max 0.83)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.83
rows = model A context, cols = model B context (viridis)


Qwen L29 vs Llama L26 (max 0.64)



Qwen L29 vs Gemma L34 (max 0.81)




Gemma L34 vs Llama L26 (max 0.89)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.85
rows = model A context, cols = model B context (viridis)


Qwen L30 vs Llama L26 (max 0.70)



Qwen L30 vs Gemma L35 (max 0.81)




Gemma L35 vs Llama L26 (max 0.91)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.88
rows = model A context, cols = model B context (viridis)


Qwen L31 vs Llama L27 (max 0.75)



Qwen L31 vs Gemma L36 (max 0.82)




Gemma L36 vs Llama L27 (max 0.90)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.90
rows = model A context, cols = model B context (viridis)


Qwen L32 vs Llama L28 (max 0.78)



Qwen L32 vs Gemma L37 (max 0.84)




Gemma L37 vs Llama L28 (max 0.90)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.93
rows = model A context, cols = model B context (viridis)


Qwen L32 vs Llama L29 (max 0.77)



Qwen L32 vs Gemma L38 (max 0.84)




Gemma L38 vs Llama L29 (max 0.90)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.95
rows = model A context, cols = model B context (viridis)


Qwen L33 vs Llama L29 (max 0.81)



Qwen L33 vs Gemma L39 (max 0.89)




Gemma L39 vs Llama L29 (max 0.88)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 0.98
rows = model A context, cols = model B context (viridis)


Qwen L34 vs Llama L30 (max 0.84)



Qwen L34 vs Gemma L40 (max 0.91)




Gemma L40 vs Llama L30 (max 0.88)




square_grid [v1] cross-model context-vs-context RSA -- relative depth 1.00
rows = model A context, cols = model B context (viridis)

Qwen L35 vs Llama L31 (max 0.77)



Qwen L35 vs Gemma L41 (max 0.81)



Gemma L41 vs Llama L31 (max 0.82)

