
Layer 0 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=59.8%
LD2
LD1
4
3
2
1
0
−1
−2
−3
−4
−3
−2
−1
0
1
2
3

Layer 1 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=94.3%



Layer 2 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=93.1%



Layer 3 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=93.1%



Layer 4 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=92.0%




Layer 5 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=94.8%
LD2
LD1
4
2
0
−2
−6
−4
−2
0
2
4


Layer 6 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=96.0%
LD2
LD1
4
2
0
−2
−4
−6
−4
−2
0
2
4

Layer 7 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=96.0%



Layer 8 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=97.7%



Layer 9 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=97.1%




ayer 10 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=95.4%
6
4
2
0
−2
LD2
−4
−2
0
2
4
LD1


ayer 11 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=93.1%
LD2
LD1
2
0
−2
−4
−4
−2
0
2
4


ayer 12 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: plain (in-sample acc=86.8%
LD2
LD1
3
2
1
0
−1
−2
−3
−4
−4
−2
0
2


yer 0 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=59.8%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
4
3
2
1
0
−1
−2
−3
−4
−3
−2
−1
0
1
2
3


yer 1 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=94.3%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
4
2
0
−2
−4
−4
−2
0
2
4

yer 2 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=93.1%




yer 3 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=93.1%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
4
2
0
−2
−4
−4
−2
0
2


yer 4 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=92.0%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD1
LD2
−4
−2
0
2
4
3
2
1
0
−1
−2
−3
−4
−5


yer 5 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=94.8%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
4
2
0
−2
−6
−4
−2
0
2
4


yer 6 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=96.0%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
4
2
0
−2
−4
−6
−4
−2
0
2
4


yer 7 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=96.0%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
6
4
2
0
−2
−4
−6
−4
−2
0
2
4


yer 8 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=97.7%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
2
0
−2
−4
−6
−4
−2
0
2
4


yer 9 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=97.1%
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD1
LD2
−6
−4
−2
0
2
4


yer 10 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=95.4
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
6
4
2
0
−2
−4
−2
0
2
4


yer 11 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=93.1
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
2
0
−2
−4
−4
−2
0
2
4


yer 12 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: faithful (in-sample acc=86.8
teacher_incorrect (77)
faithful (81)
unfaithful (16)
LD2
LD1
3
2
1
0
−1
−2
−3
−4
−4
−2
0
2

r 0 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=59



r 1 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=94



r 2 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=93



r 3 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=93



r 4 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=92



r 5 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=94



r 6 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=96



r 7 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=96



r 8 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=97



r 9 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=97



10 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=9



11 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=9



12 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: problem_type (in-sample acc=8



er 0 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=59.



er 1 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=94.



er 2 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=93.



er 3 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=93.



er 4 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=92.



er 5 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=94.



er 6 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=96.



er 7 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=96.



er 8 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=97.



er 9 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=97.



er 10 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=95




er 11 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=93
<10 (34)
10-99 (88)
100-999 (33)
1000+ (19)
LD2
LD1
2
0
−2
−4
−4
−2
0
2
4


er 12 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: magnitude (in-sample acc=86
<10 (34)
10-99 (88)
100-999 (33)
1000+ (19)
LD2
LD1
3
2
1
0
−1
−2
−3
−4
−4
−2
0
2

er 0 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=59.



er 1 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=94.



er 2 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=93.



er 3 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=93.



er 4 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=92.



er 5 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=94.



er 6 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=96.



er 7 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=96.



er 8 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=97.



er 9 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=97.



r 10 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=95



r 11 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=93



r 12 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: log_answer (in-sample acc=86




yer 0 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=59.8%
wrong (77)
right (97)
LD2
LD1
4
3
2
1
0
−1
−2
−3
−4
−3
−2
−1
0
1
2
3


yer 1 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=94.3%
wrong (77)
right (97)
LD2
LD1
4
2
0
−2
−4
−4
−2
0
2
4


yer 2 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=93.1%
wrong (77)
right (97)
LD2
LD1
2
0
−2
−4
−4
−2
0
2
4


yer 3 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=93.1%
wrong (77)
right (97)
LD2
LD1
4
2
0
−2
−4
−4
−2
0
2


yer 4 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=92.0%
wrong (77)
right (97)
LD2
LD1
3
2
1
0
−1
−2
−3
−4
−5
−4
−2
0
2
4

yer 5 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=94.8%




yer 6 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=96.0%
wrong (77)
right (97)
LD2
LD1
4
2
0
−2
−4
−6
−4
−2
0
2
4


yer 7 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=96.0%
wrong (77)
right (97)
LD2
LD1
6
4
2
0
−2
−4
−6
−4
−2
0
2
4


yer 8 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=97.7%
wrong (77)
right (97)
LD2
LD1
2
0
−2
−4
−6
−4
−2
0
2
4


yer 9 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=97.1%
wrong (77)
right (97)
LD2
LD1
4
2
0
−2
−4
−6
−6
−4
−2
0
2
4


yer 10 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=95.4
wrong (77)
right (97)
LD2
LD1
6
4
2
0
−2
−4
−2
0
2
4


yer 11 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=93.1
wrong (77)
right (97)
LD2
LD1
2
0
−2
−4
−4
−2
0
2
4


yer 12 — LDA(operator) of CODI-GPT-2 ':' residual — coloring: correct (in-sample acc=86.8
wrong (77)
right (97)
LD2
LD1
3
2
1
0
−1
−2
−3
−4
−4
−2
0
2